

15 January 2025

## REVISED RELEASE RE: EARAHEEDY SOIL SAMPLING TARGETS IDENTIFIED

On 10 January 2025 the Company made a release in relation to new copper targets identified in Earahedy soil sampling.

The revised release addresses disclosure deficiencies with the first release.

The additional information contained in this release includes:

- The location details of the samples (northings and eastings); and
- A full list of assay results.

The Company apologises for any confusion caused.

This announcement has been authorised by the Board of Directors of the Company.

**-ENDS-**

### **Contacts**

<b>Ed Turner</b>
Managing Director <a href="mailto:info@lodestarminerals.com.au">info@lodestarminerals.com.au</a> +61 8 9435 3200

15 January 2025

## NEW COPPER TARGETS IDENTIFIED IN EARAHEEDY SOIL SAMPLING

### HIGHLIGHTS

- **Three new copper (Cu) targets identified at the Anticline Prospect in the Earraheedy Project, Western Australia (WA)**
- **A single point gold result of 43ppb Au also identified**

**Lodestar Minerals Limited ("LSR" or "the Company") (ASX:LSR)** is pleased to announce the results of the October 2024 soil sampling program at the Company's Earraheedy Project (the "Project") in Western Australia. Following the compilation of a total of 637 samples taken in the newly granted E69/3532 tenement across 2 prospects: Anticline and Imbin Central, which had respectively 565 and 72 samples (See Appendix 1 for full assay details). All samples were of 200 µm size fractions. Samples at the Anticline Prospect had a grid spacing of 400 x 400m in the main area of interests and 800 x 200m grid in the regional extensions. These were targeting extensions from the targets identified from the 524 samples sampled in early 2024 on a 200 x 100m grid. Imbin Central Prospect had a grid spacing of 400 x 200m targeting a gravity high.

**Lodestar Managing Director Ed Turner added:** *"After more than 9620 soil samples completed by Lodestar since 2022, we are pleased to announce newly defined targets at our Earraheedy Project in Western Australia. E69/3532 is one of our most prospective tenements in the Project, and this is the first work we could complete since the grant of the tenement in October 2024.<sup>1</sup> Following the identification of these new anomalies detailed geological mapping will be required to evaluate each target and their potential. This work will commence in March 2025."*

<sup>1</sup>Lodestar Minerals ASX announcement of 28<sup>th</sup> October 2024

## Geochemical Soil Sampling - Discussion of Results

At the Anticline Prospect, the sampling covers an area of almost 20 km long by 8 km wide. The area presents two gravity highs associated with a complex magnetic response. Volcanic rocks were identified on the ground, although most of the area is under cover making geological mapping difficult.

Each sample was assayed for a multi-element suite of 49 elements (including gold). This large suite of elements includes potential “path finders” which may be associated with various styles of mineralisation and are used as tools, along with geological and geophysical information to improve the interpretation and delineation of new targets.

Using the multielement analysis on the 637 samples of October 2024 and the 524 samples collected in early 2024, we have been able to define new targets in the newly granted tenement E69/3532 which will require further exploration in 2025. The results were evaluated for their potential of mineralisation and or indication of specific geological lithologies, such as mafic and ultramafic volcanic rocks. Following this review, three main targets were identified (Figures 1-2). Target 1 is in the main axial plane of the structurally defined anticline (“A” shaped fold) and at the fold closure, which is a recognised trap for potential mineralisation. It is also linked to a gravity high, and a magnetic complex area. Target 2 is also on the axial plane of the fold. Target 3 is out of the main axial plan but is associated with the gravity high.

This target also presents a single point gold anomaly at 43ppb Au (316600E, 7211422N) which will need to be further investigated.




Figure 1: Copper soil sample results displayed on top of gravity 1vd over 2vd magnetic surveys showing the three newly identified targets.




Figure 2: Soil sample Copper results displayed on aerial photo.



## FUTURE STEPS

The three targets are to be ground proofed, and geologically mapped to determine the likelihood of economic mineralisation at these locations and to decide on infill sampling over the targets with wide spaced sampling. More detailed geophysical surveys will also be considered to better define structural targets.

## About Lodestar

Lodestar Minerals is an active base metal and gold explorer. Lodestar’s projects, comprise the 100% owned Earaheedy, Ned’s Creek and Coolgardie West projects in Western Australia (Figure 3) and the Darwin Project in Chile (Figure 4).

Lodestar also has exposure to lithium via its 27.5M performance rights in Future Battery Minerals (ASX:FBM) who own the Kangaroo Hills and Miriam lithium Projects in Western Australia.




Figure 3: Lodestar’s WA Project locations




Figure 4: Lodestar's Chile Project location

This announcement has been authorised by the Board of Directors of the Company.

-ENDS-

## Contacts

**Ed Turner**

Managing Director

[info@lodestarminerals.com.au](mailto:info@lodestarminerals.com.au)

+61 8 9435 3200

## Competent Person Statement

*The information in this report that relates to Exploration Results is based on information compiled by Ed Turner, Managing Director, who is a Member of the Australasian Institute of Geoscientists and has sufficient experience of relevance to the styles of mineralisation and the types of deposits under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Turner consents to the inclusion in this report of the matters based on the information in the form and context in which it appears.*

*This announcement is available to view on the Lodestar website. The company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement. The company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.*

## JORC Code, 2012 Edition – Table 1 report template

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more</i></li> </ul>	<ul style="list-style-type: none"> <li>Soil samples were collected by hand using a mattock to remove surface material prior to extracting approximately 150g to 200g of soil sieved to -200 µm.</li> <li>Soil sampling is a first-pass geochemical reconnaissance technique where a single sample is taken at each sample location through a sampling grid. The grids used in these samples were 400 x 200m, 400 x 400m and 800 x 200m.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></p>	
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>• No drilling results being reported.</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• No drilling results being reported.</li> <li>• No drilling results being reported.</li> <li>• No drilling results being reported.</li> </ul>
<b>Logging</b>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Sample comments include a brief description of the regolith environment which is qualitative in nature.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• No drilling results being reported.</li> <li>• No drilling results being reported.</li> <li>• No sub-sampling has been conducted. Samples were sieved in the field to the desired size fraction of -200 µm.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered</i></li> </ul>	<ul style="list-style-type: none"> <li>• The 200 µm samples were sent to Intertek in Perth. Fire Assay was used for gold analysis and a 48 multi-elements suite using mixed Acid Digest - Full ICP-AES &amp;</li> </ul>



Criteria	JORC Code explanation	Commentary
	<p><i>partial or total.</i></p> <ul style="list-style-type: none"> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>	<p>ICP-MS Scan.</p> <ul style="list-style-type: none"> <li>Reference standards and blanks were inserted at 1:30. Results indicate satisfactory accuracy and precision was achieved.</li> </ul>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>No drilling results being reported.</li> <li>No drilling is reported.</li> <li>The sampling was completed by Lodestar employees. No QAQC problems were identified in the results.</li> <li>No adjustment to assay data</li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>Sample locations were located and recorded using a hand-held GPS.</li> <li>GPS coordinates were recorded in MGA94 Zone 51 grid.</li> <li>Handheld GPS coordinates are regarded as being accurate within 4m in the east and west directions. No RL was recorded for soil sampling locations.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Sampling to date is on wide based grids And geological mapping and infill sampling is required before pursuing exploration drilling.</li> <li>No compositing was done.</li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>By its nature, surface geochemistry represents a two-dimensional image of metal distribution. The spacing and location of the data is currently only being considered for exploration purposes.</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>All samples were stored at Lodestar's exploration camp then transported to Perth Laboratories by Lodestar personnel.</li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No audit or reviews carried out.</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>The soil sampling in Earaaheedy is located on E69/3532 and E69/3533 owned 100% by Lodestar Minerals Ltd. The tenements are within the Birriliburu People (MNR) Native Title Area.</li> </ul>
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Several episodes of limited exploration for gold, diamonds, iron ore and base metals have been carried out in the area, including surface geochemistry, aeromagnetics, EM surveys, vacuum, RAB, RC and diamond drilling. Exploration of the southern part of the tenements completed by Sons of Gwalia, Aztec Exploration and MIM defined and tested the main outcropping targets, identifying significant copper mineralisation in drilling at the Main Gossan Prospect. Follow up drilling by Empire Resources (up to 2011) has in the main targeted the outcropping, siliceous ironstones representing sulphide-bearing strata within complexly deformed metasediments and discrete magnetic anomalies within the regional aeromagnetic data. Large areas undershallow aeolian sand cover were unexplored.</li> </ul>
<b>Geology</b>	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>The Earaaheedy tenements are located on the northeastern margin of the Earaaheedy Basin, a NW-trending asymmetric east-plunging synclinal basin 250km long and 150km wide. The northern margin has been locally strongly deformed by folding and faulting and was formerly known as the Stanley Fold Belt. Early explorers assigned the sedimentary sequence in the Earaaheedy Project to the "Troy Creek Beds" that were thought to pre-date the Earaaheedy Basin. The sediments have since been assigned to the Yelma Formation. MIM state that conformable dolerite sills intrude the sequence in the area of the North Chert prospect, raising the possibility of syn-sedimentary volcanic activity on the northern margin. Bunting (1986) regards the northern margin as tectonically active, the presence of mafic</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Drill hole information</b>	<ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>○ easting and northing of the drill hole collar</li> <li>○ elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar</li> <li>○ dip and azimuth of the hole</li> <li>○ down hole length and interception depth</li> <li>○ hole length.</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<p>intrusives and ultramafic rocks indicates potential for a rifted margin and Besshi-style VMS mineralisation with SEDEX and epigenetic structurally controlled mineralisation styles also possible.</p> <ul style="list-style-type: none"> <li>• No drilling results being reported.</li> </ul>
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>• There were no weighting or upper/lower cuts applied for the soil samples.</li> <li>• No drilling results being reported.</li> </ul>
<b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.               <ul style="list-style-type: none"> <li>○ If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> </ul> </li> <li>• If it is not known and only the down hole lengths are reported, there should be a</li> </ul>	<ul style="list-style-type: none"> <li>• Samples were collected from the surface with no relationship to geometry.</li> <li>• No drilling results being reported.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>clear statement to this effect (eg 'down hole length, true width not known').</i></p>	
<p><b>Diagrams</b></p>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Plans of sample locations are included in the body of the text.</li> </ul>
<p><b>Balanced reporting</b></p>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>The information in this report is based on the current data available.</li> </ul>
<p><b>Other substantive exploration data</b></p>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>All information has been reported within the text of the announcement, no other information to report.</li> </ul>
<p><b>Further Work</b></p>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>Further work is discussed in the document.</li> </ul>



10 JANUARY 2025

## Appendix 1: Assay Table

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	309400	7207022	X	X	15057	2	40.5	0.12	122	X	6.03	1.7	50	0.72
Anticline	309400	7206822	X	X	18234	2.5	66	0.16	107	X	9.79	2.6	106	0.93
Anticline	309400	7206622	X	X	22263	2.5	65.3	0.16	162	X	10.2	2.9	73	1.11
Anticline	309400	7206422	1	X	55202	4.7	127.3	0.28	1058	X	30.2	8	117	3.29
Anticline	309400	7206222	X	X	23494	3.5	49.3	0.19	150	X	7.98	2.4	87	0.98
Anticline	309400	7206022	X	X	25056	3.3	69.1	0.18	487	X	13.41	3.4	91	1.35
Anticline	309400	7205822	X	X	32004	3	63.5	0.2	93	X	14.04	3.3	104	1.74
Anticline	309400	7205622	X	X	30632	3	61.4	0.2	111	X	13.67	3.2	135	1.61
Anticline	309400	7205422	X	X	30249	2.9	60.9	0.2	88	X	13.35	3	103	1.58
Anticline	309400	7205222	X	0.06	31185	2.9	60.9	0.2	109	X	13.79	3.2	136	1.64
Anticline	309400	7205022	X	X	31884	2.9	62.7	0.21	83	X	14.39	3.3	106	1.72
Anticline	309400	7204822	1	X	32523	2.8	64.7	0.21	84	X	14.48	3.4	133	1.74
Anticline	310200	7207022	X	X	20911	2.7	48.4	0.16	54	X	8.35	2.2	63	1.02
Anticline	310200	7206822	X	X	27453	2.9	69.3	0.19	173	X	13.93	4.1	126	1.41
Anticline	310200	7206622	X	X	21629	2.7	56.2	0.18	98	X	10.78	2.7	109	1.07
Anticline	310200	7206422	X	X	23730	3	55	0.18	78	X	11.61	2.7	158	1.2
Anticline	310200	7206222	X	X	22093	3	50.3	0.19	70	X	11.54	2.5	121	1.08
Anticline	310200	7206022	X	X	19681	2.6	43.5	0.16	91	0.02	8.27	2.4	134	0.94
Anticline	310200	7205822	X	X	32935	2.9	63.4	0.2	87	X	14.2	3.3	105	1.72
Anticline	310200	7205622	1	X	32058	2.8	62.5	0.2	90	X	14.18	3.3	129	1.65
Anticline	310200	7205422	X	X	31596	3.1	62.5	0.2	98	X	13.72	3.3	99	1.67
Anticline	310200	7205222	X	X	31732	3	62.8	0.2	95	X	13.83	3.3	124	1.69

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	310200	7205022	X	X	32537	2.7	64.4	0.21	83	X	14.25	3.5	111	1.74
Anticline	310200	7204822	X	X	32724	3	64	0.2	92	X	14.5	3.4	130	1.8
Anticline	310200	7204622	X	X	31902	2.9	61.9	0.21	94	X	13.97	3.3	106	1.74
Anticline	311000	7207422	2	X	26663	3.3	154.6	0.2	1144	X	20.79	12.8	176	1.42
Anticline	311000	7207222	X	X	45114	4.9	140.5	0.28	360	X	40.84	21.4	191	2.34
Anticline	311000	7207022	2	X	65156	6	197.5	0.32	466	0.04	46.94	21.5	196	3.57
Anticline	311000	7206822	X	X	44119	4	102.6	0.25	320	X	26.71	5.3	109	2.47
Anticline	311000	7206622	X	X	45130	4.4	134.3	0.27	406	X	25.84	5.1	129	2.5
Anticline	311000	7206422	X	X	30219	3	64.6	0.19	157	X	14.78	3.5	86	1.61
Anticline	311000	7206222	X	X	26908	3.1	57.7	0.18	140	X	11.27	3.1	118	1.34
Anticline	311000	7206022	X	X	26473	3.2	56.2	0.18	121	X	11.15	2.9	102	1.33
Anticline	311000	7205822	X	X	25903	2.8	54.7	0.17	123	X	10.74	3	141	1.33
Anticline	311000	7205622	X	X	25415	2.7	53.4	0.18	118	X	10.53	2.8	100	1.24
Anticline	311000	7205422	X	X	28067	3.1	58.2	0.21	169	X	12.8	2.9	116	1.47
Anticline	311000	7205222	X	X	27391	3.1	56.7	0.21	93	X	12.26	2.7	83	1.43
Anticline	311000	7205022	X	X	24592	3.1	50.1	0.18	67	X	11.48	2.3	106	1.29
Anticline	311000	7204822	X	X	21606	3.1	48	0.18	81	X	10.06	2.2	82	1.06
Anticline	311000	7204622	X	X	24730	3	51.3	0.19	72	X	11.21	2.5	108	1.17
Anticline	311800	7207622	X	X	30431	3.5	82.3	0.21	146	X	18.6	4	81	1.51
Anticline	311800	7207422	X	X	31827	3.8	78.2	0.22	131	X	18.66	3.4	114	1.67
Anticline	311800	7207222	X	X	44626	4.6	106.5	0.22	227	X	23.62	5.1	234	2.04
Anticline	311800	7207022	X	X	40473	3.5	89.7	0.24	255	0.02	19.92	4.9	254	1.95
Anticline	311800	7206822	X	X	30024	4	58.1	0.19	104	X	13.55	3.4	176	1.28
Anticline	311800	7206622	X	X	29695	3.6	66.1	0.21	205	0.02	14.55	3.8	144	1.39
Anticline	311800	7206422	X	X	31660	4.2	59.7	0.22	136	X	15.09	3.4	121	1.59
Anticline	311800	7206222	X	X	33024	3.9	62.1	0.23	136	X	16.16	3.5	129	1.71
Anticline	311800	7206022	X	X	30495	3.6	56	0.22	82	X	13.3	3	109	1.56
Anticline	311800	7205822	1	X	34092	3.8	71.9	0.25	85	X	16.36	3.9	110	1.86
Anticline	311800	7205622	X	X	25968	3	52.4	0.19	71	X	12.01	2.5	77	1.36

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	311800	7205422	X	X	26183	3	54.1	0.19	76	X	12.07	2.6	102	1.38
Anticline	311800	7205222	X	X	24949	2.9	52.1	0.18	67	X	11.77	2.4	76	1.28
Anticline	311800	7205022	X	X	25433	2.7	54.9	0.18	59	X	11.59	2.5	100	1.29
Anticline	311800	7204822	X	X	25796	2.8	52.8	0.19	73	X	11.83	2.7	77	1.33
Anticline	311800	7204622	X	X	26068	2.7	54.6	0.18	59	X	12.5	2.6	101	1.38
Anticline	312200	7207822	X	X	28886	3.2	60.6	0.19	115	X	14.31	3.6	127	1.33
Anticline	312200	7207422	X	X	28874	3.1	61	0.19	108	X	14.8	3.8	152	1.4
Anticline	312200	7207022	X	X	29769	3.4	61.4	0.21	122	X	15.74	3.9	131	1.43
Anticline	312600	7208222	X	X	29724	3.1	86.7	0.21	128	X	18.96	3.9	94	1.65
Anticline	312600	7207822	X	X	37237	3.5	103.3	0.22	111	0.02	23.44	3.2	80	2.18
Anticline	312600	7207422	X	X	31408	3.6	66.6	0.2	76	X	17.09	5.2	198	1.4
Anticline	312600	7207022	X	X	29669	3.6	59.8	0.21	188	X	15.87	4.2	171	1.33
Anticline	312600	7206622	X	X	38678	3.9	75.8	0.22	168	0.03	19.71	4	156	2.06
Anticline	312600	7206422	X	X	39825	4.1	76.5	0.23	173	X	20.43	4.1	134	2.09
Anticline	312600	7206222	X	X	40024	3.9	76.7	0.24	162	X	21.61	4.1	154	2.04
Anticline	312600	7206022	1	X	39793	4.1	78	0.22	162	X	21.14	4.1	138	2.1
Anticline	312600	7205822	1	X	50486	4	96.6	0.27	442	0.03	24.16	5.4	115	2.93
Anticline	312600	7205622	X	X	39040	3.9	94.7	0.23	325	X	22.09	6.1	93	2.19
Anticline	312600	7205422	X	X	26656	3	55.5	0.19	98	X	11.91	2.8	112	1.42
Anticline	312600	7205222	X	X	29820	3.6	61.7	0.22	103	X	14.33	3.4	88	1.64
Anticline	312600	7205022	X	X	29345	3.9	69.3	0.2	170	0.03	15.21	4.3	101	1.7
Anticline	313000	7209822	X	X	28368	2.6	59	0.16	220	X	11.89	3.5	86	1.18
Anticline	313000	7209422	X	X	28563	3.1	56.3	0.18	89	X	12.68	4.8	115	1.24
Anticline	313000	7209022	X	X	30319	2.9	59.5	0.19	126	X	13.32	5.7	102	1.49
Anticline	313000	7208622	X	X	27688	2.9	75.3	0.24	119	0.02	16.91	3	102	1.45
Anticline	313000	7208222	X	X	44230	4	111	0.3	122	X	25.9	3.9	87	2.63
Anticline	313000	7207822	X	X	35839	3.9	78.1	0.23	100	X	19.46	3	102	1.98
Anticline	313000	7207422	X	X	55639	6.5	120.5	0.29	342	0.03	35.49	5.6	129	3.22
Anticline	313000	7207022	X	X	51592	5.9	107.1	0.27	250	X	29.46	5	162	2.96

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	313400	7210222	1	X	49096	3.7	98.8	0.26	591	X	28.54	5.4	90	2.81
Anticline	313400	7209822	X	X	25901	3.4	46.2	0.18	100	X	9.79	2.9	129	1.1
Anticline	313400	7209422	X	X	23257	2.5	43.1	0.15	278	X	8.81	2.4	80	1.09
Anticline	313400	7209022	X	X	24278	3	40.2	0.18	93	X	8.73	2.6	134	0.95
Anticline	313400	7208622	X	X	38607	3.4	81.3	0.24	143	X	20.12	4	100	2.15
Anticline	313400	7208222	X	X	29986	3.1	84.1	0.19	97	X	17.48	3	82	1.6
Anticline	313400	7207822	X	X	33553	3.5	78.2	0.22	126	X	18.42	3.1	76	1.79
Anticline	313400	7207422	X	X	55630	5.1	114.7	0.3	112	X	30.46	4	110	3.25
Anticline	313400	7207022	X	X	36027	3.9	71.3	0.23	157	X	19.13	3.1	87	2
Anticline	313400	7206622	X	X	40820	4.8	87.7	0.26	109	X	25.61	3.4	118	2.21
Anticline	313400	7206422	2	X	69026	6.9	127.6	0.33	200	0.03	45.1	6.8	96	4.13
Anticline	313400	7206222	2	X	61813	5.5	121.9	0.32	260	X	42.47	5.5	112	3.66
Anticline	313400	7206022	X	X	56351	5.2	112.1	0.29	193	X	34.3	5.5	86	3.32
Anticline	313400	7205822	X	X	40141	4.1	81.4	0.25	298	X	22.97	3.9	107	2.31
Anticline	313400	7205622	X	X	36843	3.8	67.4	0.23	153	X	18.11	3.4	88	2.06
Anticline	313400	7205422	X	X	35558	3.6	64.1	0.24	153	X	16.95	3.2	101	1.92
Anticline	313800	7210222	X	X	31340	4.4	51.4	0.21	131	X	11.44	2.8	97	1.36
Anticline	313800	7209822	X	X	30276	3.8	55.6	0.2	118	X	11.78	4.5	142	1.38
Anticline	313800	7209422	X	X	28379	3.3	54.1	0.19	99	X	12.07	4.3	95	1.36
Anticline	313800	7209022	X	X	34286	3.4	84.3	0.21	86	X	18.7	3.6	91	1.87
Anticline	313800	7208622	X	X	33118	3.5	86.4	0.2	194	X	21.88	3.5	73	1.77
Anticline	313800	7208222	X	X	41231	3.8	83.8	0.23	168	X	24.72	3.7	90	2.29
Anticline	313800	7207822	X	X	40109	3.9	85.7	0.3	157	0.03	23.91	3.3	74	2.28
Anticline	313800	7207422	X	X	36911	4	74.6	0.23	194	0.03	20.16	4	153	1.94
Anticline	313800	7207022	X	X	45132	4.6	91.1	0.26	162	X	29.42	4	101	2.61
Anticline	314200	7210622	X	X	34708	4	100.2	0.24	265	X	18.02	6	85	1.66
Anticline	314200	7210222	X	X	37558	4.8	69	0.22	407	X	17.07	3.6	95	1.71
Anticline	314200	7209822	X	X	36437	3.5	111.5	0.21	184	X	17.41	3.5	97	1.75
Anticline	314200	7209422	X	X	31198	2.9	95.5	0.2	118	X	15.38	4.3	96	1.69



Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	314200	7209022	X	X	32196	3.2	85.4	0.2	108	X	17.24	2.7	73	1.79
Anticline	314200	7208622	X	X	27018	2.8	57	0.19	124	X	12.87	2.9	97	1.33
Anticline	314200	7208222	X	X	27169	2.9	65.2	0.21	136	X	13.4	3.3	101	1.43
Anticline	314200	7207822	X	X	30888	3.4	61.2	0.2	87	X	15.3	3.1	77	1.6
Anticline	314200	7207422	X	X	32052	3.6	61.4	0.22	127	X	14.79	3.2	116	1.72
Anticline	314200	7207022	X	X	36064	3.1	64.3	0.23	184	0.07	16.26	3	95	1.92
Anticline	314200	7206622	X	X	40223	4.1	81	0.26	204	X	21.69	3.3	121	2.26
Anticline	314200	7206422	X	X	38446	4.3	79.3	0.26	115	X	21.17	3.3	104	2.1
Anticline	314200	7206222	2	X	31683	3.6	65.9	0.22	134	0.03	15.67	3.1	135	1.61
Anticline	314200	7206022	X	X	30931	3.9	59.2	0.27	132	X	14.42	2.8	87	1.62
Anticline	314200	7205822	1	X	48939	4.7	94.5	0.28	177	X	31.77	4.5	120	2.78
Anticline	314600	7210622	X	X	39690	3.8	64.9	0.2	151	X	18.24	3.6	114	1.71
Anticline	314600	7210222	X	X	45993	4	92.2	0.22	743	X	20.78	6.3	126	2.29
Anticline	314600	7209822	X	X	32152	3.6	56.1	0.19	188	X	14.05	3.4	140	1.38
Anticline	314600	7209422	1	X	31557	2.5	78.9	0.22	104	X	14.82	2.7	99	1.67
Anticline	314600	7209022	X	X	31017	3.2	77.3	0.21	172	X	16.51	3.2	75	1.56
Anticline	314600	7208622	X	X	30088	3	66.9	0.19	138	X	13.95	3.2	100	1.43
Anticline	314600	7208222	X	X	36342	3.8	68.8	0.23	285	X	17.12	3.2	79	1.76
Anticline	314600	7207822	X	X	28619	3	58.3	0.2	99	0.03	13.39	3	99	1.45
Anticline	314600	7207422	X	X	34637	3.4	61.3	0.23	246	X	15.83	4	85	1.88
Anticline	314600	7207022	2	X	40364	3.8	67.7	0.24	169	0.02	19.3	3.4	109	2.24
Anticline	315000	7211422	X	X	27415	3.4	42.1	0.18	108	X	11.44	2.9	96	1.3
Anticline	315000	7211022	X	X	24844	3.1	44	0.17	89	X	10.77	2.4	116	1.15
Anticline	315000	7210622	X	X	30436	3.1	47.3	0.19	125	X	11.9	2.9	104	1.37
Anticline	315000	7210222	1	X	46098	4.5	74.7	0.22	173	0.03	20.14	4.6	152	1.85
Anticline	315000	7209822	X	X	31436	3.5	76.6	0.22	206	0.02	13.25	5.9	116	1.32
Anticline	315000	7209422	X	X	30354	2.8	92.3	0.19	134	X	16.19	2.7	80	1.53
Anticline	315000	7209022	X	X	39571	3.4	111	0.23	188	0.03	20.58	3.7	89	2.08
Anticline	315000	7208622	X	X	29427	3.2	65	0.22	125	0.03	15.24	3.1	78	1.44

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	315000	7208222	X	X	51790	4.4	122.9	0.28	559	X	29.66	5	89	2.94
Anticline	315000	7207822	X	X	32421	3.2	65.9	0.22	139	0.04	16.22	3.1	85	1.58
Anticline	315000	7207422	X	X	32804	3.1	57.5	0.21	124	0.03	14.64	2.8	86	1.73
Anticline	315000	7207022	X	X	34817	3.7	65.2	0.22	126	X	18.07	3.4	105	1.73
Anticline	315000	7206622	X	X	36206	4.5	64.5	0.22	91	X	17.1	3.2	88	1.92
Anticline	315000	7206422	X	X	36867	4.9	84.3	0.24	573	X	20.71	4	94	2.07
Anticline	315000	7206222	X	X	36450	4.2	85.5	0.24	201	0.05	20.99	3.9	91	1.93
Anticline	315000	7206022	X	X	42163	4.4	128.4	0.25	364	0.04	23.6	4.7	105	2.22
Anticline	315000	7205822	X	X	68691	5.9	123.9	0.33	164	0.04	37.86	4.9	101	3.88
Anticline	315400	7211422	X	X	22828	2.9	46.8	0.16	122	0.03	10.08	2.7	95	1.02
Anticline	315400	7211022	X	X	18821	3.3	35.7	0.18	78	X	7.44	2	106	0.83
Anticline	315400	7210622	X	X	27227	2.9	50	0.17	218	X	11.14	3.7	106	1.2
Anticline	315400	7210222	1	X	27299	2.7	59	0.18	155	X	13.29	3.4	74	1.26
Anticline	315400	7209822	X	X	56058	4	97.4	0.21	103	X	15.31	3.3	113	1.6
Anticline	315400	7209422	X	X	34564	3.5	87.3	0.23	126	X	17.92	3.3	84	1.78
Anticline	315400	7209022	X	X	32031	3.2	98.8	0.2	127	X	15.36	3.3	79	1.64
Anticline	315400	7208622	X	X	31757	3.8	67.1	0.22	125	X	16.72	3.3	77	1.59
Anticline	315400	7208222	X	X	28771	3.6	55.2	0.2	152	X	14.72	3.3	87	1.45
Anticline	315400	7207822	X	X	31884	3.9	55.1	0.23	138	X	14.77	3	114	1.57
Anticline	315400	7207422	X	X	47087	3.9	78.6	0.27	831	X	22.15	4.9	112	2.66
Anticline	315400	7207022	X	X	31939	4.2	63.2	0.25	147	0.03	14.79	2.9	133	1.55
Anticline	315800	7211422	X	X	23757	3.1	44	0.18	104	X	9.49	2.3	69	1.11
Anticline	315800	7211022	X	X	28889	3.6	57.6	0.19	96	0.03	13.03	4.8	96	1.28
Anticline	315800	7209822	X	X	52211	4.9	145.2	0.26	2812	0.07	32.14	20.1	292	2.47
Anticline	315800	7209422	3	X	26043	3.5	66.5	0.19	279	0.02	14.53	4.9	125	1.17
Anticline	315800	7209022	X	X	34705	4.2	91.1	0.25	512	X	20.4	4.7	92	1.73
Anticline	315800	7208622	X	X	30781	4.6	58.4	0.23	106	0.04	14.32	3.2	83	1.36
Anticline	315800	7208222	X	X	46196	5.1	83.5	0.28	282	X	25.17	5	100	2.38
Anticline	315800	7207822	X	X	34059	4.1	51.7	0.25	131	0.06	13.86	3.1	143	1.58

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	315800	7207422	X	X	32348	3.8	57.5	0.24	97	X	15.65	3.1	129	1.48
Anticline	315800	7207022	X	X	38896	4.5	73.9	0.26	265	X	20.71	4.8	122	1.93
Anticline	315800	7206622	X	X	34243	4.1	66.6	0.25	122	X	17.65	3.1	105	1.72
Anticline	315800	7206422	1	X	57531	5.8	128.5	0.34	1662	0.09	35.72	7.2	122	3.24
Anticline	315800	7206222	X	X	47620	5.7	95.8	0.3	177	X	25.2	4.1	111	2.58
Anticline	315800	7206022	X	X	37500	4.3	67.5	0.23	267	X	18.03	3.2	97	1.96
Anticline	316200	7211422	X	X	33065	4	84	0.23	290	0.02	21.89	4.5	79	1.94
Anticline	316200	7211022	X	X	27798	3.2	49.9	0.19	120	X	11.14	3.2	91	1.22
Anticline	316200	7209822	X	X	50707	5	105.3	0.25	534	X	30.94	10.2	152	2.42
Anticline	316200	7209422	X	X	55394	5.3	147.5	0.3	1131	0.04	48.58	14.8	173	2.8
Anticline	316200	7209022	X	X	34087	3.4	65.2	0.22	155	X	16.21	3.6	103	1.7
Anticline	316200	7208622	X	X	35120	4	61.2	0.21	131	X	18.96	3.5	92	1.74
Anticline	316200	7208222	X	X	33861	3.8	57.5	0.22	92	X	16.8	3	101	1.6
Anticline	316200	7207822	X	X	31532	3.9	54	0.23	120	X	14.49	3	127	1.45
Anticline	316200	7207422	3	X	40459	4.1	67.6	0.25	90	X	18.69	3.4	126	1.99
Anticline	316200	7207022	X	X	42092	5	80.4	0.27	450	X	24.92	5.3	115	2.13
Anticline	316600	7211422	43	X	46116	5	493.5	0.35	283	0.03	22.76	4.4	136	2.36
Anticline	316600	7211022	X	X	28314	3.6	83.8	0.22	386	0.02	13.58	3.8	100	1.33
Anticline	316600	7210622	X	X	62947	6.3	106.6	0.27	375	X	31.53	8.4	114	2.95
Anticline	316600	7209022	X	X	40060	3.8	83	0.24	295	0.02	22.26	3.8	97	1.96
Anticline	316600	7208622	X	X	30288	3.9	53.8	0.2	472	X	15.14	3.9	100	1.37
Anticline	316600	7208222	X	0.06	28152	3.9	52.5	0.22	88	0.02	12.76	2.9	114	1.31
Anticline	316600	7207822	X	X	29414	4.1	52.5	0.21	114	X	13.74	2.9	165	1.32
Anticline	316600	7207422	X	X	28140	3.7	51.4	0.22	181	X	12.89	2.9	136	1.33
Anticline	316600	7207022	X	X	35282	4.4	63.5	0.24	107	X	16.6	3.2	134	1.68
Anticline	316600	7206622	X	X	35882	4	68.4	0.22	85	0.04	18.62	3.1	86	1.81
Anticline	316600	7206422	X	X	37391	4.3	70.2	0.22	101	X	19.07	3.3	107	1.89
Anticline	316600	7206222	X	X	35065	4.3	65.7	0.22	89	0.04	18.53	3.1	90	1.77
Anticline	316600	7206022	X	X	33443	4.2	74.1	0.24	321	X	18.18	3.6	103	1.63

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	317000	7211422	X	X	24152	2.8	47.8	0.17	82	0.03	10.85	3	71	1.14
Anticline	317000	7211022	X	X	26865	4	58.7	0.2	171	X	13.4	2.8	73	1.34
Anticline	317000	7210622	X	X	33148	3.5	70.1	0.2	194	0.05	18.3	7.1	149	1.49
Anticline	317000	7209022	X	X	38545	4.4	75.9	0.24	189	0.03	19.41	4.3	145	1.84
Anticline	317000	7208622	X	X	31789	3.9	58.4	0.22	147	X	14.5	3.4	105	1.54
Anticline	317000	7208222	X	X	27760	4	55.7	0.21	125	0.02	12.99	3.3	101	1.3
Anticline	317000	7207822	X	X	28718	3.8	60.7	0.2	103	0.02	13.89	3.2	179	1.12
Anticline	317000	7207422	X	X	41099	4.5	74.3	0.24	210	X	20.92	4.7	181	2.06
Anticline	317000	7207022	X	X	30711	4.3	53	0.24	72	0.02	13.84	3	143	1.42
Anticline	317400	7211422	X	X	23685	3.3	46.6	0.18	87	X	10.03	2.8	85	1.19
Anticline	317400	7211022	X	X	55640	4.7	110.3	0.28	501	0.03	31.15	7.5	116	2.93
Anticline	317400	7210622	X	X	32529	3.4	59.9	0.2	213	X	14.83	3.4	102	1.53
Anticline	317400	7210222	X	X	29941	3.9	53	0.21	168	0.04	13.99	3.2	146	1.4
Anticline	317400	7209822	1	X	43157	4.3	84.3	0.23	130	X	21.28	3.8	120	2.14
Anticline	317400	7209422	2	X	50225	5.1	111.4	0.25	237	0.04	28.03	4.6	85	2.31
Anticline	317400	7209022	X	X	31528	3.1	68.8	0.22	142	0.04	16.41	4.3	99	1.46
Anticline	317400	7208622	X	X	36980	3.9	88	0.26	209	0.04	18.78	4.3	101	1.85
Anticline	317400	7208222	X	X	32738	3.5	81.4	0.26	115	X	15.21	3.2	92	1.5
Anticline	317400	7207822	X	X	37077	3.4	128	0.23	174	0.02	15.78	3.4	90	1.84
Anticline	317400	7207422	X	X	32507	3.5	72.3	0.25	107	X	16.06	3.5	178	1.44
Anticline	317400	7207022	X	X	29579	3.9	52.6	0.23	94	X	13	2.8	153	1.36
Anticline	317400	7206622	X	X	31879	4.6	52.6	0.27	116	X	13.49	3.1	149	1.54
Anticline	317400	7206422	X	X	28798	4.1	49.1	0.25	139	X	12.77	2.8	128	1.39
Anticline	317400	7206222	X	X	31336	3.9	60.3	0.23	149	X	15.73	4	94	1.53
Anticline	317400	7206022	X	X	29347	3.6	57	0.22	167	X	14.14	3.1	85	1.37
Anticline	317800	7211422	X	X	28268	2.6	45.9	0.2	75	X	10.85	3	73	1.38
Anticline	317800	7211022	X	X	35950	3.2	61.9	0.21	119	X	18.6	4	82	1.73
Anticline	317800	7210622	X	X	37638	3.3	65.4	0.24	126	X	18.19	4	105	1.88
Anticline	317800	7210222	X	X	38289	3.9	70.9	0.26	205	0.03	18.38	4.3	97	1.92



Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	317800	7209822	X	X	31863	3.3	81.4	0.22	212	X	18.64	3.9	100	1.61
Anticline	317800	7209422	X	X	34770	3.4	89.2	0.23	112	0.02	16.17	3.4	111	1.69
Anticline	317800	7209022	X	X	50742	4.7	107.9	0.29	178	X	27.95	3.9	103	2.78
Anticline	317800	7208622	X	X	38755	3.6	97.7	0.28	82	X	19.39	3.1	86	1.93
Anticline	317800	7208222	X	X	35441	3.2	108.2	0.25	92	X	15.75	2.9	81	1.73
Anticline	317800	7207822	X	X	41059	3.9	115.2	0.26	121	X	20.99	3.1	83	1.99
Anticline	317800	7207422	X	X	56137	4.3	115.4	0.29	157	X	31.07	4	113	2.97
Anticline	317800	7207022	X	X	32402	3.8	58.5	0.24	88	0.03	15.07	4.3	155	1.48
Anticline	318200	7211422	X	X	29157	2.7	54	0.2	87	X	13.08	3	95	1.36
Anticline	318200	7211022	X	X	29671	2.9	55.4	0.19	81	X	13.54	3.1	95	1.43
Anticline	318200	7210622	X	X	28411	2.6	52.7	0.19	94	X	12.96	2.9	95	1.38
Anticline	318200	7210222	X	X	30665	3.1	75.4	0.22	170	X	17.22	3.4	80	1.55
Anticline	318200	7209822	X	X	33087	3.6	63.7	0.23	151	X	16.52	3.4	88	1.66
Anticline	318200	7209422	X	X	46509	5.4	106.7	0.27	148	X	23.09	3.8	101	2.12
Anticline	318200	7209022	X	X	46298	4.3	100.1	0.3	154	X	24.5	3.7	104	2.48
Anticline	318200	7208622	X	X	47056	5.3	121.5	0.3	142	0.02	24.97	3.7	103	2.26
Anticline	318200	7208222	X	X	28072	3	66	0.23	125	X	11.77	2.6	86	1.24
Anticline	318200	7207822	X	X	35342	3.8	76.4	0.24	110	0.04	17.9	4.2	84	1.68
Anticline	318200	7207422	1	X	30757	3.2	84.8	0.22	148	X	20.81	3.7	72	1.51
Anticline	318200	7207022	X	X	35358	4.6	90.2	0.23	578	0.04	22.12	10.8	346	1.44
Anticline	318200	7206622	X	X	45242	5.4	94.2	0.31	246	X	28.05	5.9	222	2.26
Anticline	318600	7207422	X	X	47046	4.8	103.9	0.27	168	0.02	24.2	4.1	102	2.32
Anticline	318600	7207022	2	X	38630	4.1	74.7	0.25	107	X	20.78	3.2	100	1.98
Anticline	318600	7206622	X	X	59958	6	117.7	0.33	356	0.03	35.37	8.6	196	3.15
Anticline	319000	7211022	X	X	27805	3.2	53.3	0.21	112	X	13.06	2.9	104	1.39
Anticline	319000	7210822	X	X	54940	4.5	115.3	0.28	502	0.03	27.72	7.6	115	3.05
Anticline	319000	7210622	X	X	27026	2.8	50.7	0.21	68	X	11.3	2.6	99	1.34
Anticline	319000	7210422	X	X	29850	3	60.7	0.22	219	X	13.69	3.2	99	1.49
Anticline	319000	7210222	X	X	27599	3	55.3	0.21	123	X	12.75	2.8	82	1.36

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	319000	7210022	X	X	29106	3	56.4	0.22	77	X	13.26	2.8	83	1.39
Anticline	319000	7209822	X	X	37629	3.5	72.6	0.24	171	X	18.59	3.3	86	1.92
Anticline	319000	7209622	X	X	32573	3	67.2	0.22	343	0.02	14.85	3.2	87	1.61
Anticline	319000	7209422	1	X	57389	4.5	116.3	0.3	322	0.03	27.86	5.7	113	3.18
Anticline	319000	7209222	X	X	33691	3.4	66.8	0.23	132	X	17.03	3.9	106	1.68
Anticline	319000	7209022	X	X	41701	3.8	99.8	0.26	368	0.03	24.01	6.4	185	2.08
Anticline	319000	7208822	X	X	33618	3.2	70.9	0.23	124	X	16.09	2.8	93	1.63
Anticline	319000	7208622	X	X	37336	3.5	73.2	0.26	136	0.02	17.68	3.2	79	1.9
Anticline	319000	7208422	X	X	38307	3.6	70.6	0.25	154	0.07	19.93	3.7	81	1.94
Anticline	319000	7208222	X	X	28718	3.7	55.8	0.23	196	X	12.92	3.3	103	1.43
Anticline	319000	7208022	X	X	33726	3.9	67.5	0.23	101	0.03	15.92	3.6	81	1.61
Anticline	319000	7207822	X	X	31724	3.5	78.4	0.22	101	0.02	14.98	3.2	80	1.53
Anticline	319000	7207622	X	X	39709	4.1	97.4	0.26	80	0.03	16.26	3	95	2.07
Anticline	319000	7207422	X	X	34814	3.8	129.9	0.23	108	X	17.22	3.4	87	1.79
Anticline	319800	7210822	X	X	25356	3	50.1	0.18	59	X	10.22	2.5	82	1.22
Anticline	319800	7210622	X	X	24911	2.9	50.8	0.18	98	X	10.34	2.7	85	1.16
Anticline	319800	7210222	X	X	33083	3.4	66	0.21	370	X	15.59	3.9	95	1.7
Anticline	319800	7210022	X	X	26769	2.9	52.7	0.18	96	X	11.25	3.2	88	1.33
Anticline	319800	7209822	X	X	36151	3.3	78	0.24	294	0.02	18.9	4.5	96	1.93
Anticline	319800	7209622	X	X	28567	3.1	56.9	0.2	116	X	12.92	3.1	94	1.39
Anticline	319800	7209422	X	X	29116	3.1	55.4	0.2	150	X	12.36	2.8	92	1.44
Anticline	319800	7209222	1	X	30193	3.2	59.1	0.21	81	X	13.71	3	88	1.46
Anticline	319800	7209022	3	X	31431	2.9	63.6	0.21	119	X	14.9	3.2	86	1.58
Anticline	319800	7208822	X	X	41880	3.6	84.8	0.23	235	X	21.1	4.1	98	2.3
Anticline	319800	7208622	X	X	50778	4.6	91.1	0.27	256	X	26.2	4.5	97	2.73
Anticline	319800	7208422	X	X	36282	3.4	68.3	0.21	181	X	16.61	3.1	89	1.84
Anticline	319800	7208222	X	X	48656	4.5	89.6	0.28	180	0.03	25.61	3.8	106	2.67
Anticline	319800	7208022	X	X	54093	5.3	98.5	0.3	206	X	28.33	4.5	113	3.02
Anticline	319800	7207822	X	X	51306	5.2	94.8	0.28	241	0.03	27.91	4.7	119	2.78

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	319800	7207622	X	X	59793	5.4	107.3	0.3	181	0.02	33.9	4.8	102	3.39
Anticline	319800	7207422	X	X	41397	3.8	74.2	0.24	266	X	22.39	4	99	2.09
Anticline	319800	7207222	X	X	41873	3.8	77.3	0.3	169	1.26	21.79	3.6	92	2.21
Anticline	319800	7207022	X	X	40149	3.8	79.4	0.24	131	0.04	20.97	3.2	100	2.16
Anticline	319800	7206822	X	X	44915	4.3	83.3	0.25	285	0.02	24.93	4.2	94	2.26
Anticline	319800	7206622	X	X	56578	4.7	106.9	0.29	285	0.02	34.84	5.4	90	3.11
Anticline	319800	7206422	X	X	48132	4.2	102.7	0.25	187	0.02	32.32	4.7	90	2.63
Anticline	319800	7206222	X	X	56242	4.6	118.8	0.27	163	0.04	33.01	4.3	93	3.18
Anticline	319800	7206022	1	X	68412	6	334.4	0.32	168	0.02	38.08	5.2	110	3.91
Anticline	319800	7205822	X	X	60533	6.2	115.2	0.31	147	0.03	33.76	4.4	99	3.51
Anticline	319800	7205622	X	X	49285	4.6	119.7	0.26	160	X	31.22	4.2	90	2.7
Anticline	319800	7205422	X	X	48986	4.7	107.2	0.25	99	X	28.02	4.1	97	2.7
Anticline	319800	7205222	X	X	53793	4.9	267.7	0.27	117	0.02	28.12	4.4	103	2.94
Anticline	319800	7205022	6	X	51646	5	118.5	0.26	228	0.02	28.55	5.5	110	2.8
Anticline	319800	7204822	2	X	37299	3.5	111.2	0.21	1032	0.03	21.59	9.6	175	2
Anticline	319800	7204622	X	X	34674	3.7	131.5	0.21	261	0.04	24.88	5.5	105	1.54
Anticline	319800	7204422	X	X	37015	5.5	114.2	0.22	171	X	21.87	3.5	84	1.85
Anticline	319800	7204222	X	X	30421	3.6	167.1	0.24	200	0.02	21.73	2.7	78	1.44
Anticline	319800	7204022	X	X	38559	4	128.7	0.26	140	X	17.77	2.8	72	2.31
Anticline	319800	7203822	X	X	53878	7.4	131.5	0.33	580	X	26.68	6	96	2.79
Anticline	319800	7203622	X	X	33309	3.9	110.3	0.24	224	X	21.71	4.7	88	1.93
Anticline	319800	7203422	X	X	30571	4.1	64.7	0.22	81	X	15.65	4.6	73	1.52
Anticline	319800	7203222	X	X	30600	3.8	64.5	0.21	125	0.02	14.4	3.5	75	1.53
Anticline	319800	7203022	X	X	44289	4.6	77.3	0.27	249	X	22.55	4.9	93	2.41
Anticline	319800	7202822	X	X	32800	3.8	56.8	0.23	104	0.02	14.56	3.1	88	1.68
Anticline	319800	7202622	3	X	28618	3.6	53.9	0.21	117	0.03	12.93	3.6	86	1.34
Anticline	319800	7202422	X	X	28977	3.5	61	0.19	238	0.03	13.85	3.5	68	1.45
Anticline	319800	7202222	X	X	39826	4.3	85.8	0.24	277	0.03	22.6	4.3	83	2.13
Anticline	320600	7206622	X	X	56442	5.8	127.8	0.33	393	0.02	34.59	5.7	99	3.12

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	320600	7206422	X	X	53793	5.3	172.2	0.32	859	0.06	38.3	9.3	108	3.04
Anticline	320600	7206222	X	X	44170	4.3	224.8	0.29	1090	X	29.28	5.4	103	2.83
Anticline	320600	7206022	X	X	32741	3.2	126.7	0.23	89	0.03	15.64	3.1	86	1.76
Anticline	320600	7205822	X	X	33028	3.3	131.2	0.22	134	X	16.52	4.1	77	1.93
Anticline	320600	7205622	X	X	37336	3.6	122.3	0.28	217	0.02	20.58	3.8	94	2.2
Anticline	320600	7205422	X	X	30740	3.3	94.8	0.25	130	X	17.24	3.2	81	1.7
Anticline	320600	7205222	X	X	44961	4.2	129.6	0.29	168	0.02	23.02	3.7	83	2.7
Anticline	320600	7205022	X	X	51353	4.6	127.6	0.29	203	0.04	29	4.9	113	2.97
Anticline	320600	7204822	X	X	57931	3.5	278.7	0.29	893	0.04	37.36	5.7	110	3.84
Anticline	320600	7204622	X	X	54419	4.5	136.7	0.31	260	0.03	35.83	5.1	131	3.21
Anticline	320600	7204422	1	X	46401	4.2	130.4	0.3	228	X	31.87	4.7	102	2.89
Anticline	320600	7204222	X	X	51970	5	111.4	0.28	230	0.03	32.41	6.4	137	2.88
Anticline	320600	7204022	X	X	35327	4.2	95.6	0.23	159	0.03	24.12	5.2	108	1.83
Anticline	320600	7203822	X	X	33079	3.6	99.4	0.24	140	X	26.04	3.9	72	1.72
Anticline	320600	7203622	X	X	38518	3.3	103	0.25	125	X	26.12	3.3	80	2.21
Anticline	320600	7203422	X	X	38779	3.2	117.3	0.29	140	0.06	25.49	3.2	75	2.34
Anticline	320600	7203222	X	X	43037	3.8	220.2	0.42	717	X	28.28	4.8	87	2.96
Anticline	320600	7203022	X	X	31876	3	94.9	0.24	96	0.03	18.85	2.9	87	1.86
Anticline	320600	7202822	X	X	44350	3.8	116.2	0.3	476	X	21.56	4	126	2.6
Anticline	320600	7202622	X	X	42763	3.8	107.8	0.26	347	0.05	24.55	4.6	88	2.25
Anticline	320600	7202422	X	X	34764	3.3	107.1	0.24	108	X	20.38	3.4	88	1.94
Anticline	320600	7202222	X	X	39485	4.1	111.1	0.28	273	0.02	20.37	4	97	2.18
Anticline	320600	7202022	X	X	40274	4.5	89.9	0.31	134	X	20.79	3.3	95	2.27
Anticline	320600	7201822	X	X	37848	3.1	122.9	0.24	355	0.02	24.24	3.7	84	2.07
Anticline	320600	7201622	X	X	49014	3.8	310.4	0.29	144	0.02	25.95	3.3	92	3.23
Anticline	320600	7201422	X	X	35181	3.7	103.3	0.26	187	X	16.3	2.9	94	1.93
Anticline	320600	7201222	X	X	85433	6.3	112.4	0.39	480	0.03	23.83	9.3	277	2.95
Anticline	321000	7205022	X	X	36555	3.3	114.3	0.24	186	X	28.43	4	88	2.01
Anticline	321000	7204622	X	X	50298	4	132.7	0.28	182	0.03	37.19	4.7	111	2.92



Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	321000	7204222	X	X	54872	5.1	125.3	0.28	266	0.02	35.94	5.5	115	3.04
Anticline	321000	7203822	X	X	32862	4.4	89.3	0.22	120	X	22.87	3.8	116	1.64
Anticline	321400	7205022	5	X	34051	3.2	102.4	0.24	118	X	27.56	3.4	86	1.87
Anticline	321400	7204622	X	X	35922	3.9	103.5	0.24	86	0.06	22.61	3.2	95	1.98
Anticline	321400	7204222	X	X	39560	3.4	141.4	0.24	1228	0.06	41.6	28.1	233	1.78
Anticline	321400	7203422	X	X	30402	3.1	131.6	0.22	151	0.03	18.89	3.3	91	1.73
Anticline	321400	7203022	2	X	38274	3.9	205.2	0.29	321	0.13	25.05	3.5	81	2.49
Anticline	321800	7205022	1	X	64530	4.7	141.1	0.31	211	X	44.3	5.2	102	3.82
Anticline	321800	7203822	X	X	35454	3.5	102.6	0.23	244	0.06	25.69	5.2	232	1.7
Anticline	321800	7203422	X	X	35132	3.8	89.2	0.22	345	0.02	25.94	6.3	134	1.64
Anticline	321800	7203022	X	X	44327	3.8	139.6	0.3	407	0.03	32.89	4.4	90	2.84
Anticline	322200	7207022	X	X	40916	4	66.3	0.25	99	X	24.86	4.4	94	1.75
Anticline	322200	7206822	X	X	33557	3	129.2	0.25	160	0.02	26.37	8.3	80	1.68
Anticline	322200	7206622	X	X	35664	3.3	99.7	0.26	419	0.02	19.63	3.8	92	1.97
Anticline	322200	7206422	X	0.08	55244	4.7	118.3	0.33	146	0.06	32.53	4	98	3.17
Anticline	322200	7206222	X	X	43564	3.9	116.4	0.28	170	0.04	25.69	3.6	82	2.68
Anticline	322200	7206022	X	X	33415	2.8	104.3	0.22	231	X	26.48	3	79	1.76
Anticline	322200	7205822	X	X	45294	3.8	115.3	0.27	126	0.04	30	3.8	89	2.57
Anticline	322200	7205622	X	X	49949	4.4	189.8	0.27	144	X	35.06	3.9	74	2.99
Anticline	322200	7205422	X	X	46766	3.6	130.5	0.28	155	X	33.19	3.6	88	2.57
Anticline	322200	7205022	X	X	45536	3.5	128.9	0.26	157	X	39.68	3.5	88	2.67
Anticline	322200	7204622	X	X	43230	3.4	134.7	0.25	186	X	29.93	3.8	89	2.41
Anticline	322200	7204222	X	X	40670	3.4	161.9	0.25	525	0.02	31.69	6.5	134	2.55
Anticline	322200	7203822	X	X	35601	3.8	92.1	0.22	344	0.02	25.68	6.3	118	1.69
Anticline	322200	7203422	X	X	51020	3.1	135.5	0.19	1093	0.03	23.41	14.7	549	1.42
Anticline	322200	7203022	X	X	34865	3	111.7	0.24	162	0.02	21.04	3.2	86	1.8
Anticline	322200	7202622	X	X	37259	3.2	167.9	0.24	193	0.02	25.99	3.9	88	2.87
Anticline	322200	7202222	X	X	43981	3.3	178.1	0.26	286	X	31.42	4	114	2.43
Anticline	322200	7202022	X	X	49854	4.3	125.2	0.27	197	0.02	28.66	4.5	85	2.35

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	322200	7201822	X	X	32964	4.2	138.2	0.24	209	X	22.37	5.8	96	1.9
Anticline	322200	7201622	X	X	34298	3.2	114.2	0.22	209	X	21.68	3.2	81	2.01
Anticline	322200	7201422	X	X	35721	3.5	121.7	0.24	170	0.03	22.77	4.3	82	1.75
Anticline	322200	7201222	X	X	37150	3.7	103.7	0.26	111	X	18.03	3.5	93	1.87
Anticline	322600	7205422	X	X	41233	2.9	359	0.25	192	X	37.28	3.5	95	2.39
Anticline	322600	7205022	X	X	23589	2.2	216.2	0.17	161	X	29.54	3	72	1.3
Anticline	322600	7204622	X	X	34682	3	135.5	0.22	197	0.03	32.85	4.3	92	1.96
Anticline	322600	7203022	X	X	45218	3.3	91.1	0.21	141	X	17.9	3.6	334	1.61
Anticline	322600	7202622	X	X	42034	4	279.8	0.3	390	X	32.26	8.4	95	2.77
Anticline	323000	7207022	X	X	41478	3.3	144.7	0.24	273	X	28.02	4.7	141	2.23
Anticline	323000	7206822	X	X	45858	3.7	168.9	0.26	614	0.04	36.88	7.3	135	2.57
Anticline	323000	7206622	X	X	41717	4.5	133	0.24	271	0.02	28.66	6.2	112	2.13
Anticline	323000	7206422	X	X	38657	3.4	103.3	0.25	134	0.08	20.63	3.7	86	1.99
Anticline	323000	7206222	X	X	32953	3.2	91.6	0.2	153	0.02	25.2	4.5	81	1.37
Anticline	323000	7206022	X	X	38600	3.4	118.5	0.23	228	0.04	26.66	4.8	88	1.96
Anticline	323000	7205822	X	X	41421	3.6	129	0.24	288	0.05	31.07	5.2	92	2.19
Anticline	323000	7205622	X	X	39474	3.6	141.1	0.24	227	0.06	30.32	6.6	99	2.07
Anticline	323000	7205422	X	X	74836	6.5	227	0.47	275	0.03	62.12	7.1	177	3.99
Anticline	323000	7205022	X	X	32308	2.7	109.1	0.2	167	X	27.73	3.7	81	1.68
Anticline	323000	7204622	X	X	56041	4.7	183.7	0.3	611	0.06	48.84	8.7	138	3.29
Anticline	323000	7203022	X	X	52412	4.3	173	0.3	558	0.05	46.51	8.1	129	3.12
Anticline	323000	7202622	X	X	55811	4.5	163	0.3	731	0.04	44.14	6.5	114	3.29
Anticline	323000	7202422	X	X	54433	4.2	168.8	0.28	913	0.07	48.05	8.2	108	3.28
Anticline	323000	7202222	X	X	42316	3.5	162.5	0.24	1235	0.03	33.87	6.8	100	2.85
Anticline	323000	7202022	X	X	35756	4.1	97.9	0.26	267	0.04	23.04	3.9	103	1.88
Anticline	323000	7201822	X	X	36842	4.4	134.9	0.3	450	0.03	34.4	5.2	124	2.11
Anticline	323000	7201622	X	X	41864	4.2	88.3	0.28	291	X	27.08	5	104	2.27
Anticline	323000	7201422	X	X	54891	4.7	122.7	0.29	592	X	36.65	6.9	99	2.9
Anticline	323000	7201222	X	X	35609	3.9	377.8	0.23	248	X	20.25	4.3	94	1.74

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	323000	7201022	X	X	33611	3.8	484.8	0.24	163	X	17.14	4.4	107	1.66
Anticline	323000	7200822	X	X	45628	4.2	361	0.29	461	X	24.94	5.8	102	2.42
Anticline	323000	7200622	X	X	32347	3.6	74.1	0.22	128	0.02	17.49	3.3	94	1.59
Anticline	323000	7200422	X	X	40023	4.4	95.8	0.27	716	X	24.07	4.7	108	2.03
Anticline	323400	7205422	X	X	36894	3.1	184.6	0.21	166	0.03	28.63	3.4	82	1.81
Anticline	323400	7205022	X	X	34687	3.1	139	0.22	107	0.22	30.83	3.7	86	1.84
Anticline	323400	7204622	X	X	43368	3.8	128.1	0.25	227	0.02	31.15	4.1	100	2.27
Anticline	323400	7203022	X	X	34182	4	89.9	0.2	261	0.03	20.28	16.6	409	1.2
Anticline	323400	7202622	X	X	54479	5.4	118.4	0.27	554	0.04	46.02	18.1	263	2.71
Anticline	323800	7207022	X	X	36404	3.3	85.2	0.22	138	X	24.51	4.3	115	1.7
Anticline	323800	7206822	X	X	41995	3.6	149.6	0.24	164	X	19.43	4.9	123	1.8
Anticline	323800	7206622	X	X	31727	3.4	104.5	0.2	248	0.02	19.75	12	306	1.35
Anticline	323800	7206422	X	X	50543	4.1	124	0.27	284	0.02	33.33	5.2	95	2.82
Anticline	323800	7206222	X	X	54907	4.6	207.8	0.31	1285	0.02	44.6	11.5	113	3.17
Anticline	323800	7206022	X	X	31577	3	147.2	0.23	390	X	26.08	4.1	92	1.62
Anticline	323800	7205822	X	X	41370	3.7	117	0.23	161	0.03	23.24	3.4	89	2.06
Anticline	323800	7205622	X	X	29143	2.4	113.4	0.19	103	X	19.59	2.6	79	1.54
Anticline	323800	7205422	X	X	39069	3.6	138.2	0.26	130	X	25.46	3.6	87	2.11
Anticline	323800	7205022	X	X	45971	4.1	104.3	0.25	118	X	24.75	3.9	83	2.23
Anticline	323800	7204622	X	X	45937	3.6	508.1	0.24	107	X	30.84	3.5	93	2.51
Anticline	323800	7204222	X	X	47842	3.6	124.4	0.24	134	X	31.75	3.6	91	2.59
Anticline	323800	7203022	X	X	39327	4.3	522.3	0.22	220	X	19.74	5.6	209	1.73
Anticline	323800	7202622	X	X	31594	3.4	73.8	0.21	262	X	18.56	5	153	1.48
Anticline	323800	7202422	X	X	34490	3.6	109.9	0.27	365	0.02	20.8	5.7	133	1.75
Anticline	323800	7202222	X	X	33375	3.7	162.2	0.22	142	X	18.56	6.4	106	1.59
Anticline	323800	7202022	X	X	42197	4.5	83.9	0.26	100	0.02	22.3	4.3	128	2.15
Anticline	323800	7201822		1 X	44069	4.6	160.6	0.27	147	X	23.9	4.1	123	2.39
Anticline	323800	7201622	X	X	48937	4.6	91	0.29	160	X	29.78	4.1	135	2.75
Anticline	323800	7201422	X	X	37131	3.8	82.9	0.24	121	X	19.37	3.8	105	2.01

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	323800	7201222	X	X	39039	3.8	79.8	0.25	248	X	22.33	3.7	108	2.06
Anticline	323800	7201022	X	X	53699	5.5	138.1	0.31	308	0.02	41.13	7.6	119	2.88
Anticline	323800	7200822	X	X	51103	5.3	108.1	0.3	306	X	31.39	5.9	141	2.8
Anticline	323800	7200622	X	X	46605	5.1	87.6	0.3	299	X	25.88	4.5	119	2.66
Anticline	323800	7200422	X	X	39396	4.1	76.4	0.26	145	0.02	21.56	4.1	111	2.09
Anticline	323800	7200222	X	X	37793	3.7	87.6	0.25	255	X	21.24	3.8	98	2.07
Anticline	324200	7205422	X	X	33974	3.7	160.4	0.22	226	X	27.08	3.9	106	1.51
Anticline	324200	7205022	X	X	37109	3.5	147	0.24	201	0.02	33.05	5.2	97	2.1
Anticline	324200	7204622	X	X	51647	4.3	118.8	0.29	146	X	29.76	3.8	105	3.08
Anticline	324200	7204222	X	X	55907	2.3	347.9	0.32	567	X	99.61	10.8	120	3.2
Anticline	324200	7203822	X	X	34674	3	148.6	0.21	169	X	34.47	4.7	110	1.77
Anticline	324200	7203422	X	X	31121	4.2	93.2	0.2	165	X	13.79	11.1	213	1.01
Anticline	324200	7203022	X	X	33669	3.8	108	0.21	203	X	15.46	5.9	197	1.39
Anticline	324200	7202622	X	X	39336	4.4	116.9	0.23	218	X	19.78	5.8	217	1.73
Anticline	324600	7206022	X	X	42630	4.1	223.5	0.24	300	0.04	29.62	5.9	132	1.95
Anticline	324600	7205822	X	X	43762	4.5	129.6	0.27	272	0.04	28.47	6.8	119	2.26
Anticline	324600	7205622	X	X	41077	4.1	112.6	0.27	211	X	26.73	5.1	121	2.12
Anticline	324600	7205422	X	X	40531	3.6	169.7	0.29	398	0.04	26.84	6.1	90	2.29
Anticline	324600	7205022	X	X	44407	3.8	198.4	0.26	691	0.05	42.86	6.8	99	2.45
Anticline	324600	7204622	X	X	38981	4.8	107.6	0.29	121	X	25.37	5.4	162	2.01
Anticline	324600	7204222	2	X	37372	3.4	150.8	0.25	140	X	29.49	4.4	89	2.15
Anticline	324600	7203822	X	X	44439	3.9	118.4	0.26	181	0.02	23.16	4.5	141	2.28
Anticline	324600	7203422	X	X	36432	4	72.1	0.26	99	0.1	19.85	4.4	195	1.64
Anticline	324600	7203022	1	X	52296	3.2	106.4	0.22	349	X	23.29	5.6	324	1.94
Anticline	324600	7202622	X	X	30526	3.5	1413.3	0.22	102	X	15.26	3.5	119	1.39
Anticline	324600	7202422	X	X	38787	4.2	125	0.26	178	0.03	22.64	3.8	126	2.03
Anticline	324600	7202222	X	X	40180	3.5	129.6	0.25	209	X	22.19	4.6	116	2.17
Anticline	324600	7202022	X	X	50956	4.3	103.2	0.28	531	X	31.61	6.2	118	2.72
Anticline	324600	7201822	X	X	35044	3.8	79.8	0.22	220	0.03	19.27	4.2	123	1.84

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	324600	7201622	X	X	32567	4	89.2	0.23	115	X	20.26	5.5	90	1.64
Anticline	324600	7201422	X	X	35829	6.4	107.4	0.25	219	X	19.77	4.6	104	1.81
Anticline	324600	7201222	X	X	34988	3.8	83.8	0.21	112	X	18.86	3.4	90	1.78
Anticline	324600	7201022	X	X	35705	3.4	77.8	0.21	115	0.02	19.61	4.1	90	1.82
Anticline	324600	7200822	X	X	33642	3.6	71.2	0.22	204	X	17.36	3.6	96	1.7
Anticline	324600	7200622	X	X	39931	3.9	91.1	0.24	246	X	23.36	4.2	97	2.15
Anticline	324600	7200422	X	X	36001	3.6	84.8	0.22	168	X	20.26	4.1	95	1.96
Anticline	324600	7200222	X	X	33533	4.4	72.9	0.23	152	0.02	16.93	4	100	1.72
Anticline	324600	7200022	X	X	37971	4.2	78.2	0.25	198	0.03	19.75	4	103	2.01
Anticline	325000	7205022	X	X	41236	3.9	152.7	0.24	123	X	31.84	4.4	93	2.25
Anticline	325000	7204622	X	X	35150	3.3	144.7	0.2	93	0.05	18.2	3.4	87	1.65
Anticline	325000	7204222	X	X	44320	3.3	124.1	0.23	95	X	29.39	3.4	96	2.43
Anticline	325000	7203822	X	X	31661	3.1	88.9	0.22	97	0.02	20.4	3.5	87	1.55
Anticline	325400	7206022	X	X	48927	4.2	152.6	0.24	282	0.02	33.54	4.2	108	2.31
Anticline	325400	7205822	X	X	47163	4.5	115.6	0.25	252	0.04	26.12	4.7	101	2.37
Anticline	325400	7205622	X	X	50996	4.7	136.5	0.26	229	0.04	28.68	4.8	119	2.57
Anticline	325400	7205422	X	X	40504	4.3	119.7	0.22	174	0.03	21.95	4.3	118	1.82
Anticline	325400	7205222	X	X	37134	3.4	107.3	0.24	117	0.02	16.26	3.7	99	1.82
Anticline	325400	7205022	X	X	38043	3.7	108.4	0.25	300	X	23.3	4.3	91	1.92
Anticline	325400	7204622	X	X	29477	2.9	85.2	0.19	283	X	18.51	7.1	250	1.2
Anticline	325400	7204222	X	X	27807	3.1	94.5	0.21	233	0.02	19.11	4.4	113	1.29
Anticline	325400	7203822	X	X	27289	2.8	105	0.2	231	X	23.8	4.5	103	1.38
Anticline	325400	7203422	X	X	31937	3.1	98.7	0.2	295	0.03	22.46	12.9	224	1.4
Anticline	326200	7205222	X	X	30379	3.8	124.2	0.17	217	0.02	18.99	3.2	89	1.23
Anticline	326200	7205022	1	X	38483	4.1	126.6	0.22	258	0.04	26.09	4.8	91	1.84
Anticline	326200	7204822	X	X	36258	3.4	131.2	0.21	271	0.03	26.35	4.4	133	1.77
Anticline	326200	7204622	X	X	37075	3.4	141.9	0.23	450	X	27.36	4.6	94	1.93
Anticline	326200	7204422	X	X	40865	3.6	174.9	0.3	478	0.03	29.27	5.3	90	2.37
Anticline	326200	7204222	X	X	34619	3.1	141.4	0.23	505	0.03	34.01	4.6	87	1.97

Prospect	Eastings	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	326200	7204022	X	X	37023	3.4	124.8	0.24	296	X	30.9	4.2	81	2.06
Anticline	326200	7203822	X	X	38896	3.6	180.2	0.25	267	X	33.65	4.5	104	1.94
Anticline	326200	7203622	X	X	28206	2.8	111.3	0.21	181	0.02	25.75	3.5	89	1.33
Anticline	326200	7203422	1	X	38425	3.1	175.5	0.23	617	0.02	52.65	5.5	102	2.01
Anticline	326200	7203222	X	X	30072	3	88.9	0.19	257	0.04	25.29	6.5	87	1.18
Anticline	327000	7204822	X	X	33270	4.2	71.1	0.23	115	X	18.62	4.8	105	1.53
Anticline	327000	7204622	X	X	33687	5	83.3	0.21	112	0.03	17.58	3.8	112	1.54
Anticline	327000	7204422	X	X	30928	5.9	77.9	0.19	137	X	15.19	3.6	153	1.33
Anticline	327000	7204222	X	X	33087	3.4	93.1	0.21	160	0.03	18.23	3.5	143	1.5
Anticline	327000	7204022	X	X	34273	3.8	130.4	0.23	172	X	20.26	4.6	89	1.77
Anticline	327000	7203822	X	X	29428	3.7	104.1	0.23	182	0.04	17.21	3.8	81	1.42
Anticline	327000	7203622	X	X	30078	2.9	120.6	0.21	163	X	18.29	3.9	84	1.79
Anticline	327000	7203422	1	X	31660	2.8	120	0.21	143	0.03	24.59	3.2	80	1.75
Anticline	327000	7203222	X	X	36886	3	192.4	0.26	688	0.02	40.85	4.8	97	2.03
Anticline	327000	7203022	X	X	38213	3.4	100.2	0.21	171	0.02	25.31	4.5	78	1.72
Anticline	327000	7202822	X	X	35128	3.7	95	0.23	249	0.03	23.98	5.4	85	1.73
Anticline	327000	7202622	X	X	48562	3.5	412.8	0.2	1336	0.03	41.54	5.5	106	2.57
Anticline	327000	7202422	1	X	46457	3.1	144.3	0.26	118	X	19.41	3.2	94	2.89
Anticline	327000	7202222	X	X	34893	3.2	75.9	0.21	114	X	17.86	4	94	1.72
Anticline	327000	7202022	X	X	34732	3.4	81.8	0.23	117	X	18.66	4.1	86	1.79
Anticline	327000	7201822	X	X	32080	3.5	70.1	0.22	110	0.03	16.34	4.5	87	1.58
Anticline	327000	7201622	X	X	33082	3.7	65.8	0.23	250	0.02	15.19	3.3	100	1.71
Anticline	327000	7201422	1	X	39138	3.7	75.9	0.24	129	0.05	19.19	4.2	97	2.12
Anticline	327000	7201222	1	X	32041	3.9	64.2	0.24	101	X	13.99	3.3	96	1.65
Anticline	327000	7201022	X	X	29567	3.5	63.1	0.22	94	0.05	13.84	3.8	84	1.43
Anticline	327000	7200822	X	X	30407	3.8	65.8	0.22	118	X	14.87	4.5	88	1.57
Anticline	327000	7200622	X	X	29783	3.6	67.3	0.21	210	0.05	14.27	5.1	86	1.49
Anticline	327000	7200422	X	X	30732	3.7	68.4	0.22	121	0.05	15.12	5.1	85	1.56
Anticline	327000	7200222	1	X	31546	3.5	64.6	0.21	169	0.02	15.43	4.5	84	1.64

Prospect	Eastings	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	327000	7200022	3	X	29774	3.5	67.8	0.22	151	0.07	14.31	4.3	98	1.52
Anticline	327000	7199822	X	X	29521	3.7	67.1	0.21	157	0.02	14.81	4.2	103	1.58
Anticline	327000	7199622	X	X	28480	3.5	64.8	0.21	171	X	13.52	4.1	102	1.47
Anticline	327800	7204822	X	X	43493	4.2	92.6	0.25	210	0.04	22.62	3.8	121	2.26
Anticline	327800	7204622	X	X	52425	5	103.9	0.27	346	0.04	29.32	5.3	135	2.76
Anticline	327800	7204422	X	X	33941	4.1	77.4	0.22	204	0.03	17.62	3.3	130	1.68
Anticline	327800	7204222	1	X	43670	5.4	139.7	0.25	289	X	24.36	6.2	160	2.16
Anticline	327800	7204022	X	X	36144	3.1	77.6	0.22	114	0.03	17.16	3.3	185	1.55
Anticline	327800	7203822	X	X	34863	3.3	83.7	0.23	215	X	16.18	4	217	1.58
Anticline	327800	7203622	X	X	29518	3.1	91.5	0.21	182	0.04	16.41	2.9	78	1.62
Anticline	327800	7203422	X	X	35110	3.5	142.9	0.22	204	0.03	20.44	3.4	80	1.84
Anticline	327800	7203222	X	X	29710	2.6	82.5	0.22	154	X	15.21	2.5	70	1.61
Anticline	327800	7203022	X	X	33101	6	98.6	0.31	63	0.07	16.1	2.8	76	1.87
Anticline	327800	7202822	2	X	39185	2.9	294.5	0.25	99	0.02	21.87	3	83	2.32
Anticline	327800	7202622	X	X	36464	3.5	171.1	0.23	177	X	21.66	4.7	86	1.99
Anticline	327800	7202422	X	X	34945	3.3	644.7	0.23	137	0.04	20.73	4.5	86	1.96
Anticline	327800	7202222	X	X	34352	3.4	105.5	0.23	154	X	20.83	4.5	86	1.86
Anticline	327800	7202022	X	X	51138	4.7	184.5	0.27	366	0.03	28.09	6	105	2.68
Anticline	327800	7201822	1	X	58266	4.8	151.1	0.32	623	X	31.9	5.8	109	3.41
Anticline	327800	7201622	1	X	61744	4.9	113	0.32	1673	0.02	32.41	6.1	111	3.63
Anticline	327800	7201422	2	X	61168	4.8	1238.9	0.33	812	0.04	35.03	6.3	106	3.65
Anticline	327800	7201222	1	X	52594	4.4	102.4	0.3	448	0.04	29.82	5.4	108	3.14
Anticline	327800	7201022	1	X	58954	4.8	121.1	0.31	395	X	30.31	6.5	108	3.35
Anticline	327800	7200822	1	X	53316	4.9	102.5	0.3	573	0.05	26.6	5.1	110	2.99
Anticline	327800	7200622	X	X	37087	4	91.3	0.26	213	X	18.83	3.7	115	1.91
Anticline	327800	7200422	X	X	43519	4.6	77.8	0.27	365	X	21.55	4.5	129	2.28
Anticline	327800	7200222	X	X	45330	4.5	137.2	0.27	427	X	23.04	5.8	181	2.26
Anticline	327800	7200022	X	X	32057	4.2	474.4	0.25	198	0.08	14.62	3.6	201	1.57
Anticline	328600	7203622	X	X	41308	3.6	144.3	0.23	137	0.03	23.3	3.4	85	1.87



Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
Anticline	328600	7203422	X	X	36572	3.1	189.9	0.23	89	0.03	23.5	3.2	84	1.42
Anticline	328600	7203222	1	X	32229	3.9	86.1	0.21	194	X	22.18	13.5	200	1.5
Anticline	328600	7203022	X	X	37015	3.1	285.1	0.25	122	X	18.19	3.3	114	1.78
Anticline	328600	7202822	X	X	44414	4.1	114.1	0.25	413	X	25.12	4	103	2.28
Anticline	328600	7202622	X	X	47333	4.5	89.9	0.27	250	0.03	25.7	6.3	93	2.57
Anticline	328600	7202422	X	X	36646	3.9	68.4	0.23	106	X	18.54	3.6	78	1.89
Anticline	328600	7202222	X	X	35530	3.7	73.9	0.23	129	0.02	16.06	3.6	87	1.77
Anticline	328600	7202022	1	X	65417	5.8	199	0.33	754	0.07	40.9	10.2	119	3.73
Anticline	328600	7201822	X	X	30306	4	74.5	0.24	95	0.04	13.18	3.6	98	1.41
Anticline	328600	7201622	X	X	43238	4.3	118.8	0.26	264	0.03	23.71	5.4	96	2.52
Anticline	328600	7201422	X	X	44338	3.9	103.8	0.26	238	0.05	22.69	4.3	95	2.33
Anticline	328600	7201222	X	X	39151	3.8	85.5	0.25	177	X	18.7	3.7	94	2.01
Anticline	328600	7201022	X	X	37816	3.9	74.1	0.23	171	X	18.3	4.1	95	1.91
Anticline	328600	7200822	1	X	38519	4	80.1	0.26	301	X	20.47	4.6	102	2.01
Anticline	328600	7200622	1	X	62033	5.5	120.7	0.33	1095	0.09	33.94	9.2	118	3.6
Anticline	328600	7200422	1	X	59964	4.8	116.8	0.31	999	X	29.35	6.6	115	3.41
Anticline	315766	7209911	X	X	23124	4.9	685.6	0.21	964	0.04	10.87	9.4	436	0.63
Anticline	315272	7203514	2	X	51044	3.3	591.2	0.2	1077	0.04	46.14	32.7	343	1.8
Anticline	322258	7203040	2	X	35176	2.8	600.8	0.17	2585	0.05	66.05	42.3	496	1.72
Anticline	321401	7203209	X	X	38413	3.4	180.7	0.25	4421	0.06	31.84	7.3	85	2.27
ImbinCentral	320000	7198148	X	X	27809	3.1	55.1	0.19	65	0.05	12.26	2.9	79	1.42
ImbCent	320000	7197948	X	X	24428	3.2	66.3	0.18	172	0.05	10.17	3.9	75	1.13
ImbCent	320000	7197748	X	X	19030	2.7	48.2	0.15	93	X	6.52	2.4	72	0.82
ImbCent	320000	7197548	X	X	20307	2.8	45.4	0.16	145	X	7.47	2.8	66	0.92
ImbCent	320000	7197348	X	X	26605	3.4	54.6	0.2	102	0.03	10.35	3	74	1.26
ImbCent	320000	7197148	X	X	25484	3.5	48.5	0.19	61	X	9.51	2.9	78	1.21
ImbCent	320400	7199748	X	X	26411	3.4	49.8	0.2	74	0.02	9.91	2.7	95	1.2
ImbCent	320400	7199548	X	X	35078	4.7	62.2	0.22	246	0.03	15.34	4	107	1.54
ImbCent	320400	7199148	X	X	23253	3.3	57.5	0.18	115	X	8.87	2.8	71	1.02

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
ImbCent	320400	7198948	X	X	25293	3.5	62	0.21	145	0.02	11.5	2.8	78	1.16
ImbCent	320400	7198148	X	X	27066	3	52.6	0.19	63	0.03	11.27	2.8	74	1.32
ImbCent	320400	7197948	X	X	22820	2.9	73	0.17	128	0.02	8.72	2.8	67	1.11
ImbCent	320400	7197748	X	X	24467	2.8	85.6	0.18	79	0.02	8.82	2.7	65	1.14
ImbCent	320400	7197548	X	X	20434	2.8	45.5	0.17	73	X	7.35	3	63	0.94
ImbCent	320400	7197348	X	X	26647	3.4	50.7	0.19	57	0.02	10.35	2.8	71	1.31
ImbCent	320400	7197148	X	X	23849	3.2	59.4	0.17	X	X	8.7	2.5	71	1.17
ImbCent	320400	7196948	X	X	25146	3.3	52.3	0.18	53	X	10.03	2.5	76	1.23
ImbCent	320400	7196748	X	X	28698	3.4	52.6	0.18	104	X	11.19	3	78	1.43
ImbCent	320800	7199748	X	X	27888	3	50.1	0.19	98	X	11.16	2.8	90	1.3
ImbCent	320800	7199548	X	X	26533	3.5	130.1	0.19	116	X	13.53	3.7	100	1.14
ImbCent	320800	7199348	X	X	24928	3.8	46.1	0.19	73	0.03	9.26	2.6	95	1.12
ImbCent	320800	7199148	X	X	27314	4.3	50.7	0.2	64	X	10.01	2.7	105	1.2
ImbCent	320800	7198948	X	X	20018	4.1	1092.6	0.2	127	0.06	5.82	2.2	104	0.81
ImbCent	320800	7198148	X	X	27588	3.7	386.9	0.2	93	X	10.82	2.8	83	1.33
ImbCent	320800	7197948	X	X	26172	3.2	133	0.18	69	0.02	10.4	2.8	75	1.24
ImbCent	320800	7197748	X	X	22506	3.3	421	0.16	65	X	7.7	3.2	79	1.06
ImbCent	320800	7197548	X	X	25217	3.2	73.5	0.17	141	0.03	9.45	2.9	73	1.28
ImbCent	320800	7197348	X	X	25144	3.4	117.6	0.17	87	X	9.7	2.9	78	1.2
ImbCent	320800	7197148	X	X	26510	3.1	51	0.18	71	X	9.86	2.9	78	1.23
ImbCent	320800	7196948	X	X	26872	3.4	58.7	0.19	67	X	10.27	3	82	1.27
ImbCent	320800	7196748	X	X	26254	3.5	63.1	0.19	57	X	9.89	2.9	82	1.21
ImbCent	321200	7199748	X	X	30062	4.3	80.6	0.23	113	0.02	11.79	3	123	1.23
ImbCent	321200	7199548	X	X	23687	3.1	78.3	0.18	176	0.02	7.58	2.7	99	0.98
ImbCent	321200	7199348	X	X	22966	3	57.4	0.17	106	X	7.6	2.7	95	0.99
ImbCent	321200	7199148	X	0.31	25044	7.2	182.6	0.18	126	0.2	9.24	2.5	81	1.15
ImbCent	321200	7198948	X	X	25175	3.4	49.2	0.18	89	X	8.84	2.7	81	1.11
ImbCent	321200	7198148	X	X	31060	4.2	54.6	0.2	83	X	12.33	3.2	91	1.44
ImbCent	321200	7197948	X	X	31097	3.9	55.3	0.2	110	X	12.19	3.2	86	1.49

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
ImbCent	321200	7197748	1	X	31926	4	57.2	0.19	88	X	12.87	3.3	88	1.52
ImbCent	321200	7197548	X	X	27355	3.4	56.9	0.17	63	X	10.63	2.8	83	1.31
ImbCent	321200	7197348	X	X	22982	2.9	49.4	0.16	55	0.04	7.79	2.2	71	1.08
ImbCent	321200	7197148	X	X	25452	3.5	60.4	0.2	57	X	9.62	2.7	82	1.2
ImbCent	321200	7196948	X	X	24898	3.7	53.2	0.18	57	X	9.37	2.8	86	1.15
ImbCent	321200	7196748	X	X	25143	3.4	52	0.18	58	0.04	9.14	2.7	81	1.19
ImbCent	321600	7199748	X	X	31869	4.1	94.2	0.22	97	0.02	12.26	3.3	106	1.27
ImbCent	321600	7199548	X	X	31188	4.6	50.4	0.21	101	0.02	8.74	2.8	99	1.09
ImbCent	321600	7199348	X	X	45202	4.8	102.5	0.26	350	0.06	18.25	4.9	110	1.94
ImbCent	321600	7199148	X	X	25990	4.2	58.6	0.22	86	X	8.94	2.7	108	1.1
ImbCent	321600	7198948	X	X	23364	3.3	115.8	0.17	75	X	8.6	2.5	86	1.08
ImbCent	321600	7198148	X	X	26342	3.2	206.1	0.18	95	0.05	10.06	2.7	76	1.27
ImbCent	321600	7197948	X	X	28708	3.2	50.6	0.18	58	X	10.96	2.8	83	1.42
ImbCent	321600	7197748	X	X	28418	3.4	65.5	0.18	145	0.04	11.39	3.8	82	1.43
ImbCent	321600	7197548	X	X	24544	3.2	54.9	0.17	53	X	9.27	2.8	75	1.22
ImbCent	321600	7197348	X	X	25694	3	68.6	0.16	57	X	9.72	3	76	1.24
ImbCent	321600	7197148	X	X	25322	3.3	49.6	0.17	69	X	9.85	2.8	75	1.15
ImbCent	321600	7196948	X	X	24202	3.5	56.6	0.18	147	0.03	9.2	2.7	80	1.12
ImbCent	321600	7196748	X	X	24743	3.5	49.9	0.18	158	X	9.4	2.8	83	1.15
ImbCent	322000	7198148	X	X	25516	3.2	67.7	0.17	88	X	9.54	2.9	81	1.18
ImbCent	322000	7197948	X	X	25009	2.9	88	0.17	51	0.02	9.5	2.6	76	1.18
ImbCent	322000	7197748	X	X	28355	3	53	0.18	87	X	10.07	2.8	76	1.39
ImbCent	322000	7197548	X	X	25708	3.2	50.7	0.17	112	X	9.42	3.1	84	1.19
ImbCent	322000	7197348	X	X	25757	2.8	52.1	0.17	109	0.03	9.34	2.9	80	1.2
ImbCent	322000	7197148	X	X	22704	3.1	43.8	0.17	66	X	8.41	2.9	82	1.02
ImbCent	322000	7196948	X	X	23243	3.3	46.3	0.17	65	X	9.15	3	83	1.07
ImbCent	322000	7196748	X	X	23515	3.4	46	0.18	124	X	8.79	2.7	84	1.05
ImbCent	322400	7197748	X	X	27662	3	51.5	0.17	70	X	10.7	2.7	74	1.32
ImbCent	322400	7197548	X	X	28496	3.3	58.8	0.18	135	X	11.31	3	83	1.38

Prospect	Easting	Northing	Au_ppb	Ag_ppm	Al_ppm	As_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm
ImbCent	322400	7197348	X	X	24217	3.4	50.8	0.21	88	0.05	9.44	3.4	88	1.07
ImbCent	322400	7197148	X	X	18826	3.2	33.8	0.19	X	0.03	5.95	2.2	88	0.77
ImbCent	322400	7196948	X	X	23189	3.4	48.4	0.19	106	0.02	9.35	2.7	83	0.99
ImbCent	322400	7196748	X	X	22252	3.2	45.7	0.19	111	0.02	9.01	2.6	80	1

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	309400	7207022	6	14400	3.7	1	1.59	0.01	856	3.43	5.5	188	60	0.3
Anticline	309400	7206822	8.1	19900	4.95	1.1	2.45	0.02	1501	5.3	6.6	321	110	0.6
Anticline	309400	7206622	8.8	20000	5.62	1	1.51	0.03	1605	5.83	8.2	347	117	0.4
Anticline	309400	7206422	18.3	37200	14.61	1.6	2.78	0.05	4139	16.88	20.8	1292	275	0.8
Anticline	309400	7206222	8.3	24200	6.67	1.1	1.62	0.03	1430	4.28	6	245	78	0.5
Anticline	309400	7206022	9.8	22400	6.25	1.2	2.09	0.02	2235	7.23	9	553	158	0.5
Anticline	309400	7205822	11.8	24200	8.47	1.2	2	0.03	2077	8.68	9.1	346	107	0.5
Anticline	309400	7205622	11.4	24400	8.05	1.2	3.64	0.03	1997	8.3	8.8	359	113	0.6
Anticline	309400	7205422	11.4	23400	8.07	1.2	2.61	0.03	1932	8.26	9	326	103	0.5
Anticline	309400	7205222	11.9	24400	7.92	1.4	2.05	0.03	1993	8.6	8.9	342	108	0.6
Anticline	309400	7205022	11.9	23900	8.44	1.3	1.92	0.04	2047	9.03	9.1	341	111	0.5
Anticline	309400	7204822	12.1	24900	8.62	1.3	1.89	0.04	2114	9.04	9.1	367	115	0.6
Anticline	310200	7207022	8.2	18900	5.25	1	1.67	0.02	1343	4.88	5.9	229	74	0.4
Anticline	310200	7206822	10.8	22500	6.96	1.2	1.77	0.03	2174	7.79	9.4	432	158	0.5
Anticline	310200	7206622	9.4	22300	5.67	1.2	1.56	0.02	1628	6.3	7	277	92	0.4
Anticline	310200	7206422	9.7	26200	6.58	1.2	1.79	0.03	1728	6.56	7.5	289	93	0.5
Anticline	310200	7206222	9.1	24400	6.17	1	1.61	0.02	1464	6.35	7.1	257	81	0.4
Anticline	310200	7206022	7.9	21600	5.16	1.2	1.37	0.02	1210	5.13	6.1	228	84	0.5
Anticline	310200	7205822	12	24700	8.41	1.4	1.9	0.03	2095	8.64	9.3	348	112	0.5
Anticline	310200	7205622	11.6	24700	7.95	1	1.94	0.03	2058	8.95	9.4	354	115	0.6
Anticline	310200	7205422	11.7	24400	8.17	1.2	1.98	0.03	2037	8.49	9.2	338	109	0.5
Anticline	310200	7205222	11.8	24600	8.14	1.2	2	0.03	2047	8.48	9.1	345	111	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	310200	7205022	12	24400	8.39	1.2	2.19	0.03	2096	8.85	9.4	353	111	0.5
Anticline	310200	7204822	12	25000	8.21	1.4	2.06	0.03	2122	8.91	9.7	358	116	0.6
Anticline	310200	7204622	11.9	24100	8.33	1.3	2.04	0.03	2057	8.7	9.3	350	110	0.5
Anticline	311000	7207422	14.8	27900	6.88	1.3	2.37	0.03	2935	10.18	11.3	3050	288	0.5
Anticline	311000	7207222	29.6	41300	11.84	1.5	3.08	0.05	4713	22.34	13.2	1374	554	0.8
Anticline	311000	7207022	33.6	48400	16.86	1.7	3.29	0.07	7443	24.25	20.1	2431	1020	1.1
Anticline	311000	7206822	19.4	32900	11.7	1.3	2.5	0.04	4360	15.26	11.7	772	186	0.8
Anticline	311000	7206622	17.9	35600	11.67	1.4	2.69	0.04	4319	14.05	13.2	815	172	0.7
Anticline	311000	7206422	12	26000	7.72	1.1	1.93	0.03	2229	8.22	8.3	392	116	0.5
Anticline	311000	7206222	10.4	23500	6.81	1.2	1.79	0.02	1842	6.69	8.1	310	124	0.5
Anticline	311000	7206022	10.3	23400	6.76	1.2	1.82	0.03	1750	6.63	7.9	294	117	0.5
Anticline	311000	7205822	10	23500	6.85	1.3	1.8	0.03	1707	6.5	7.9	296	120	0.6
Anticline	311000	7205622	9.9	22500	6.71	1.1	1.66	0.03	1674	6.27	7.7	285	118	0.5
Anticline	311000	7205422	11.6	25000	7.29	1.1	1.87	0.03	1907	7.52	8.6	332	107	0.6
Anticline	311000	7205222	10.7	24100	7.21	1.2	1.87	0.03	1806	7.29	7.9	309	99	0.5
Anticline	311000	7205022	9.9	23400	6.38	1.1	1.8	0.03	1563	6.48	6.7	262	82	0.6
Anticline	311000	7204822	8.9	22000	5.95	1.1	1.64	0.02	1408	5.65	6.3	244	78	0.4
Anticline	311000	7204622	9.4	22700	6.32	1.1	1.74	0.03	1618	6.53	7.2	267	83	0.5
Anticline	311800	7207622	13.5	27800	8.03	1.4	2.14	0.03	2887	9.69	9.8	462	156	0.5
Anticline	311800	7207422	14.7	28200	8.21	1.3	1.99	0.03	2929	10.13	8.1	524	124	0.6
Anticline	311800	7207222	23	38400	11.18	1.3	2.66	0.04	3120	12.12	9.7	629	153	0.6
Anticline	311800	7207022	14.4	36500	10.68	1.3	2.97	0.04	2925	10.19	12.9	625	147	0.6
Anticline	311800	7206822	11.9	31600	8.23	1.2	2.18	0.03	1927	6.73	7.9	398	93	0.5
Anticline	311800	7206622	12	29900	8.06	1.2	2.18	0.03	2098	7.69	8.8	376	142	0.6
Anticline	311800	7206422	12.6	30100	8.51	1.3	2.37	0.04	2046	8.26	9	365	109	0.6
Anticline	311800	7206222	12.9	30600	8.39	1.4	2.36	0.04	2151	8.66	9.4	384	116	0.7
Anticline	311800	7206022	11.8	28800	8.16	1.1	2.58	0.03	1898	7.83	8.1	322	111	0.6
Anticline	311800	7205822	13.2	28100	8.85	1.2	2.27	0.04	2317	10.2	9.4	402	149	0.6
Anticline	311800	7205622	10.1	23700	7.08	1.1	1.91	0.03	1652	6.72	7.4	283	82	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	311800	7205422	10	23600	6.55	1.2	1.87	0.03	1679	6.84	7.5	283	85	0.6
Anticline	311800	7205222	9.5	22900	6.31	1.3	1.85	0.02	1625	6.56	7.2	269	79	0.5
Anticline	311800	7205022	9.5	22800	6.47	1.2	1.91	0.02	1571	6.6	7.2	270	83	0.5
Anticline	311800	7204822	9.7	23200	6.99	1.1	1.81	0.03	1592	6.58	7.1	274	82	0.5
Anticline	311800	7204622	9.8	23400	7.01	1.2	2.28	0.03	1636	7.01	7.3	281	86	0.5
Anticline	312200	7207822	11.9	28200	7.59	1.2	2.23	0.03	1847	7.64	8.3	321	132	0.6
Anticline	312200	7207422	11.8	28800	7.88	1.3	4.4	0.03	1903	7.88	8.3	320	137	0.6
Anticline	312200	7207022	12.3	28800	7.95	1.2	2.95	0.03	1945	8.46	8.3	328	139	0.5
Anticline	312600	7208222	12.1	25500	7.65	1.3	2.9	0.03	3225	10.59	9	438	150	0.5
Anticline	312600	7207822	15.4	28900	9.93	1.2	2.47	0.04	4139	12.52	8.1	521	96	0.6
Anticline	312600	7207422	14.5	30700	8.21	1.2	2.55	0.03	2063	8.45	9.3	340	172	0.5
Anticline	312600	7207022	12.3	29100	7.86	1.2	2.16	0.03	1926	8.14	8.4	337	169	0.6
Anticline	312600	7206622	14.7	29900	10.21	1.3	2.66	0.04	2427	11.59	10.5	437	139	0.6
Anticline	312600	7206422	14.9	30100	10.48	1.4	2.46	0.03	2475	11.78	10.6	438	142	0.6
Anticline	312600	7206222	14.7	30100	10.74	1.3	2.47	0.04	2500	12.6	10.8	455	140	0.7
Anticline	312600	7206022	15	30200	10.58	1.3	2.26	0.04	2473	12.28	10.3	455	142	0.6
Anticline	312600	7205822	17.6	32400	13.25	1.4	2.93	0.05	3763	14.96	14	797	202	0.7
Anticline	312600	7205622	13.5	31300	10.17	1.3	2.44	0.04	2758	12.34	12.9	509	277	0.7
Anticline	312600	7205422	10	25200	6.9	1.1	1.83	0.03	1759	6.81	7.6	309	99	0.5
Anticline	312600	7205222	11.3	28300	8.23	1.1	2.1	0.03	1993	8.27	8.4	351	140	0.5
Anticline	312600	7205022	11.1	29900	8.16	1.3	2.42	0.03	2159	8.12	9.8	402	184	0.5
Anticline	313000	7209822	9.1	23100	7.42	1.3	2.48	0.03	1497	6.36	8.5	324	99	0.4
Anticline	313000	7209422	9.8	27100	7.42	1.3	2.27	0.04	1609	6.62	8.2	289	153	0.6
Anticline	313000	7209022	10.9	29500	8.19	1.2	2.69	0.03	1841	6.93	8.9	360	235	0.5
Anticline	313000	7208622	10.9	28700	7.14	1.2	2.4	0.02	2680	8.64	7.4	343	120	0.5
Anticline	313000	7208222	18.2	33100	11.82	1.3	2.95	0.04	4575	13.27	8.2	588	108	0.7
Anticline	313000	7207822	15	31900	9.7	1.3	2.31	0.04	2962	10.01	7.5	418	140	0.6
Anticline	313000	7207422	22.4	40400	14.54	1.6	2.92	0.05	5278	18.47	12.9	840	212	0.8
Anticline	313000	7207022	23.7	39200	13.88	1.4	3.18	0.05	4358	15.62	10.4	698	165	0.9

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	313400	7210222	15.2	36000	13.56	1.5	3.34	0.04	3238	14.63	15.2	767	154	0.7
Anticline	313400	7209822	8.8	27600	7.24	1.3	1.95	0.04	1329	5.23	7.5	261	101	0.5
Anticline	313400	7209422	7.8	22000	6.38	1.2	1.7	0.03	1253	4.61	7.5	286	88	0.4
Anticline	313400	7209022	7.8	27200	6.94	1.3	1.98	0.03	1142	4.51	7.1	230	89	0.5
Anticline	313400	7208622	13.8	34500	10.6	1.3	2.91	0.03	3038	10.74	10.2	468	124	0.6
Anticline	313400	7208222	12.2	27800	8.04	1.2	2.34	0.03	2890	9.1	7.8	367	93	0.5
Anticline	313400	7207822	13.1	28800	9.37	1.3	2.46	0.03	2963	9.8	9.2	402	110	0.6
Anticline	313400	7207422	21.9	38000	14.72	1.6	3.39	0.06	4347	16.32	8.2	694	123	0.9
Anticline	313400	7207022	14.6	28500	9.33	1.4	2.22	0.03	2790	10.52	8.4	447	124	0.6
Anticline	313400	7206622	17.4	33000	10.67	1.4	2.9	0.04	3253	13.11	7.5	505	122	0.8
Anticline	313400	7206422	27.4	40900	18.05	1.8	3.56	0.05	5330	22.38	11.2	920	301	1.1
Anticline	313400	7206222	26.1	39400	16.22	1.5	3.35	0.05	4888	20.82	12.1	894	188	1
Anticline	313400	7206022	21.1	35600	15.06	1.5	3.31	0.05	4487	17.8	13.4	784	232	0.9
Anticline	313400	7205822	15.7	30300	10.62	1.4	2.46	0.05	3123	14.2	11	565	157	0.7
Anticline	313400	7205622	13.3	29400	9.85	1.2	2.6	0.04	2459	10.42	10.1	421	136	0.6
Anticline	313400	7205422	12.8	28500	9.51	1.3	2.27	0.04	2250	9.83	10.5	399	108	0.6
Anticline	313800	7210222	9.9	29000	9.83	1.2	2.52	0.04	1739	6.13	8	338	87	0.6
Anticline	313800	7209822	11.9	32200	8.74	1.2	2.76	0.04	1893	6.46	7.6	321	151	0.6
Anticline	313800	7209422	10.3	28700	7.9	1.2	2.36	0.03	1755	6.52	7.5	289	164	0.5
Anticline	313800	7209022	12.2	33400	9.53	1.2	2.99	0.03	3019	9.54	9	409	112	0.5
Anticline	313800	7208622	13.5	30500	8.82	1.2	2.38	0.03	3224	10.67	9	429	116	0.5
Anticline	313800	7208222	15.5	30600	10.37	1.3	2.6	0.03	3422	13.43	10.1	499	135	0.7
Anticline	313800	7207822	17	30400	11.07	1.3	2.58	0.03	3347	12.83	8.5	509	107	0.6
Anticline	313800	7207422	16.8	34300	9.63	1.2	2.63	0.04	2573	11.33	10.1	455	181	0.7
Anticline	313800	7207022	19.3	34200	11.92	1.4	2.66	0.05	3411	16.71	10.7	597	141	0.7
Anticline	314200	7210622	13	29500	9.16	1.4	2.75	0.03	3575	9.81	11.9	614	261	0.6
Anticline	314200	7210222	13	30100	10.82	1.3	2.52	0.04	2335	9.58	10.1	445	115	0.6
Anticline	314200	7209822	13.2	32600	9.3	1.3	2.8	0.04	3457	9.2	8.2	461	106	0.6
Anticline	314200	7209422	11.7	27200	7.51	1.3	2.53	0.04	3080	8.11	9.3	445	123	0.5



Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	314200	7209022	13	28400	8.35	1.2	2.41	0.04	3399	9.02	6.4	411	83	0.5
Anticline	314200	7208622	10.3	25200	6.83	1.2	2.1	0.03	1892	6.93	7.5	321	115	0.5
Anticline	314200	7208222	13.9	26500	7.14	1.3	2.7	0.02	2067	7.34	7.9	332	121	0.6
Anticline	314200	7207822	12.2	27800	7.75	1.4	2.09	0.03	2036	8.31	8.1	349	108	0.5
Anticline	314200	7207422	12.2	27700	7.99	1.3	1.97	0.03	2177	8.62	8.5	374	132	0.6
Anticline	314200	7207022	12.8	26600	8.91	1.4	1.98	0.04	2426	9.25	9.5	441	121	0.6
Anticline	314200	7206622	16.4	34100	10.03	1.4	2.23	0.05	3226	11.75	8.6	548	130	0.7
Anticline	314200	7206422	15.9	36200	9.92	1.4	2.51	0.04	2883	11.36	8.7	478	121	0.6
Anticline	314200	7206222	16	33200	8.37	1.4	3.07	0.03	2251	8.88	7.3	405	140	0.8
Anticline	314200	7206022	11.7	28300	8.05	1.3	2.32	0.04	1964	7.82	8.1	361	110	0.5
Anticline	314200	7205822	20.5	35500	12.14	1.7	2.9	0.05	3518	17.84	11.1	673	151	0.7
Anticline	314600	7210622	14.4	31000	10.17	1.2	2.67	0.04	2142	9.81	9.3	402	111	0.6
Anticline	314600	7210222	17	34800	11.47	1.2	2.11	0.05	3635	10.75	14.9	11736	464	0.6
Anticline	314600	7209822	13.7	30200	8.34	1.3	2.34	0.04	1811	7.32	7.1	332	122	0.6
Anticline	314600	7209422	12.9	27800	8.2	1.3	2.81	0.04	2985	8	6.6	542	95	0.6
Anticline	314600	7209022	14	27200	7.97	1.2	2.46	0.03	2620	9.4	8.7	377	122	0.5
Anticline	314600	7208622	12.2	25400	7.54	1.2	1.89	0.03	2555	7.34	7.4	382	123	0.6
Anticline	314600	7208222	13	30800	9.37	1.4	2.4	0.03	2443	9.27	8.6	439	107	0.6
Anticline	314600	7207822	11.2	26500	7.41	1.2	1.9	0.03	1852	7.8	7.9	324	118	0.6
Anticline	314600	7207422	12.1	26500	8.76	1.2	1.95	0.04	2130	8.85	11	406	161	0.5
Anticline	314600	7207022	17.2	28000	10.48	1.4	2.52	0.04	2492	10.64	10.9	457	118	0.7
Anticline	315000	7211422	9.6	25300	6.77	1.3	1.98	0.03	1327	5.74	7.9	276	85	0.5
Anticline	315000	7211022	9.2	22600	6.26	1.2	1.75	0.03	1366	5.84	7.2	259	80	0.5
Anticline	315000	7210622	11.4	27100	7.62	1.3	1.82	0.03	1555	6.19	7.7	310	92	0.6
Anticline	315000	7210222	17.1	35900	11.38	1.5	2.63	0.05	2234	10.32	10.2	449	130	0.8
Anticline	315000	7209822	13.7	31600	8	1.3	2.4	0.04	1888	7.31	8.7	387	301	0.6
Anticline	315000	7209422	14.1	29400	7.72	1.5	2.32	0.03	3096	8.58	6.6	400	90	0.8
Anticline	315000	7209022	16.8	34600	10.33	1.6	3.33	0.04	3615	11.38	7.7	543	152	0.9
Anticline	315000	7208622	12.6	29900	7.67	1.3	2.2	0.03	2129	7.85	8	326	116	0.7

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	315000	7208222	18.7	36700	13	1.6	3.03	0.05	4143	16.86	15.6	856	138	0.7
Anticline	315000	7207822	13.5	29400	8.33	1.5	2.28	0.04	2156	9.15	9.5	363	125	1
Anticline	315000	7207422	11.6	25800	8.38	1.4	2.04	0.03	2095	8.34	8.9	360	89	0.6
Anticline	315000	7207022	13.7	31000	8.74	1.4	2.2	0.04	1987	10.03	9.5	364	132	0.7
Anticline	315000	7206622	13.8	30100	9.23	1.5	2.35	0.04	2296	9.36	9.1	387	105	0.6
Anticline	315000	7206422	14.3	33800	9.75	1.3	2.49	0.05	3142	11.03	11	527	153	0.8
Anticline	315000	7206222	14.2	34700	9.57	1.5	2.47	0.05	2998	10.72	10.4	473	150	0.6
Anticline	315000	7206022	16.7	40300	10.9	1.5	3.05	0.05	3630	12.62	12.1	625	172	2.1
Anticline	315000	7205822	27.7	44900	17.3	1.9	4.15	0.07	4981	20.08	10.1	927	131	1.1
Anticline	315400	7211422	9.3	25200	5.69	1.2	1.51	0.03	1277	5.14	7.1	238	96	0.9
Anticline	315400	7211022	8.4	27000	5.12	1.2	1.66	0.03	1026	3.99	5.1	196	78	0.6
Anticline	315400	7210622	12.4	27700	6.73	1.3	1.77	0.02	1592	5.95	8.6	344	151	0.8
Anticline	315400	7210222	12.5	26000	6.58	1.4	2.4	0.03	1937	7.41	6.9	342	112	0.6
Anticline	315400	7209822	22.9	42900	13.53	1.6	3.19	0.05	2006	8.07	6.1	407	127	0.8
Anticline	315400	7209422	16	29300	9.02	1.3	2.51	0.04	3291	9.5	8.1	529	106	0.7
Anticline	315400	7209022	14	31200	8.37	1.4	2.6	0.04	3338	8.07	7.1	461	94	0.7
Anticline	315400	7208622	13.3	28900	7.74	1.4	2.47	0.03	2306	9.48	8.4	387	120	0.6
Anticline	315400	7208222	11.8	29400	7.42	1.3	2.14	0.04	1817	7.5	9	338	127	0.9
Anticline	315400	7207822	12.7	33700	8.49	1.4	2.05	0.03	1882	8.59	7.6	344	121	0.6
Anticline	315400	7207422	15.7	34500	11.75	1.5	2.94	0.04	3031	13.21	15	724	161	1
Anticline	315400	7207022	12.6	36700	8.57	1.4	2.25	0.03	2148	8.3	7.8	374	106	0.6
Anticline	315800	7211422	9.2	24200	5.93	1	1.82	0.02	1329	5.15	6	246	81	0.9
Anticline	315800	7211022	12	29500	7.34	1.2	2.48	0.03	1755	6.9	7.9	308	290	0.6
Anticline	315800	7209822	32.3	50600	13.18	1.4	2.7	0.05	4011	17.68	20.3	6179	918	0.9
Anticline	315800	7209422	14.4	33300	7.06	1.3	1.99	0.03	2287	7.69	8.5	585	198	0.6
Anticline	315800	7209022	14.4	31300	9.14	1.3	1.98	0.04	3304	10.36	10.2	617	228	0.7
Anticline	315800	7208622	12	28900	7.86	1.3	2.63	0.03	1985	7.6	8	333	125	0.6
Anticline	315800	7208222	17	35500	11.7	1.5	2.47	0.04	3098	14.54	14.1	607	163	0.8
Anticline	315800	7207822	12.7	33800	8.96	1.2	1.96	0.03	1813	8.21	8.4	327	141	0.7

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	315800	7207422	12.6	33200	8.1	1.2	2.11	0.04	1922	8.76	8.2	315	125	0.8
Anticline	315800	7207022	14.9	39000	10.24	1.5	2.61	0.04	2493	11.6	12.2	471	194	0.8
Anticline	315800	7206622	13.8	34100	8.93	1.3	2.31	0.04	2450	10.14	8.3	388	106	0.8
Anticline	315800	7206422	21.4	46000	14.98	1.7	3.33	0.07	4443	19.77	19.1	888	280	1
Anticline	315800	7206222	18.5	41000	11.97	1.5	3.03	0.04	3879	13.76	9.9	597	127	0.9
Anticline	315800	7206022	13.9	33700	9.42	1.5	2.35	0.04	2684	10.12	9.2	425	115	0.7
Anticline	316200	7211422	12.8	29800	8.48	1.3	2.67	0.03	3377	11.69	9.5	630	177	0.7
Anticline	316200	7211022	11.3	29000	6.8	1.2	2.11	0.03	1737	6.18	7	281	99	0.5
Anticline	316200	7209822	31.1	45000	12.71	1.5	2.58	0.05	4165	16.4	11.5	1171	413	0.9
Anticline	316200	7209422	27.2	43300	14.03	1.6	2.62	0.05	4709	22.6	15.6	2097	907	0.9
Anticline	316200	7209022	14	32100	8.72	1.4	2.59	0.04	2371	9.42	9.1	412	119	0.8
Anticline	316200	7208622	13.9	29000	9.06	1.5	2.25	0.03	2150	9.99	9.7	437	127	0.6
Anticline	316200	7208222	13.3	29200	8.66	1.3	2.5	0.04	2021	9.44	8.7	358	102	0.7
Anticline	316200	7207822	13.4	31900	7.99	1.3	2.17	0.03	1814	8.28	8.8	322	117	0.6
Anticline	316200	7207422	15	34700	10.41	1.5	2.83	0.05	2360	10.78	10.5	388	132	0.9
Anticline	316200	7207022	16	39400	10.76	1.5	2.92	0.04	2725	12.45	14.5	615	193	0.7
Anticline	316600	7211422	18.5	40200	11.69	1.7	2.91	0.05	3092	12.55	11.9	650	172	1.8
Anticline	316600	7211022	11.8	29900	7.27	1.3	1.96	0.03	2817	7.77	9.5	525	193	0.6
Anticline	316600	7210622	36	47500	15.02	1.5	2.59	0.05	4244	16.34	10.6	1038	208	1
Anticline	316600	7209022	16.5	32200	10.08	1.3	2.25	0.04	3373	11.31	10.1	511	145	0.7
Anticline	316600	7208622	12.3	28700	7.82	1.2	1.87	0.03	1832	7.94	9.8	373	152	0.8
Anticline	316600	7208222	11.8	29800	7.26	1.3	2.01	0.03	1737	7.23	7.9	281	101	0.6
Anticline	316600	7207822	14	30700	7.67	1.4	2.27	0.03	1769	7.34	7.1	292	101	0.8
Anticline	316600	7207422	11.8	30200	7.38	1	2.25	0.03	1676	7.32	8.6	307	113	0.6
Anticline	316600	7207022	13.6	37000	9.39	1.4	2.32	0.04	2127	8.46	8.8	345	135	0.9
Anticline	316600	7206622	13.4	29800	9	1.4	2.2	0.03	2505	9.84	9	390	109	0.7
Anticline	316600	7206422	14.7	33400	9.61	1.4	2.32	0.04	2518	10.01	9.1	392	130	2
Anticline	316600	7206222	13.2	30000	9.15	1.4	2.13	0.03	2425	9.75	8.6	374	108	0.6
Anticline	316600	7206022	13.1	33800	8.55	1.2	2.13	0.04	2645	9.6	9.5	445	127	0.8

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	317000	7211422	10.2	21600	5.93	1.2	1.62	0.03	1552	5.76	7.7	266	93	0.5
Anticline	317000	7211022	12.3	23700	6.66	1.4	2.27	0.03	2067	7.03	7.3	342	101	0.8
Anticline	317000	7210622	18	32800	8.23	1.4	1.9	0.05	2466	9.7	9.7	640	246	0.6
Anticline	317000	7209022	20.2	40400	10.34	1.5	2.58	0.04	2941	10.12	8.2	518	138	1.6
Anticline	317000	7208622	13.1	31600	8.2	1.4	2.74	0.04	2040	8.09	8.7	382	140	0.7
Anticline	317000	7208222	11.9	31000	7.16	1.3	2.33	0.04	1854	7.27	7.5	311	144	0.7
Anticline	317000	7207822	16.9	32600	7.29	1.2	2.21	0.04	1798	7	7.8	286	131	0.5
Anticline	317000	7207422	17.5	38800	10.63	1.5	2.65	0.04	2734	10.38	12.3	506	156	0.8
Anticline	317000	7207022	12.6	35900	8.41	1.3	1.96	0.04	1781	7.31	8.6	298	108	0.6
Anticline	317400	7211422	8.8	23600	5.94	1.3	2.01	0.02	1458	5.39	7.8	284	107	0.7
Anticline	317400	7211022	20.5	39300	13.91	1.8	3.13	0.04	3577	15.93	20	805	210	0.8
Anticline	317400	7210622	13.3	27200	8.14	1.3	1.86	0.03	2247	8.04	9.1	433	115	0.6
Anticline	317400	7210222	13.6	36700	8.03	1.2	1.83	0.03	1966	7.65	8.3	364	121	0.6
Anticline	317400	7209822	17.7	35500	10.94	1.5	3.02	0.04	3236	10.96	10	509	110	0.8
Anticline	317400	7209422	17.5	32600	12.6	1.5	3.01	0.04	4005	14.56	11.8	749	131	0.8
Anticline	317400	7209022	13.8	32500	8.59	1.3	2.94	0.04	2343	8.51	8.3	380	154	0.6
Anticline	317400	7208622	14.7	35900	9.67	1.5	2.6	0.04	3230	10.63	9.6	550	143	0.8
Anticline	317400	7208222	13.3	34700	8.73	1.4	2.16	0.04	2690	8.69	7.1	427	101	0.6
Anticline	317400	7207822	12.1	33800	10.29	1.3	2.71	0.04	4408	8.36	7.2	499	100	0.6
Anticline	317400	7207422	15.8	37700	8.63	1.4	2.45	0.04	2414	8.55	7.4	400	135	0.5
Anticline	317400	7207022	12	34600	8.24	1.3	2.1	0.04	1844	7.3	7.2	294	101	0.7
Anticline	317400	7206622	12.3	38200	9.06	1.4	1.94	0.03	1931	7.9	7.9	329	107	0.7
Anticline	317400	7206422	11.3	35300	8.2	1.3	1.78	0.03	1818	7	7	312	100	0.6
Anticline	317400	7206222	12.4	30900	8.24	1.3	2.11	0.04	2232	8.69	8.6	376	157	0.6
Anticline	317400	7206022	12	28500	7.81	1.3	2.06	0.04	2030	7.85	7.6	337	108	0.6
Anticline	317800	7211422	10.1	21700	7	1.2	1.84	0.03	1634	6.14	8.3	288	85	0.5
Anticline	317800	7211022	14.5	28600	9.07	1.2	2.08	0.03	2261	10.19	10	384	126	0.6
Anticline	317800	7210622	14.8	29400	9.63	1.5	2.21	0.04	2460	10.78	9.7	425	124	0.6
Anticline	317800	7210222	14.8	35100	10.09	1.4	2.37	0.04	2570	10.09	11.3	464	143	0.9

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	317800	7209822	11.8	35400	9.14	1.3	2.4	0.04	2512	9.38	9.4	395	124	0.5
Anticline	317800	7209422	13.6	33100	9.23	1.5	2.3	0.03	3663	8.53	8.1	561	98	0.7
Anticline	317800	7209022	20.7	38500	13.37	1.6	2.82	0.06	4582	15.03	8.9	730	121	0.8
Anticline	317800	7208622	14.7	31400	9.93	1.8	2.35	0.04	3582	10.61	6.6	559	94	0.6
Anticline	317800	7208222	14.1	29700	9.03	1.6	2.06	0.04	4362	9.53	6.8	629	92	0.6
Anticline	317800	7207822	15.2	29600	10.44	1.5	2.61	0.04	4585	11.43	7.4	729	93	0.7
Anticline	317800	7207422	21.6	37400	14.03	1.6	2.77	0.06	5390	16.53	9.5	848	111	0.8
Anticline	317800	7207022	13.6	36800	8.72	1.3	2.21	0.04	2143	8.14	7.9	363	117	0.7
Anticline	318200	7211422	11.7	25700	7.33	1.1	1.97	0.03	1913	7.68	7.6	305	92	0.5
Anticline	318200	7211022	11.9	26600	7.67	1.2	1.91	0.03	1896	7.9	7.6	322	96	0.6
Anticline	318200	7210622	11.7	25600	7.44	1.2	1.79	0.03	1835	7.6	7.4	305	93	0.5
Anticline	318200	7210222	12	27400	7.88	1.3	1.92	0.03	2656	9.07	8.3	364	141	0.6
Anticline	318200	7209822	12.7	32200	8.73	1.3	2.1	0.04	2350	9.23	8.4	382	112	0.6
Anticline	318200	7209422	19.4	35700	12.02	1.4	2.67	0.04	4669	13.04	8.1	663	110	0.8
Anticline	318200	7209022	18.7	36300	12.04	1.7	2.28	0.05	4151	13.16	9.3	676	147	0.8
Anticline	318200	7208622	19	39000	12.14	1.7	2.64	0.05	5084	13.83	8.2	757	115	0.7
Anticline	318200	7208222	11.1	29300	6.87	1.4	1.64	0.03	2373	6.8	6.4	373	107	0.5
Anticline	318200	7207822	14.8	31700	8.91	1.5	2.37	0.03	2895	9.86	9	454	131	1.3
Anticline	318200	7207422	12.4	27800	7.83	1.3	2.27	0.03	2879	10.4	9.4	388	138	0.5
Anticline	318200	7207022	25.3	47700	9.25	1.3	2.18	0.04	2700	12.6	11.6	1264	256	0.6
Anticline	318200	7206622	25.3	47300	12.45	1.4	2.58	0.05	4029	15.33	9	779	206	0.7
Anticline	318600	7207422	20.4	36500	11.89	1.9	2.65	0.05	3999	13.33	8.4	694	125	0.8
Anticline	318600	7207022	17.5	31700	9.84	1.4	2.21	0.04	3071	11.75	7.3	471	126	0.6
Anticline	318600	7206622	28.8	47900	15.26	1.9	2.89	0.06	5108	18.73	13.6	1580	301	0.9
Anticline	319000	7211022	10.9	26800	7.54	1.3	1.65	0.02	1838	7.38	7.5	321	88	0.5
Anticline	319000	7210822	18.3	39600	14.13	1.7	2.53	0.05	3639	15.39	17	974	260	0.7
Anticline	319000	7210622	10	25200	6.97	1.3	1.67	0.03	1750	6.65	7.4	286	80	0.5
Anticline	319000	7210422	11.4	27400	8.12	1.3	2.01	0.02	2084	8.41	8.8	433	119	0.6
Anticline	319000	7210222	10.4	25500	6.92	1.3	1.85	0.03	1916	7.69	8	320	107	0.5

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	319000	7210022	10.7	27300	7.49	1.2	1.95	0.03	1994	7.73	7.8	337	86	0.6
Anticline	319000	7209822	13.6	29500	9.61	1.5	2.12	0.04	2757	11.23	9.8	500	117	0.6
Anticline	319000	7209622	12.1	27500	8.52	1.3	1.89	0.03	2376	9.15	8.7	442	121	0.6
Anticline	319000	7209422	21	38000	14.63	1.6	2.65	0.06	4242	17.47	15.5	999	173	0.8
Anticline	319000	7209222	13	28000	8.28	1.4	2.01	0.04	2432	10.51	9.9	454	127	0.6
Anticline	319000	7209022	19.4	37100	10.66	1.4	2.41	0.04	3536	13.53	11.9	1359	165	0.5
Anticline	319000	7208822	13.5	27100	8.88	1.4	2.01	0.04	2746	9.29	8	446	102	0.6
Anticline	319000	7208622	14.3	29900	9.35	1.3	2.09	0.04	2792	10.69	8.6	478	115	0.6
Anticline	319000	7208422	14.7	30200	9.62	1.4	2.09	0.04	2733	12.56	10.9	467	136	0.7
Anticline	319000	7208222	11.2	30400	7.8	1.4	1.97	0.03	2000	7.68	8.2	356	138	0.6
Anticline	319000	7208022	13.7	31000	8.51	1.1	2.38	0.03	2409	10.05	8.9	396	136	0.7
Anticline	319000	7207822	12.5	32000	8.11	1.4	2.2	0.04	2732	8.5	7.8	421	117	0.6
Anticline	319000	7207622	14.5	36600	9.98	1.6	2.41	0.04	4017	9.68	6.4	600	91	0.7
Anticline	319000	7207422	14	31200	8.64	1.4	2.5	0.04	4342	9.71	8.2	672	116	0.6
Anticline	319800	7210822	9.7	24200	6.44	1.2	2.01	0.02	1704	6.13	7	279	77	0.6
Anticline	319800	7210622	9.3	24600	5.93	1.3	1.75	0.03	1708	6.11	7	290	95	0.5
Anticline	319800	7210222	12.2	29000	7.98	1.3	2.14	0.03	2314	9.24	10.2	487	133	0.7
Anticline	319800	7210022	10.4	25900	6.71	1.2	1.97	0.03	1770	6.65	7.8	294	131	0.6
Anticline	319800	7209822	13.2	29000	8.99	1.4	2.1	0.03	2454	11.77	11.4	491	197	0.8
Anticline	319800	7209622	11.1	26700	7.32	1.2	1.99	0.03	1942	8.1	8.5	337	124	0.5
Anticline	319800	7209422	10.6	26700	7.39	1.2	1.87	0.03	1896	7.62	8	339	96	0.6
Anticline	319800	7209222	11.3	27300	7.9	1.3	2.21	0.04	1994	8.73	8.4	330	109	0.5
Anticline	319800	7209022	11.7	26200	7.84	1.3	2.51	0.03	2177	9.18	9.1	395	110	0.6
Anticline	319800	7208822	15.3	30300	10.53	1.4	2.57	0.04	3024	13.17	11.9	576	160	0.7
Anticline	319800	7208622	19.8	35000	12.38	1.5	2.83	0.04	3691	15.97	11.4	673	144	0.8
Anticline	319800	7208422	13.5	27500	8.93	1.2	2	0.04	2593	10.41	8.8	428	113	0.6
Anticline	319800	7208222	20.3	34200	11.86	1.4	2.85	0.05	3591	15.75	9.4	616	131	1
Anticline	319800	7208022	23.1	38100	13.45	1.4	2.84	0.04	4161	16.45	9.6	691	149	0.9
Anticline	319800	7207822	21.8	40000	12.75	1.5	2.83	0.04	3911	16.26	10	700	176	1.1

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	319800	7207622	25.1	39500	14.87	1.6	3.06	0.05	4611	18.71	10.3	805	160	1
Anticline	319800	7207422	17.3	31100	10.31	1.5	2.16	0.04	2888	12.38	10.5	487	157	0.9
Anticline	319800	7207222	17.3	31000	10.21	1.3	2.46	0.03	3016	11.72	8.7	514	155	0.9
Anticline	319800	7207022	16.9	31100	10.29	1.2	2.9	0.04	3094	12.28	8.3	534	118	0.8
Anticline	319800	7206822	19.4	33300	10.96	1.4	2.35	0.04	3413	13.99	8.9	617	192	0.8
Anticline	319800	7206622	26.2	34800	13.75	1.7	2.63	0.04	4678	20.85	11	760	238	0.9
Anticline	319800	7206422	20.3	32600	11.84	1.5	2.77	0.04	4254	16.18	11.1	653	218	0.8
Anticline	319800	7206222	23.2	36200	13.84	1.5	2.72	0.05	5347	18.76	9.9	769	136	1.1
Anticline	319800	7206022	26.6	44600	16.83	1.8	3.58	0.07	6037	21.35	10.6	943	195	1.3
Anticline	319800	7205822	26.2	40500	14.96	1.8	3.1	0.05	4995	19.24	8.7	848	136	0.9
Anticline	319800	7205622	23.3	34000	12.25	1.8	2.64	0.05	4503	18.47	10.9	796	149	1
Anticline	319800	7205422	20.9	35900	11.63	1.5	2.85	0.05	4057	15.54	9	732	125	0.9
Anticline	319800	7205222	22.1	38100	13.26	1.5	3.09	0.04	4412	16.4	9	775	129	0.8
Anticline	319800	7205022	22.5	38000	12.56	1.5	3.05	0.04	5015	15.63	11.5	972	165	0.9
Anticline	319800	7204822	21.6	33800	9.32	1.4	2.35	0.04	3271	12.15	15.1	3179	320	0.6
Anticline	319800	7204622	21.7	31600	8.78	1.3	2.96	0.04	3671	13.64	11.6	757	291	0.7
Anticline	319800	7204422	17.8	30000	8.98	1.3	2.84	0.04	4644	12.39	8.1	716	109	0.7
Anticline	319800	7204222	13.4	29200	7.93	1.3	2.5	0.03	3633	11.91	5.8	435	109	0.7
Anticline	319800	7204022	14.4	28900	10.04	1.6	2.82	0.03	4414	10.42	6.3	517	91	0.6
Anticline	319800	7203822	16.1	47600	14.34	1.8	3.36	0.06	3666	14.69	15.2	802	183	0.8
Anticline	319800	7203622	12.5	33800	8.89	1.6	2.62	0.04	3641	11.44	9.8	706	218	0.7
Anticline	319800	7203422	13.3	33200	8.07	1.4	2.81	0.03	2290	8.42	8.6	370	196	0.9
Anticline	319800	7203222	12.5	32100	8.07	1.3	2.49	0.04	2191	8.18	8.2	378	134	0.8
Anticline	319800	7203022	15.7	39700	11.12	1.4	3.05	0.04	2945	12.07	14.6	630	166	0.9
Anticline	319800	7202822	12.5	29700	7.98	1.3	2.23	0.03	2027	8.4	9.1	355	117	0.7
Anticline	319800	7202622	11.9	30600	7.12	1.4	2.49	0.03	1878	7.21	7.8	318	152	0.6
Anticline	319800	7202422	12.8	29200	7.12	1.4	2.31	0.04	2113	8.35	8.4	358	192	0.7
Anticline	319800	7202222	15.8	36500	9.99	1.4	2.73	0.05	3196	12.25	12	593	177	0.8
Anticline	320600	7206622	21.8	45800	14.81	1.9	4.47	0.06	5441	17.55	14.3	1337	197	0.8



Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	320600	7206422	22.3	44200	14.39	1.8	3.16	0.05	5322	21.42	26	2555	501	0.8
Anticline	320600	7206222	18	41400	10.87	1.6	2.91	0.05	5986	17.92	13.3	3541	269	0.6
Anticline	320600	7206022	13.2	32200	8.29	1.6	2.47	0.03	4071	9.51	7.6	694	105	0.5
Anticline	320600	7205822	12.7	31500	8.27	1.5	2.55	0.04	4916	9.4	8.5	848	140	0.8
Anticline	320600	7205622	16.5	32700	9.73	1.8	2.52	0.05	4077	11.32	8.1	693	130	0.7
Anticline	320600	7205422	14.1	28600	7.53	1.3	2.15	0.03	3492	10.04	7.6	549	115	0.5
Anticline	320600	7205222	17.5	33400	11.59	1.7	2.67	0.05	5071	13.99	8.5	813	119	0.7
Anticline	320600	7205022	22.7	37900	12.63	1.4	2.97	0.06	5778	16.23	9.5	933	150	0.8
Anticline	320600	7204822	21.1	36400	15.15	1.6	3.24	0.06	11766	20.32	12.3	1949	218	0.6
Anticline	320600	7204622	23.9	39800	13.88	1.6	2.91	0.05	6165	19.36	9	1044	137	0.8
Anticline	320600	7204422	20.2	36900	12.33	1.4	2.75	0.05	5626	17.17	9.7	896	131	0.7
Anticline	320600	7204222	26.6	39800	12.76	1.3	2.95	0.06	4830	16.98	10	1001	157	0.9
Anticline	320600	7204022	17.5	31100	8.66	1.2	2.2	0.03	3690	12.65	8.6	772	152	0.7
Anticline	320600	7203822	15.1	29700	8.34	1.2	2.6	0.03	3805	13.35	8.3	489	135	0.5
Anticline	320600	7203622	14.9	31500	9.9	1.5	3.13	0.04	4058	13.33	6.8	510	105	0.6
Anticline	320600	7203422	14.4	29500	9.63	1.5	2.64	0.04	5126	14.22	7.2	594	112	0.6
Anticline	320600	7203222	17.2	34000	10.55	1.8	2.57	0.05	6306	15.64	14.2	1191	202	0.5
Anticline	320600	7203022	13.4	28400	7.87	1.5	2.49	0.03	4127	12.12	6.5	601	108	0.5
Anticline	320600	7202822	14.3	43000	11.4	1.7	2.67	0.05	5548	11.9	11.2	947	129	0.6
Anticline	320600	7202622	13.7	32200	10.41	1.7	2.56	0.05	3382	11.39	12.2	665	129	0.6
Anticline	320600	7202422	13.4	31200	8.88	1.3	2.22	0.04	4739	12.63	7.4	734	99	0.5
Anticline	320600	7202222	14.5	38000	10.14	1.7	2.75	0.05	4072	11.55	10.8	675	123	0.6
Anticline	320600	7202022	15.7	34500	10.61	1.6	2.74	0.05	3788	11.18	8	681	101	0.6
Anticline	320600	7201822	14	29200	9.62	1.5	2.68	0.04	4326	12.19	9.6	812	122	0.5
Anticline	320600	7201622	15.4	33500	12.52	1.6	3.79	0.05	4936	12.34	6.5	679	92	0.6
Anticline	320600	7201422	12.6	38000	9.26	1.4	2.4	0.05	3393	8.61	7.6	563	98	0.6
Anticline	320600	7201222	28.6	58200	21.65	1.9	4.54	0.1	3153	12.08	39.2	1477	306	0.8
Anticline	321000	7205022	15.5	33600	9.07	1.4	2.65	0.04	4570	14.78	8.5	519	120	0.5
Anticline	321000	7204622	23.9	39000	12.62	1.5	2.89	0.05	6238	19.29	9.8	833	127	0.7

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	321000	7204222	26.3	40800	13.51	1.6	2.79	0.06	5747	19.68	10.9	1016	164	0.8
Anticline	321000	7203822	17	32600	8.54	1.2	2.63	0.04	3634	12.51	7.6	764	109	0.6
Anticline	321400	7205022	14.7	32900	8.5	1.4	2.5	0.05	4170	13.92	7.3	443	99	0.5
Anticline	321400	7204622	17	33800	9.15	1.3	2.52	0.05	4476	12.43	6	504	105	0.5
Anticline	321400	7204222	30.7	43300	9.99	1.5	3.1	0.04	5111	19.35	14.9	5936	632	0.6
Anticline	321400	7203422	12.9	27000	7.5	1.4	2.28	0.04	3740	11.23	7.5	522	110	0.5
Anticline	321400	7203022	19.4	32400	9.37	1.7	3.05	0.03	5136	13.61	9.1	938	133	0.9
Anticline	321800	7205022	27.5	40800	16.35	1.8	3.71	0.06	6591	24.46	10.1	1078	139	0.9
Anticline	321800	7203822	25.9	41400	9.15	1.6	2.73	0.05	3792	12.73	8.5	788	138	0.7
Anticline	321800	7203422	20.6	35600	8.8	1.4	2.41	0.04	3561	13.22	8.6	707	155	0.6
Anticline	321800	7203022	18.6	32900	10.91	1.6	2.62	0.04	5194	18.07	10.4	922	145	0.7
Anticline	322200	7207022	13.5	37800	10.84	1.5	2.47	0.06	2366	9.17	12.7	432	150	0.6
Anticline	322200	7206822	14.9	33700	8.89	1.3	2.6	0.04	3313	9.98	10.6	525	468	0.6
Anticline	322200	7206622	15.7	35500	9.54	1.3	2.58	0.04	3900	11.83	8.7	596	137	0.6
Anticline	322200	7206422	20.6	35500	14.18	1.6	3.04	0.05	5185	17.77	9.9	713	118	0.8
Anticline	322200	7206222	17.6	31600	10.66	1.4	2.96	0.05	4846	14.84	8.3	617	127	0.6
Anticline	322200	7206022	15.3	29900	8.27	1.3	2.46	0.04	4660	13.79	6.9	486	100	0.5
Anticline	322200	7205822	19.5	34900	10.92	1.3	2.89	0.05	5178	16.88	8.6	665	120	0.7
Anticline	322200	7205622	21.2	36600	12.54	1.5	3.06	0.05	5413	19.29	8.6	677	118	0.7
Anticline	322200	7205422	19.9	34000	11.82	1.3	2.66	0.06	5545	16.77	8	627	109	0.6
Anticline	322200	7205022	18.6	35100	11.27	1.4	2.79	0.04	6041	19.73	7.5	659	129	0.6
Anticline	322200	7204622	20	34600	11.11	1.3	2.8	0.06	5854	15.57	8.9	623	137	0.6
Anticline	322200	7204222	21	35900	10.55	1.6	2.66	0.04	6996	17.44	11.8	1865	193	0.6
Anticline	322200	7203822	21.1	36000	9.17	1.3	2.52	0.04	3623	12.99	8.9	718	152	0.6
Anticline	322200	7203422	46.4	58300	11.86	1.1	2.29	0.05	3058	13.19	15.8	3591	239	0.4
Anticline	322200	7203022	17.1	32200	8.92	1.3	2.85	0.04	5088	13.86	6.5	706	94	0.5
Anticline	322200	7202622	13.1	29300	9.66	1.8	2.64	0.05	6387	13	9.1	1207	125	0.5
Anticline	322200	7202222	19.7	40200	11.54	1.6	3.02	0.05	6262	16.57	9.6	987	133	0.6
Anticline	322200	7202022	17.3	32300	12.68	1.6	3.1	0.03	4013	15.1	10.9	789	128	0.7

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	322200	7201822	14.1	35500	8.76	1.4	2.46	0.04	2753	11.65	10.3	651	294	0.6
Anticline	322200	7201622	13.1	31300	8.75	1.5	2.48	0.04	3977	11.34	7.8	602	100	0.5
Anticline	322200	7201422	14.8	32600	8.93	1.4	2.78	0.04	3165	11.29	10.5	465	149	0.6
Anticline	322200	7201222	14.2	34600	9.44	1.4	2.36	0.03	3318	10.28	8.6	496	108	0.6
Anticline	322600	7205422	16.9	36100	10.97	1.5	3.14	0.05	7906	18.98	9.1	656	114	0.4
Anticline	322600	7205022	12.5	26100	6.09	1.2	2.16	0.03	3541	12.24	7.4	412	126	0.3
Anticline	322600	7204622	20.6	33200	8.97	1.6	2.77	0.04	5068	16.4	8.9	614	184	0.6
Anticline	322600	7203022	21.6	37800	11.12	1.6	3.03	0.04	2549	10.04	7.1	573	107	0.6
Anticline	322600	7202622	18.5	32600	10.24	1.8	3.23	0.04	5806	16.56	12.5	1360	711	0.9
Anticline	323000	7207022	20.2	34000	10.69	1.7	2.52	0.05	4712	15.46	9.7	988	126	0.7
Anticline	323000	7206822	23.7	36700	11.58	1.7	2.79	0.05	5860	20.16	12.1	1212	263	0.7
Anticline	323000	7206622	19.4	36200	10.44	1.6	2.84	0.05	4107	14.35	10.9	828	451	0.7
Anticline	323000	7206422	16.6	32800	9.76	1.7	2.63	0.04	3669	11.45	8.6	645	119	0.6
Anticline	323000	7206222	17.2	36500	9.08	1.1	2.79	0.04	2612	13.11	7.4	486	146	0.6
Anticline	323000	7206022	19.4	37500	10.35	1.3	2.77	0.05	4178	14.1	9.4	643	148	0.7
Anticline	323000	7205822	20.2	34900	10.27	1.5	2.6	0.03	4339	16.53	11.7	659	218	0.6
Anticline	323000	7205622	20.4	37100	9.97	1.4	2.78	0.04	4446	15.82	11.8	634	429	0.7
Anticline	323000	7205422	34.3	64000	19.09	2.8	4.54	0.07	8279	32.19	15.9	992	257	1.2
Anticline	323000	7205022	15.5	29800	8.09	1.4	2.38	0.03	4631	14.15	7.1	552	96	0.5
Anticline	323000	7204622	27.3	43500	14.23	1.9	3.3	0.07	7111	25.66	15.1	1543	353	0.9
Anticline	323000	7203022	25.5	40500	12.92	1.8	3.49	0.05	6706	24.34	14.1	1453	326	0.8
Anticline	323000	7202622	25.2	42700	14.66	1.8	3.48	0.06	6923	23.02	13.7	1322	239	0.9
Anticline	323000	7202422	24.7	41100	13.72	1.9	3.18	0.06	6769	25.24	14.5	1474	431	0.9
Anticline	323000	7202222	18.6	38500	10.24	2	2.84	0.05	5673	16.78	14.8	4781	284	0.5
Anticline	323000	7202022	15.5	35500	9.26	1.4	2.57	0.04	3576	11.77	10	723	141	0.6
Anticline	323000	7201822	16.9	42600	9.95	1.7	2.91	0.04	4619	17	10.7	1097	237	0.7
Anticline	323000	7201622	15.7	40300	10.82	1.5	2.91	0.04	3142	13.51	12.7	945	171	0.6
Anticline	323000	7201422	19.4	41400	13.62	1.7	3.19	0.06	4006	19.45	18.1	865	244	0.8
Anticline	323000	7201222	14.2	34000	8.98	1.3	2.33	0.04	2345	10.68	9.7	474	180	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	323000	7201022	13.5	33600	8.78	1.5	2.08	0.03	2181	8.85	9.1	456	149	0.6
Anticline	323000	7200822	17	38700	11.63	1.5	3.06	0.04	3358	13.86	15.6	733	157	0.7
Anticline	323000	7200622	15.2	33300	8.21	1.4	2.35	0.03	2429	9.49	8.4	394	125	0.7
Anticline	323000	7200422	17.6	43300	10.53	1.5	2.93	0.04	3405	12.92	12.1	700	212	0.7
Anticline	323400	7205422	19.1	35300	8.9	1.5	2.85	0.03	3549	13.71	7.3	471	130	0.7
Anticline	323400	7205022	16.9	32900	8.46	1.4	2.32	0.03	3387	13.68	8	437	141	0.7
Anticline	323400	7204622	20.1	37400	10.91	1.5	2.76	0.05	5114	16.15	8.8	662	147	0.8
Anticline	323400	7203022	21.1	54600	9.04	1.4	2.54	0.05	2104	10.34	11.5	775	315	0.7
Anticline	323400	7202622	27	52500	13.97	1.8	2.97	0.05	4327	23.02	13.9	1709	482	0.9
Anticline	323800	7207022	14.1	33400	9.32	1.5	2.77	0.04	2517	11.49	8.4	547	137	0.6
Anticline	323800	7206822	15.1	38100	11.04	1.5	2.82	0.05	2615	11.02	13.4	455	191	0.7
Anticline	323800	7206622	21.1	40800	8.12	1.4	2.69	0.05	2174	9.88	10.3	3516	364	0.5
Anticline	323800	7206422	22.2	36300	13	1.6	2.94	0.06	5405	17.91	11.9	901	161	0.7
Anticline	323800	7206222	25.5	46700	14.68	1.6	3.63	0.07	7038	22.32	14.7	2815	519	0.7
Anticline	323800	7206022	16.5	36400	8.38	1.5	2.69	0.04	4216	13.39	8.6	852	170	0.5
Anticline	323800	7205822	17.3	38000	10.83	1.7	3.4	0.05	4258	12.87	7.3	587	115	0.5
Anticline	323800	7205622	12.2	29100	7.69	1.4	3.03	0.04	4146	10.44	6.1	441	91	0.4
Anticline	323800	7205422	18.7	33500	9.81	1.6	2.59	0.04	4459	13.37	7.9	575	125	0.7
Anticline	323800	7205022	21.5	36000	11.61	1.5	3.07	0.05	3416	14.28	7.8	580	116	0.8
Anticline	323800	7204622	20.8	32800	11.83	1.6	2.91	0.04	5346	16.09	7.9	626	103	0.7
Anticline	323800	7204222	21.2	33300	11.53	1.6	2.86	0.05	5450	16.73	8.1	643	102	0.7
Anticline	323800	7203022	17.2	43400	9.4	1.5	2.29	0.04	2565	10.28	10.1	534	138	0.6
Anticline	323800	7202622	14.9	34500	8.91	1.3	2.31	0.04	2449	9.29	8.4	425	202	0.5
Anticline	323800	7202422	14.2	39900	9.7	1.6	3.65	0.04	3198	11.08	11.6	544	192	0.6
Anticline	323800	7202222	12.8	36000	9.14	1.4	2.53	0.04	2299	9	9.8	363	210	0.6
Anticline	323800	7202022	15.9	43400	12.04	1.6	2.71	0.05	3119	11.94	9.9	511	138	0.6
Anticline	323800	7201822	18.3	40100	12.45	1.6	2.67	0.06	3531	12.8	9.7	617	134	0.7
Anticline	323800	7201622	20.7	41500	13.19	1.7	2.8	0.05	3658	14.4	8.4	774	141	0.8
Anticline	323800	7201422	14.4	35600	10.05	1.4	2.36	0.04	2816	10.2	8.6	432	147	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	323800	7201222	15	34900	10.91	1.4	2.35	0.04	2877	11.94	10.1	484	136	0.6
Anticline	323800	7201022	21.1	44300	14.38	1.6	2.73	0.05	3700	20.09	13.5	808	320	0.8
Anticline	323800	7200822	22.5	44700	13.96	1.5	3.02	0.05	3913	16.65	11.8	803	191	0.9
Anticline	323800	7200622	19.6	40300	12.59	1.6	2.65	0.05	3548	14.4	10.6	619	146	0.8
Anticline	323800	7200422	15	34500	10.98	1.4	2.21	0.04	2887	12.61	11.1	486	144	0.7
Anticline	323800	7200222	14.7	30800	10.32	1.4	2.05	0.03	2966	12.15	11.1	485	169	0.6
Anticline	324200	7205422	15.3	32700	8.99	1.4	2.58	0.03	4484	14.29	9.3	682	157	0.5
Anticline	324200	7205022	19.6	36200	10.47	1.5	2.63	0.04	4774	16.76	9.9	643	195	0.6
Anticline	324200	7204622	22.1	36900	13.87	1.7	2.95	0.04	5512	16.68	8.5	635	119	0.7
Anticline	324200	7204222	24.5	47700	15.38	1.7	3.77	0.06	14348	56.01	10.8	1444	457	0.4
Anticline	324200	7203822	14.9	36900	9.55	1.4	2.89	0.04	6269	17.14	8.4	822	124	0.5
Anticline	324200	7203422	18.1	59100	9.33	1.4	2.04	0.05	1776	6.56	8.2	460	159	0.5
Anticline	324200	7203022	14.5	46300	8.94	1.3	1.98	0.04	2126	8.13	8.3	476	150	0.5
Anticline	324200	7202622	17.2	44600	10.67	1.4	2.3	0.05	2730	10.5	10.3	522	143	0.6
Anticline	324600	7206022	21.3	36800	11.45	1.5	2.62	0.04	5056	15.19	10.4	872	183	0.7
Anticline	324600	7205822	21.3	37200	11.49	1.5	2.74	0.04	4475	14.47	12.5	886	371	0.7
Anticline	324600	7205622	19.4	37000	10.7	1.7	2.63	0.05	4517	14.07	10.3	729	179	0.7
Anticline	324600	7205422	20.1	33100	10.74	1.8	2.71	0.05	5876	13.72	13.6	1033	346	0.5
Anticline	324600	7205022	22.9	39800	12.06	1.6	3.04	0.04	5990	21.02	14.4	864	633	0.5
Anticline	324600	7204622	22.5	53600	11.47	1.4	2.65	0.06	3553	13.84	7.7	506	176	0.8
Anticline	324600	7204222	22.3	31700	9.83	1.4	2.6	0.04	5081	15.12	8.2	513	148	0.8
Anticline	324600	7203822	21.4	34400	11.87	1.8	2.79	0.05	3970	12.89	8.3	763	123	0.6
Anticline	324600	7203422	17.8	40200	9.52	1.5	2.88	0.05	2576	10.43	8	427	154	0.9
Anticline	324600	7203022	21.5	40300	12.51	1.5	3.07	0.05	2950	12.29	11.8	661	158	0.5
Anticline	324600	7202622	13.7	31900	8.27	1.5	2.17	0.03	2193	8.36	9.5	323	114	0.5
Anticline	324600	7202422	15.4	36000	10.58	1.5	2.47	0.04	3321	11.72	8.7	523	117	0.6
Anticline	324600	7202222	14.6	37300	10.6	1.3	2.8	0.05	4156	12.37	10.5	558	145	0.5
Anticline	324600	7202022	20.9	43000	14.28	1.8	2.74	0.05	4041	15.22	10.8	939	231	0.7
Anticline	324600	7201822	13.8	37000	9.66	1.6	2.15	0.03	3006	10.01	9.2	523	145	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	324600	7201622	13.7	31600	8.76	1.3	2.45	0.03	2777	10.09	11.6	396	230	0.5
Anticline	324600	7201422	15.1	36500	9.97	1.5	2.37	0.04	3149	10.78	10.5	463	222	0.6
Anticline	324600	7201222	15.4	33000	9.34	1.3	2.23	0.04	3319	10.06	8.9	426	103	0.7
Anticline	324600	7201022	14.5	32800	9.77	1.4	2.31	0.03	2872	10.54	9.7	420	142	0.6
Anticline	324600	7200822	13	30300	9.02	1.5	2.11	0.03	2535	9.94	8.7	396	177	0.5
Anticline	324600	7200622	15.4	33300	11.06	1.6	2.44	0.04	3386	12.61	10.5	522	150	0.7
Anticline	324600	7200422	14.4	32400	9.69	1.5	2.47	0.04	3059	11.05	10.1	445	137	0.6
Anticline	324600	7200222	13.1	34600	9.14	1.5	2.6	0.04	2478	9.57	8.8	383	154	0.6
Anticline	324600	7200022	14.1	35300	10.06	1.4	2.26	0.04	2924	10.67	9.9	452	173	0.6
Anticline	325000	7205022	20	36700	11.38	1.6	2.84	0.04	3971	15.64	9.1	544	139	0.7
Anticline	325000	7204622	20.5	35100	9.95	1.6	2.7	0.04	2689	10.01	7.2	406	112	0.7
Anticline	325000	7204222	19.2	37300	12.03	1.5	2.93	0.05	6274	16.45	8	644	127	0.8
Anticline	325000	7203822	16.1	31600	8.65	1.4	2.44	0.03	3077	11.15	7.2	436	111	0.6
Anticline	325400	7206022	19.4	37000	12.7	1.5	2.83	0.04	6277	18.43	9.8	927	151	0.8
Anticline	325400	7205822	20	35100	12.36	1.5	2.65	0.04	4984	14.28	10.5	752	172	0.8
Anticline	325400	7205622	21.4	38300	12.87	1.6	2.9	0.05	5405	16.28	10.5	885	159	0.8
Anticline	325400	7205422	18	33500	10.58	1.6	2.56	0.04	5098	12.2	9.9	792	167	0.7
Anticline	325400	7205222	17.2	33900	10.07	1.6	2.58	0.04	4171	9.56	8.2	638	125	0.6
Anticline	325400	7205022	16.3	33500	9.6	1.5	2.77	0.04	4212	12.25	10.1	726	169	0.7
Anticline	325400	7204622	21.4	40600	8.14	1.3	2.7	0.03	3044	9.92	8	804	218	0.5
Anticline	325400	7204222	17.1	37700	7.78	1.3	2.36	0.03	3668	10.29	7.1	447	201	0.7
Anticline	325400	7203822	17.7	36000	7.59	1.4	2.61	0.04	4410	11.75	7.6	635	130	0.6
Anticline	325400	7203422	24.7	40800	8.42	1.4	2.51	0.03	3155	12.02	12	3538	469	0.6
Anticline	326200	7205222	13	29400	7.95	1.3	2.1	0.04	3948	10.05	6.7	565	172	0.6
Anticline	326200	7205022	16	32700	9.89	1.4	2.48	0.04	4655	14.69	9.2	680	234	0.6
Anticline	326200	7204822	19.9	33300	9.94	1.4	2.7	0.04	5461	14.27	8.6	1241	144	0.6
Anticline	326200	7204622	17.6	35700	9.99	1.5	2.66	0.03	5529	15.17	10.6	911	202	0.7
Anticline	326200	7204422	16.8	36000	10.69	1.7	3.21	0.04	6076	16.5	11.4	1072	325	0.6
Anticline	326200	7204222	17	42200	9.86	1.1	3.34	0.05	5471	17.29	11.3	824	303	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	326200	7204022	16.4	37400	10.07	1.4	2.92	0.04	5078	15.9	9.4	607	146	0.7
Anticline	326200	7203822	20.1	45700	11.48	1.6	3.53	0.04	5607	17.15	10.3	782	202	0.6
Anticline	326200	7203622	14.6	31200	7.64	1.3	2.87	0.04	4187	13.25	6.8	606	125	0.9
Anticline	326200	7203422	20.1	43800	11.48	1.2	3.96	0.05	8105	25.93	13.1	1454	245	0.6
Anticline	326200	7203222	21.6	50500	9.16	1.3	2.82	0.04	2543	11.99	9.7	501	229	0.7
Anticline	327000	7204822	14.7	34100	8.66	1.3	2.79	0.03	2496	10.06	9.7	392	186	0.6
Anticline	327000	7204622	13.9	31300	8.93	1.3	2.5	0.03	3879	9.16	8.2	504	128	0.6
Anticline	327000	7204422	16	32300	7.93	1.5	2.52	0.03	2344	8.48	7.2	369	140	0.6
Anticline	327000	7204222	15.5	33400	8.66	1.4	2.46	0.03	2853	9.41	7.3	508	130	0.5
Anticline	327000	7204022	14.8	33900	8.72	1.3	2.56	0.04	3313	9.93	9.8	561	182	0.7
Anticline	327000	7203822	13.4	30800	7.82	1.5	2.25	0.03	2554	9.12	8.5	442	155	0.5
Anticline	327000	7203622	15.2	31200	8.42	1.4	2.64	0.02	3771	9.68	6.8	470	132	0.6
Anticline	327000	7203422	13.6	30800	8.46	1.4	2.99	0.04	4269	12.28	6.9	419	114	0.6
Anticline	327000	7203222	35.5	49800	11.06	1.6	3.56	0.05	4749	21.2	9.8	550	255	0.6
Anticline	327000	7203022	21.3	40200	10.6	1.3	2.85	0.05	3375	13.48	9.2	591	140	0.7
Anticline	327000	7202822	18.3	39100	9.56	1.4	3.1	0.05	2971	12.49	11.6	510	258	0.7
Anticline	327000	7202622	38.9	92100	16.71	2	4.29	0.07	9601	21.6	13.2	1163	179	0.6
Anticline	327000	7202422	14.2	38200	12.77	1.7	3.53	0.05	7344	11.24	6.8	683	130	0.7
Anticline	327000	7202222	13.1	42300	10.33	1.4	2.37	0.04	2787	8.53	7.2	362	99	0.6
Anticline	327000	7202022	14.3	34400	9.48	1.3	2.72	0.04	2675	9.74	8.5	418	147	0.6
Anticline	327000	7201822	12.9	33100	8.74	1.3	2.59	0.04	2391	8.74	9.1	379	179	0.7
Anticline	327000	7201622	13	34300	9.06	1.4	2.17	0.04	2388	8.63	8.7	434	159	0.7
Anticline	327000	7201422	15	35100	10.71	1.6	2.63	0.03	2717	10.9	10.2	458	151	0.8
Anticline	327000	7201222	12.4	34600	8.56	1.5	2.26	0.03	2194	7.65	8.1	358	134	0.6
Anticline	327000	7201022	11.7	32500	8.19	1.3	2.56	0.04	2072	7.59	8	332	154	0.6
Anticline	327000	7200822	12	35500	8.36	1.5	2.52	0.04	2188	8.02	8.4	373	176	0.6
Anticline	327000	7200622	12.4	32100	8.07	1.3	2.34	0.03	2247	7.91	8.5	375	223	0.6
Anticline	327000	7200422	12.4	33000	8.29	1.4	2.43	0.03	2285	8.34	9.1	381	243	0.6
Anticline	327000	7200222	12.2	30200	8.41	1.3	2.15	0.03	2219	7.98	9	372	244	0.6



Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	327000	7200022	12.3	31700	8.07	1.4	2.34	0.03	2210	7.9	9.4	361	305	0.6
Anticline	327000	7199822	12.1	30500	8.11	1.2	2.33	0.03	2144	7.92	9.5	369	302	0.6
Anticline	327000	7199622	12	31400	7.72	1.3	2.11	0.03	2090	7.72	9.4	357	312	0.6
Anticline	327800	7204822	17.5	35900	11.4	1.4	2.52	0.04	3921	12.75	9.8	633	142	0.7
Anticline	327800	7204622	20.7	39200	13.51	1.7	2.81	0.05	4739	16.17	12.2	813	209	0.8
Anticline	327800	7204422	14.2	31900	8.79	1.4	2.11	0.03	3098	9.61	8.2	502	147	0.7
Anticline	327800	7204222	15.9	40000	11.78	1.5	3.15	0.05	4990	11.75	14.5	799	211	0.7
Anticline	327800	7204022	18.9	36600	9.43	1.5	2.96	0.04	2548	9.23	6.1	484	131	0.6
Anticline	327800	7203822	22.5	38000	9.1	1.5	2.63	0.04	3168	9.52	6.9	1224	137	0.6
Anticline	327800	7203622	12.8	29300	8.03	1.4	2.25	0.04	3616	9.12	7.2	475	127	0.5
Anticline	327800	7203422	15	37000	9.62	1.4	2.78	0.03	4668	10.82	7.8	606	134	0.7
Anticline	327800	7203222	12.4	29000	8.19	1.4	2.58	0.04	3308	8.4	6.4	380	103	0.6
Anticline	327800	7203022	15.8	31700	9.04	1.3	2.61	0.08	4010	8.46	5.4	390	117	0.6
Anticline	327800	7202822	15.6	33900	10.72	1.4	2.78	0.04	5060	12.27	6.1	477	103	0.6
Anticline	327800	7202622	15.1	37500	9.67	1.4	3.02	0.05	3906	11.02	9.7	486	153	0.7
Anticline	327800	7202422	14.7	36100	9.5	1.4	2.54	0.04	3446	11.07	10	428	146	0.7
Anticline	327800	7202222	14.5	36300	9.5	1.4	2.63	0.03	3443	11.38	10	419	154	0.6
Anticline	327800	7202022	18.2	42100	13.17	1.7	2.99	0.06	3751	15.01	15.2	728	224	0.8
Anticline	327800	7201822	19.5	41800	15.19	1.7	2.85	0.06	4136	16.72	16.8	767	182	0.9
Anticline	327800	7201622	20.5	42500	16.41	1.8	3.23	0.06	4635	18.11	18.9	1530	276	1
Anticline	327800	7201422	21.3	41400	16.17	1.7	3.21	0.06	4304	18.43	18.9	848	217	0.9
Anticline	327800	7201222	18.8	39100	14.23	1.7	3.25	0.05	3718	15.74	16.1	702	204	0.9
Anticline	327800	7201022	19.7	43500	15.69	1.7	3.09	0.08	3729	16.59	17.2	770	242	0.9
Anticline	327800	7200822	19.6	41000	14.04	1.7	2.96	0.05	3678	14.61	15	751	177	0.9
Anticline	327800	7200622	14.6	36700	9.73	1.5	3.12	0.04	2561	10.24	10.4	437	161	0.7
Anticline	327800	7200422	16.6	38300	11.6	1.6	2.42	0.05	2870	11.15	11.2	530	179	0.7
Anticline	327800	7200222	17.8	42900	12.25	1.6	2.48	0.05	2943	12.06	13.7	806	217	0.7
Anticline	327800	7200022	13.4	37400	8.94	1.2	2.03	0.04	2081	8.09	8.4	379	143	0.6
Anticline	328600	7203622	15.9	30000	10.17	1.3	2.55	0.04	5051	12.2	8	657	131	0.7

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
Anticline	328600	7203422	12.2	26400	9.34	1.3	2.64	0.04	5985	11.8	7.8	698	105	0.6
Anticline	328600	7203222	19.8	37500	8.41	1.3	2.75	0.03	2599	10.56	9.7	3692	444	0.6
Anticline	328600	7203022	15.1	34100	9.88	1.4	2.76	0.04	4192	9.85	7.6	646	111	0.6
Anticline	328600	7202822	17	37500	11.92	1.6	2.96	0.05	3908	12.16	10.1	672	180	0.7
Anticline	328600	7202622	17.7	35100	12.41	1.4	2.8	0.05	3421	13.24	13.4	632	297	0.8
Anticline	328600	7202422	14.5	33000	9.9	1.4	2.31	0.04	2470	9.46	9	402	136	0.7
Anticline	328600	7202222	13.8	31100	9.52	1.5	2.35	0.04	2340	8.34	9.2	383	118	0.7
Anticline	328600	7202022	22.4	46300	17.3	2.2	3.27	0.06	4326	20.8	22.5	1046	270	1
Anticline	328600	7201822	12.6	33500	8.6	1.5	2.18	0.03	2035	7.16	7.6	338	143	0.6
Anticline	328600	7201622	16.2	39800	11.41	1.6	2.86	0.05	3799	12.79	13.4	680	183	0.7
Anticline	328600	7201422	15.9	33900	11.19	1.4	2.46	0.04	3786	12.06	11.5	625	148	0.8
Anticline	328600	7201222	15.2	35800	10.45	1.5	2.44	0.04	3162	10.46	9.2	495	145	0.8
Anticline	328600	7201022	14.5	34700	10.13	1.4	2.47	0.05	2641	9.72	9.3	436	148	0.6
Anticline	328600	7200822	15	38000	10.79	1.6	2.53	0.04	2799	10.84	11.8	549	183	0.7
Anticline	328600	7200622	21.1	46000	16.65	1.8	3.37	0.05	4194	17.83	21	1226	332	0.9
Anticline	328600	7200422	20.4	42700	16.08	1.8	3.21	0.05	4181	16.58	18.8	954	208	0.9
Anticline	315766	7209911	25.1	78200	7.47	1.3	1.88	0.04	932	4.81	7.1	2378	265	0.6
Anticline	315272	7203514	47.8	62900	15.14	1.6	3.8	0.06	3333	24.24	21.8	11200	771	0.4
Anticline	322258	7203040	37.6	51800	9.94	1.3	2.38	0.04	2753	24.18	17.3	11939	278	0.6
Anticline	321401	7203209	18	31500	9.88	1.9	2.84	0.04	5094	16.25	15.3	3343	472	0.6
ImbinCentral	320000	7198148	10.5	24600	7.46	1.2	1.78	0.03	1751	6.56	8	293	91	0.7
ImbCent	320000	7197948	9.3	26300	6.45	1.3	1.63	0.02	1677	5.43	7.3	335	156	0.6
ImbCent	320000	7197748	7.5	24100	5.01	1.2	1.53	0.01	1302	3.55	5.6	228	120	0.6
ImbCent	320000	7197548	7.7	23500	5.35	1.2	1.57	0.02	1347	4.04	6.4	234	127	0.5
ImbCent	320000	7197348	9.4	26200	7.09	1.3	1.82	0.03	1637	5.48	7.5	285	96	0.6
ImbCent	320000	7197148	9.9	27100	6.59	1.2	1.78	0.03	1491	5.44	7.3	237	110	0.5
ImbCent	320400	7199748	9.9	26700	6.89	1.3	1.91	0.03	1539	5.36	7.5	254	88	0.6
ImbCent	320400	7199548	13.9	35600	9.26	1.2	1.99	0.03	2069	7.92	9.7	415	135	0.8
ImbCent	320400	7199148	8.2	24700	6.55	1.1	1.64	0.02	1716	4.63	6.1	303	107	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
ImbCent	320400	7198948	10.1	28200	6.91	1.2	1.83	0.03	2040	5.91	6.4	338	123	0.6
ImbCent	320400	7198148	9.8	23700	6.92	1.3	1.73	0.03	1678	5.81	7.8	263	93	0.6
ImbCent	320400	7197948	8.7	24900	6.15	1.2	1.64	0.02	1463	4.8	6.4	252	118	0.6
ImbCent	320400	7197748	8.6	23300	6.16	1.2	1.77	0.03	1611	5	7	277	91	0.6
ImbCent	320400	7197548	7.5	23900	5.53	1.1	1.5	0.02	1427	4.03	6.1	227	147	0.5
ImbCent	320400	7197348	9.7	26300	7.06	1.3	1.77	0.04	1584	5.69	7.4	266	97	0.6
ImbCent	320400	7197148	9.2	25000	6.47	1.1	1.59	0.02	1357	4.92	6.5	232	96	0.5
ImbCent	320400	7196948	9.6	25500	6.74	1.2	1.79	0.03	1454	5.6	7.1	259	89	0.6
ImbCent	320400	7196748	10.5	27600	7.49	1.2	1.62	0.03	1683	6.12	7.8	296	117	0.6
ImbCent	320800	7199748	9.4	25300	7.21	1.1	1.8	0.03	1541	6.01	8	308	88	0.6
ImbCent	320800	7199548	11	36800	7.21	1.3	1.74	0.03	1377	7.17	7.8	312	205	0.9
ImbCent	320800	7199348	9.6	30800	6.87	1.2	1.68	0.03	1445	5.15	6.8	269	114	0.7
ImbCent	320800	7199148	11	36500	8.03	1.2	1.84	0.03	1516	5.41	6.6	276	152	0.8
ImbCent	320800	7198948	7.5	34300	5.98	1.1	1.74	0.03	1070	3.28	5	219	134	0.8
ImbCent	320800	7198148	10.4	31800	7.7	1.4	1.79	0.03	1644	5.75	8	287	149	0.7
ImbCent	320800	7197948	9.5	25500	6.79	1.2	1.99	0.03	1534	5.57	7.7	272	96	0.6
ImbCent	320800	7197748	9.1	31200	6.09	1.3	1.7	0.02	1411	4.35	7	252	184	0.8
ImbCent	320800	7197548	9.6	28700	6.52	1.1	1.62	0.03	1619	5.52	7.5	294	140	0.7
ImbCent	320800	7197348	10.3	30800	6.73	1.3	1.67	0.03	1464	5.56	7.4	250	163	0.8
ImbCent	320800	7197148	9.9	27700	6.83	1.2	1.78	0.02	1426	5.53	7.7	267	109	0.6
ImbCent	320800	7196948	10.4	30900	7.07	1.3	1.73	0.03	1502	5.76	7.8	252	137	0.8
ImbCent	320800	7196748	10.3	30700	6.89	1.3	1.79	0.03	1455	5.56	7.7	252	143	0.7
ImbCent	321200	7199748	10.8	39400	8.53	1.4	1.85	0.03	1605	6.12	7.7	305	125	0.7
ImbCent	321200	7199548	8.5	30200	6.52	1.2	1.51	0.03	1267	4.3	6.5	255	132	0.6
ImbCent	321200	7199348	8.8	29000	5.77	1.2	1.67	0.02	1372	4.39	6.8	246	144	0.7
ImbCent	321200	7199148	9.6	26900	6.63	1.3	1.62	0.03	1450	5.32	6.8	289	132	0.7
ImbCent	321200	7198948	9.3	29100	6.88	1.1	1.7	0.02	1435	5.11	7.1	255	116	0.7
ImbCent	321200	7198148	11.3	33200	8.54	1.2	1.89	0.04	1813	7	8.9	329	148	0.8
ImbCent	321200	7197948	11.1	32000	8.58	1.3	2.14	0.03	1828	6.85	9	337	128	0.8

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
ImbCent	321200	7197748	11.4	32900	8.83	1.4	1.89	0.04	1906	7.25	9.2	322	135	0.8
ImbCent	321200	7197548	10.4	30100	7.14	1.3	1.65	0.03	1597	5.97	7.9	274	137	0.7
ImbCent	321200	7197348	8.7	24100	5.72	1.2	1.52	0.03	1219	4.43	6.3	215	96	0.6
ImbCent	321200	7197148	9.7	28600	6.74	1.2	1.73	0.02	1501	5.44	7.5	263	115	0.7
ImbCent	321200	7196948	9.9	31300	6.88	1.2	1.75	0.03	1458	5.29	7.4	245	144	0.6
ImbCent	321200	7196748	9.4	28300	6.74	1.2	1.73	0.02	1461	5.21	7.5	255	110	0.7
ImbCent	321600	7199748	11.5	34900	8.93	1.3	1.9	0.03	2300	6.93	7.4	395	137	0.8
ImbCent	321600	7199548	10.2	40000	9.01	1.2	1.84	0.04	1512	4.93	6.6	271	133	0.7
ImbCent	321600	7199348	13.6	41400	13.01	1.4	2.63	0.05	2437	9.15	12.2	565	140	0.9
ImbCent	321600	7199148	9.3	36500	7.77	1.2	1.78	0.03	1441	5.06	6.7	271	111	0.8
ImbCent	321600	7198948	9.3	30600	6.26	1.3	1.61	0.02	1399	4.83	6.4	249	130	0.7
ImbCent	321600	7198148	9.3	25400	7.05	1.2	1.72	0.03	1543	5.65	7.9	265	100	0.6
ImbCent	321600	7197948	10.2	27400	7.58	1.2	1.7	0.02	1653	6.16	8.2	275	107	0.7
ImbCent	321600	7197748	10.5	29900	7.33	1.2	1.64	0.03	1639	6.7	9.7	291	226	0.7
ImbCent	321600	7197548	9.4	26100	6.31	1.4	1.55	0.03	1441	5.29	7.7	249	117	0.7
ImbCent	321600	7197348	9.7	27600	6.48	1.3	1.62	0.03	1519	5.64	8	248	128	0.7
ImbCent	321600	7197148	9.7	27900	6.22	1.2	1.58	0.03	1466	5.56	7.9	255	134	0.7
ImbCent	321600	7196948	9.6	28300	6.27	1.2	1.63	0.02	1383	5.24	7.7	256	122	0.7
ImbCent	321600	7196748	9.6	29000	6.71	1.3	1.76	0.02	1440	5.37	7.9	255	129	0.7
ImbCent	322000	7198148	10	28900	6.69	1.3	1.81	0.03	1505	5.51	7.9	259	150	0.7
ImbCent	322000	7197948	9	24200	6.54	1.2	1.68	0.02	1459	5.43	7.6	249	93	0.6
ImbCent	322000	7197748	10	26100	6.87	1.3	1.82	0.03	1603	5.96	8.7	272	112	0.7
ImbCent	322000	7197548	9.9	29400	6.38	1.2	1.55	0.03	1440	5.28	8.6	256	157	0.7
ImbCent	322000	7197348	9.3	26300	6.35	1.2	1.76	0.03	1425	5.3	8.6	267	121	0.6
ImbCent	322000	7197148	8.7	26500	5.87	1.3	2	0.03	1290	4.63	7.3	220	119	0.6
ImbCent	322000	7196948	9.4	30500	6.27	1.2	1.63	0.03	1332	4.98	7.4	218	161	0.7
ImbCent	322000	7196748	9	27700	6.09	1.2	1.67	0.03	1401	4.94	7.2	244	117	0.7
ImbCent	322400	7197748	10	25900	6.86	1.3	1.91	0.03	1596	6.19	8	290	104	0.6
ImbCent	322400	7197548	11	29600	7.29	1.3	1.82	0.03	1680	6.17	9.7	299	141	0.6

Prospect	Easting	Northing	Cu_ppm	Fe_ppm	Ga_ppm	Ge_ppm	Hf_ppm	In_ppm	K_ppm	La_ppm	Li_ppm	Mg_ppm	Mn_ppm	Mo_ppm
ImbCent	322400	7197348	14.4	28400	5.53	1.2	1.73	0.03	1466	5.52	8.8	269	132	0.7
ImbCent	322400	7197148	9.1	26400	4.49	1.1	1.22	0.02	932	3.62	5.3	164	96	0.6
ImbCent	322400	7196948	10.3	29900	5.22	1.2	1.59	0.03	1430	5.48	6.7	257	147	0.7
ImbCent	322400	7196748	9	27000	5.25	1.2	1.52	0.02	1363	5.3	6.6	230	121	0.6

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	309400	7207022	49	3.23	6.8	76	5.6	9.37	0.27	2.1	X	0.7	7.85	0.27
Anticline	309400	7206822	206	4.43	9.5	101	7	13.73	0.3	3.3	0.5	0.9	9.09	0.36
Anticline	309400	7206622	90	4.2	12.3	84	7.7	15.91	0.29	3.7	X	1	9.05	0.35
Anticline	309400	7206422	409	7.71	26.5	151	15.4	48.51	0.45	9.4	0.7	2	25.66	0.64
Anticline	309400	7206222	116	4.69	8.7	103	7.5	13.84	0.36	3.3	X	1	7.59	0.37
Anticline	309400	7206022	156	5.29	11.1	111	8.8	21.35	0.37	4.4	X	1.1	10.58	0.41
Anticline	309400	7205822	114	5.95	16	112	8	23.01	0.37	5.7	0.6	1.3	10.33	0.47
Anticline	309400	7205622	113	5.77	16	97	8.2	21.75	0.45	5.8	X	1.2	10.12	0.71
Anticline	309400	7205422	105	5.64	15.3	93	7.9	21.58	0.34	5.7	X	1.2	9.38	0.48
Anticline	309400	7205222	115	6.19	16.7	94	8.6	21.8	0.36	5.8	X	1.2	10.05	0.49
Anticline	309400	7205022	110	5.85	16.5	115	7.8	23.18	0.36	5.8	X	1.3	10.3	0.47
Anticline	309400	7204822	116	5.84	16.7	112	8.2	23.28	0.33	6	X	1.3	10.58	0.47
Anticline	310200	7207022	80	5.16	9.5	89	6	13.86	0.29	3.1	0.6	0.9	7.65	0.4
Anticline	310200	7206822	128	5.54	17.8	97	7.8	20.17	0.37	5	X	1.2	11.43	0.43
Anticline	310200	7206622	97	4.64	14.1	93	6.8	15.06	0.31	3.8	X	1	9.31	0.37
Anticline	310200	7206422	106	4.68	15	89	7	16.38	0.35	4.4	X	1	9.41	0.38
Anticline	310200	7206222	89	4.67	12.4	81	7	14.75	0.33	3.8	X	1	8.43	0.37
Anticline	310200	7206022	74	4.2	11	78	5.8	12.64	0.3	3.2	X	0.9	6.96	0.34
Anticline	310200	7205822	115	5.75	16.4	106	8.1	23.08	0.35	5.8	X	1.3	10.52	0.45
Anticline	310200	7205622	112	5.74	16.7	104	8	22.52	0.31	6.5	X	1.3	11.26	0.45
Anticline	310200	7205422	113	5.85	16.7	105	8.1	22.21	0.4	5.7	X	1.3	10.24	0.48
Anticline	310200	7205222	113	5.91	16.7	99	7.9	22.29	0.36	5.8	0.6	1.3	10.25	0.47

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	310200	7205022	116	5.81	16.7	110	8.1	23.39	0.38	5.9	X	1.3	10.5	0.48
Anticline	310200	7204822	119	6.29	17	112	8.1	23.49	0.36	6.2	X	1.3	10.44	0.5
Anticline	310200	7204622	115	5.95	16.1	102	8.1	22.75	0.39	5.7	X	1.3	9.96	0.55
Anticline	311000	7207422	849	7.28	58.4	121	7.8	22.41	0.38	5.5	X	1.2	17.66	0.59
Anticline	311000	7207222	396	9.07	80.5	252	13.9	37.8	0.47	11	0.7	1.7	20.91	0.7
Anticline	311000	7207022	448	9.31	72.3	279	16.4	58.84	0.55	14	0.8	2.2	28.42	0.75
Anticline	311000	7206822	274	7	23.6	208	11.6	38.19	0.42	8.7	X	1.7	20.54	0.58
Anticline	311000	7206622	301	6.99	22.2	190	11.7	38.56	0.43	8.7	0.6	1.6	21.69	0.57
Anticline	311000	7206422	135	5.66	14.7	115	8.3	22.35	0.34	5.4	X	1.3	11.78	0.46
Anticline	311000	7206222	115	5.7	14.4	98	7.1	18.43	0.33	4.9	X	1.1	9.26	0.44
Anticline	311000	7206022	103	5.17	13.9	95	7.3	18.17	0.35	4.7	X	1.1	8.89	0.42
Anticline	311000	7205822	102	5.3	14.1	108	7	17.86	0.34	4.9	X	1	8.76	0.42
Anticline	311000	7205622	99	5.07	13.6	104	7	17.04	0.34	4.6	X	1.1	8.41	0.42
Anticline	311000	7205422	122	5.83	11.9	97	7.9	19.79	0.37	5	X	1.3	10.18	0.49
Anticline	311000	7205222	115	5.93	10.8	105	7.6	19.27	0.39	4.7	X	1.3	9.63	0.48
Anticline	311000	7205022	98	5.09	9.5	81	7.1	17.09	0.35	4.2	X	1.1	8.32	0.41
Anticline	311000	7204822	92	4.71	8.6	83	6.6	14.63	0.3	3.6	X	1.1	7.79	0.4
Anticline	311000	7204622	98	5.11	10.1	87	6.8	17.08	0.3	4	X	1.1	8.39	0.41
Anticline	311800	7207622	167	5.9	15.4	128	8.8	23.46	0.37	5.5	0.5	1.3	12.46	0.48
Anticline	311800	7207422	166	5.71	17.2	162	9	24.31	0.36	5.9	0.7	1.2	15.33	0.46
Anticline	311800	7207222	215	7.52	27.1	166	9.9	29.29	0.43	10.6	0.6	1.5	16.53	0.57
Anticline	311800	7207022	232	9.3	21.4	149	9.8	27.68	0.47	8	0.8	1.5	14.41	0.77
Anticline	311800	7206822	129	6.23	15.3	114	8	18.31	0.42	6.1	X	1.2	9.38	0.48
Anticline	311800	7206622	141	6.3	15.3	111	8.4	20.48	0.41	5.9	0.6	1.2	11.02	0.48
Anticline	311800	7206422	128	6.72	14.3	123	9	21.63	0.45	5.9	0.6	1.4	10.95	0.7
Anticline	311800	7206222	126	6.86	14.8	119	9.1	22.08	0.39	6.2	0.7	1.4	11.27	0.57
Anticline	311800	7206022	109	5.78	12.9	125	8.4	20.31	0.41	5.3	X	1.3	9.61	0.51
Anticline	311800	7205822	143	6.55	13.2	121	9.1	25.35	0.36	6.4	0.7	1.4	11.53	0.54
Anticline	311800	7205622	101	5.69	10.1	92	7.3	17.6	0.33	4.3	X	1.2	8.4	0.44

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	311800	7205422	104	5.68	10.4	83	7.3	18.21	0.32	4.2	X	1.2	8.76	0.46
Anticline	311800	7205222	101	5.49	9.6	92	7.3	17.29	0.35	4.2	X	1.1	8.23	0.44
Anticline	311800	7205022	87	5.37	9.8	88	7.2	17.58	0.32	4.4	X	1	8.19	0.43
Anticline	311800	7204822	85	5.33	10	87	7.1	17.29	0.31	4.1	X	1.1	8.2	0.42
Anticline	311800	7204622	91	5.52	10.2	103	7.2	18.1	0.32	4.4	X	1.1	8.46	0.45
Anticline	312200	7207822	110	6.82	12.2	120	7.9	19.03	0.36	5.6	0.5	1.2	9.52	0.55
Anticline	312200	7207422	112	7.16	12.6	119	7.9	19.09	0.35	5.6	0.6	1.1	9.41	0.57
Anticline	312200	7207022	116	6.72	12.8	132	8.1	19.67	0.3	5.7	0.5	1.3	10.08	0.53
Anticline	312600	7208222	204	7.29	13.7	112	7.9	24.76	0.33	5.8	0.7	1.3	12.93	0.53
Anticline	312600	7207822	241	6.55	14.2	144	10.5	33.23	0.4	7.1	0.9	1.3	16.09	0.55
Anticline	312600	7207422	118	6.87	15.6	129	8.5	19.23	0.3	7	X	1.2	9.78	0.52
Anticline	312600	7207022	111	6.44	13.1	130	8.1	18.79	0.32	5.8	X	1.2	10.01	0.53
Anticline	312600	7206622	128	7.46	15.4	147	9.6	27.06	0.42	7.7	X	1.5	12.95	0.57
Anticline	312600	7206422	131	7.4	15.8	138	9.8	27.72	0.43	7.6	X	1.5	12.97	0.59
Anticline	312600	7206222	132	7.12	15.8	152	10	27.7	0.43	7.9	0.5	1.5	13.3	0.57
Anticline	312600	7206022	130	6.81	15.4	130	10	27.46	0.37	7.9	0.6	1.6	13.14	0.53
Anticline	312600	7205822	217	9.65	18.8	198	11	42.48	0.44	9.3	0.7	1.9	19.72	0.65
Anticline	312600	7205622	180	6.62	15.4	164	10.1	30.85	0.38	7	X	1.5	16.51	0.56
Anticline	312600	7205422	93	5.39	10.6	106	7.5	18.47	0.31	4.7	X	1.1	9.79	0.48
Anticline	312600	7205222	104	5.79	11	116	8.5	21.91	0.37	5	0.7	1.3	10.14	0.47
Anticline	312600	7205022	132	5.99	11.6	137	8.4	22.16	0.3	5.2	0.5	1.2	10.77	0.52
Anticline	313000	7209822	96	5.47	12.8	92	7	15.72	0.32	4.9	0.5	1.1	9.36	0.44
Anticline	313000	7209422	95	6.51	14.4	97	7.3	16.78	0.33	5.2	0.6	1.3	8.29	0.52
Anticline	313000	7209022	115	7.3	15.6	122	7.8	17.9	0.36	5.7	X	1.4	9	0.58
Anticline	313000	7208622	199	6.39	11.4	120	8	21.31	0.34	5.4	X	1.1	12.74	0.46
Anticline	313000	7208222	304	7.66	16.2	194	11.6	38.62	0.4	8.4	0.7	1.7	19.14	0.62
Anticline	313000	7207822	167	5.82	13.1	187	9.7	27.38	0.35	6.6	0.7	1.3	13.89	0.48
Anticline	313000	7207422	340	7.95	21.8	272	14.9	49.4	0.46	11.1	0.5	2	23.79	0.64
Anticline	313000	7207022	235	8.7	19.4	251	13.4	43.84	0.46	10.4	0.7	1.9	20.78	0.7

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	313400	7210222	317	8.62	18.2	153	11.4	36.04	0.35	8.9	0.6	1.7	19.46	0.69
Anticline	313400	7209822	84	5.94	11.6	89	6.5	13.89	0.36	4.6	X	1.2	6.99	0.45
Anticline	313400	7209422	83	4.8	10.1	93	5.6	13.26	0.27	3.9	X	0.9	7.84	0.37
Anticline	313400	7209022	69	5.39	10.9	93	6.1	12.17	0.35	4.2	X	1.1	6.24	0.43
Anticline	313400	7208622	207	7.78	14.3	137	9.9	29.32	0.37	7.1	0.5	1.6	14.3	0.66
Anticline	313400	7208222	185	6.26	12.5	119	7.8	23.39	0.33	5.5	X	1.2	11.8	0.49
Anticline	313400	7207822	186	6.29	12.7	122	8.9	25.8	0.33	6.2	X	1.3	12.39	0.5
Anticline	313400	7207422	233	9.62	17.9	306	14.5	45.73	0.47	10.7	0.6	2	21.16	0.78
Anticline	313400	7207022	144	6.78	13.1	137	9.4	28.65	0.36	6.5	0.6	1.4	13.18	0.52
Anticline	313400	7206622	172	8.24	14.3	216	11.9	32.32	0.45	7.6	0.9	1.7	16.07	0.69
Anticline	313400	7206422	244	10.76	21.2	328	17.2	58.57	0.54	13.9	X	2.5	27.02	0.93
Anticline	313400	7206222	259	9.78	19.9	278	15.6	53.85	0.47	12.4	0.7	2.3	24.58	0.81
Anticline	313400	7206022	217	9.15	18.7	274	13.7	47.74	0.45	11.3	0.8	2	21.96	0.72
Anticline	313400	7205822	154	6.92	14.3	181	10.2	32.41	0.41	7.5	0.5	1.5	15.33	0.57
Anticline	313400	7205622	119	6.97	12.8	139	9.5	27.25	0.4	6.5	0.7	1.4	12.57	0.55
Anticline	313400	7205422	116	7.11	12.7	127	9	25.45	0.4	6.6	0.7	1.4	11.85	0.6
Anticline	313800	7210222	85	7.55	10.9	106	7.4	18.08	0.44	5	X	1.4	8.36	0.62
Anticline	313800	7209822	112	6.9	14.9	112	7.9	18.18	0.37	6.4	0.8	1.3	9.2	0.54
Anticline	313800	7209422	98	6.95	11.7	109	7.7	17.69	0.32	5.3	0.6	1.2	8.67	0.59
Anticline	313800	7209022	186	7.22	13.4	113	8.7	26.99	0.35	6.7	0.7	1.3	12.34	0.57
Anticline	313800	7208622	227	6.26	12.7	143	9.5	26.51	0.36	6.1	0.5	1.3	14.62	0.49
Anticline	313800	7208222	210	6.95	14	176	10.4	33.42	0.36	7.7	X	1.5	16.27	0.57
Anticline	313800	7207822	195	7.19	14	186	10.6	33.28	0.42	7.6	0.6	1.6	15.67	0.58
Anticline	313800	7207422	164	7.39	16.7	180	9.7	27.06	0.35	7.3	X	1.5	13.6	0.59
Anticline	313800	7207022	194	7.96	16.9	204	12.1	36.86	0.43	8.9	0.8	1.7	16.95	0.64
Anticline	314200	7210622	180	8.54	14.5	119	8.8	29.53	0.37	7.1	0.6	1.5	12.74	0.7
Anticline	314200	7210222	147	8.18	14.2	148	8.9	24.64	0.48	6.3	X	1.5	14.41	0.63
Anticline	314200	7209822	255	7.44	13.5	118	8.8	26.64	0.36	7.6	0.7	1.3	14.94	0.6
Anticline	314200	7209422	230	6.81	11.6	99	7.7	23.87	0.31	6.3	X	1.3	12.23	0.6



Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	314200	7209022	263	5.74	11.5	131	8.2	25.71	0.34	6.1	0.8	1.2	13.81	0.47
Anticline	314200	7208622	133	5.75	10.2	110	7.5	18.14	0.3	4.9	X	1.1	9.74	0.47
Anticline	314200	7208222	151	7.16	11.3	103	8.3	19.34	0.32	5.2	X	1.2	10.11	0.52
Anticline	314200	7207822	135	6.46	11	139	8.2	21.48	0.35	5.2	0.6	1.2	10.46	0.55
Anticline	314200	7207422	144	5.71	11.5	158	8.6	22.61	0.35	5.7	X	1.3	11.12	0.47
Anticline	314200	7207022	149	5.8	13	137	8.7	26	0.36	6.2	0.6	1.4	12.57	0.5
Anticline	314200	7206622	193	6.65	13.6	222	10.7	31.13	0.4	7.3	X	1.5	15.41	0.53
Anticline	314200	7206422	171	7.37	13.5	191	10.7	29.15	0.43	7	X	1.5	14.08	0.59
Anticline	314200	7206222	145	7.22	12.3	139	9.9	22.41	0.4	5.9	X	1.4	11.28	0.6
Anticline	314200	7206022	118	6.57	11.1	130	8.4	21.03	0.4	5.3	X	1.3	10.36	0.53
Anticline	314200	7205822	217	8.47	17.8	252	12.8	39.12	0.45	9.6	X	1.8	18.4	0.7
Anticline	314600	7210622	139	7.81	14.2	124	9.1	23.02	0.43	7.1	0.6	1.6	11.42	0.66
Anticline	314600	7210222	1895	6.2	18.8	177	8.8	32.21	0.4	8.6	X	1.5	29.07	0.53
Anticline	314600	7209822	116	7.13	15.1	120	8.2	17.64	0.35	6.1	0.7	1.3	10.3	0.62
Anticline	314600	7209422	521	6.37	11.3	123	8.1	23.13	0.3	6.1	0.7	1.3	16.77	0.53
Anticline	314600	7209022	304	5.35	12.2	118	8.2	22.92	0.33	5.6	X	1.2	13.39	0.45
Anticline	314600	7208622	167	5	11.2	107	7.5	22.6	0.38	5.4	0.6	1.1	10.93	0.39
Anticline	314600	7208222	163	6.73	12.4	141	9.1	23.85	0.41	6	0.7	1.4	12.32	0.54
Anticline	314600	7207822	129	5.95	11	129	7.6	19.32	0.36	4.7	0.7	1.1	9.76	0.48
Anticline	314600	7207422	126	5.89	12.9	116	8.7	24.98	0.35	6	X	1.3	12.13	0.5
Anticline	314600	7207022	144	7.28	14.5	137	11.3	29.31	0.42	7.8	0.6	1.6	13.56	0.62
Anticline	315000	7211422	90	5.7	10.6	78	7	15.09	0.38	4.8	X	1.2	7.35	0.46
Anticline	315000	7211022	90	5.29	9.9	89	6.5	14.93	0.43	4.2	X	1.1	7.49	0.44
Anticline	315000	7210622	101	5.72	13.1	111	7.4	16.47	0.35	5.6	X	1.2	8.77	0.47
Anticline	315000	7210222	151	7.49	21.2	129	12.3	23.34	0.41	10.1	0.8	1.5	12.09	0.62
Anticline	315000	7209822	151	7.12	15	111	13.3	17.48	0.38	6	0.5	1.3	10	0.58
Anticline	315000	7209422	351	5.84	12.1	108	9.4	22.8	0.34	6.8	0.8	1.3	14.83	0.47
Anticline	315000	7209022	391	8.04	14.2	148	14.1	29.23	0.4	8.3	0.6	1.7	16.35	0.66
Anticline	315000	7208622	158	6.31	11.2	111	8.7	20.05	0.34	5.5	0.6	1.2	9.66	0.51

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	315000	7208222	436	8.49	18.8	187	11.8	42.01	0.4	9.9	0.8	2	22.18	0.71
Anticline	315000	7207822	165	6.73	12.3	135	9	22.8	0.39	6	0.6	1.4	11.18	0.56
Anticline	315000	7207422	137	6.19	11.7	119	8.1	22.69	0.34	5.6	X	1.3	10.83	0.5
Anticline	315000	7207022	129	6.7	13.5	121	9.2	22.32	0.39	6.6	0.6	1.4	10.89	0.55
Anticline	315000	7206622	134	7.28	12.5	132	9.3	25.39	0.45	6.7	0.7	1.5	12.17	0.59
Anticline	315000	7206422	201	7.19	14	174	10.2	29.06	0.44	7.2	X	1.5	17.52	0.59
Anticline	315000	7206222	197	7.43	13.7	153	10	27.54	0.35	6.6	0.8	1.5	15.58	0.6
Anticline	315000	7206022	263	8.53	16.3	157	10.8	32.91	0.49	8.5	X	1.8	18.98	0.69
Anticline	315000	7205822	234	11.28	19.9	306	17.2	53.32	0.53	13.4	0.8	2.5	24.08	0.93
Anticline	315400	7211422	97	5.04	10.8	93	6.3	13.22	0.34	4	X	1	7.13	0.48
Anticline	315400	7211022	80	4.74	8.6	86	5.7	10.1	0.37	3.3	X	0.9	5.87	0.37
Anticline	315400	7210622	114	5.42	12.2	114	6.9	15.66	0.32	5.9	0.9	1.1	9.34	0.46
Anticline	315400	7210222	138	7.2	11.2	120	7.2	17.45	0.35	5.8	X	1.2	9.68	0.69
Anticline	315400	7209822	135	9.52	18.2	151	8.3	18.57	0.37	16.1	0.6	1.6	10.22	0.81
Anticline	315400	7209422	247	7.39	14.3	156	9	26.07	0.37	6.1	X	1.4	13.91	0.58
Anticline	315400	7209022	342	6.89	12.3	125	8.3	25.05	0.32	6.9	0.6	1.2	12.95	0.58
Anticline	315400	7208622	158	7.61	12.3	142	8.8	22.52	0.36	5.8	0.7	1.3	11.61	0.74
Anticline	315400	7208222	133	6.45	11.3	108	8.2	19.15	0.35	5	0.6	1.2	9.86	0.53
Anticline	315400	7207822	125	6.04	12.3	169	8.6	20.67	0.36	5.6	X	1.4	10.23	0.5
Anticline	315400	7207422	337	8.51	16.8	178	11	35.47	0.4	8.8	0.6	1.8	19.78	0.7
Anticline	315400	7207022	131	6.19	12.1	144	8.9	21.66	0.4	6	0.6	1.3	11.18	0.51
Anticline	315800	7211422	81	5.28	9.3	90	6.1	13.75	0.32	3.9	0.6	1.1	7.57	0.45
Anticline	315800	7211022	114	6.96	12.5	119	7.8	17.45	0.36	5.6	X	1.2	9.28	0.57
Anticline	315800	7209822	437	8.58	132.4	265	11.7	39.51	0.47	12.5	X	1.7	22.13	0.72
Anticline	315800	7209422	262	5.63	20.6	145	7.4	18.6	0.37	4.9	0.5	1	11.06	0.46
Anticline	315800	7209022	293	5.55	17.1	136	9.3	27.62	0.35	6.3	0.6	1.3	15.16	0.48
Anticline	315800	7208622	123	6.66	11.9	103	7.9	19.3	0.34	5.4	0.6	1.2	9.92	0.56
Anticline	315800	7208222	215	7.63	16.7	166	10.3	34.91	0.4	8.2	0.5	1.7	16.95	0.72
Anticline	315800	7207822	100	5.87	13.6	135	8.6	21.04	0.33	6.1	X	1.4	9.87	0.47

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	315800	7207422	121	6.38	12.8	119	8.4	20.41	0.38	5.9	0.5	1.3	10.4	0.48
Anticline	315800	7207022	177	7.98	15.2	165	9.9	27.76	0.46	7.5	X	1.6	15.18	0.63
Anticline	315800	7206622	145	6.67	12.7	169	9.5	25.1	0.43	6.2	X	1.4	12.6	0.56
Anticline	315800	7206422	304	9.38	22.5	243	14.4	46.42	0.55	11	X	1.9	32.36	0.8
Anticline	315800	7206222	207	8.85	16.4	217	12.3	37.41	0.47	9.1	1	1.8	18.67	0.79
Anticline	315800	7206022	155	6.49	12.6	173	9.5	27.04	0.41	6.7	X	1.4	13.6	0.54
Anticline	316200	7211422	181	7.64	12.7	148	8.8	30.08	0.38	5.9	0.7	1.4	16.57	0.62
Anticline	316200	7211022	103	5.42	11.9	103	6.9	16.73	0.32	5.4	X	1.2	8.78	0.44
Anticline	316200	7209822	497	7.85	36.6	281	11.6	39.88	0.44	11.5	0.6	1.8	19.07	0.66
Anticline	316200	7209422	361	8.17	46.1	238	13.5	44.43	0.42	11.7	0.8	1.9	21.88	0.67
Anticline	316200	7209022	153	6.98	14.5	122	8.3	22.16	0.33	6.2	0.8	1.3	11.39	0.56
Anticline	316200	7208622	138	6.8	14.5	119	8.5	23.02	0.39	6.4	X	1.4	11.02	0.57
Anticline	316200	7208222	127	6.63	12.3	134	8.8	22.37	0.36	6.1	X	1.3	11.08	0.58
Anticline	316200	7207822	118	6.57	12.8	128	8.4	19.4	0.37	5.5	0.5	1.3	9.78	0.59
Anticline	316200	7207422	146	7.87	14.8	135	9.6	26.69	0.37	7.9	0.5	1.6	12.71	0.64
Anticline	316200	7207022	301	9.16	16.8	161	10.4	31.26	0.45	8	0.6	1.7	16.93	0.72
Anticline	316600	7211422	266	8.39	18.8	136	54.3	32.46	0.5	8.5	0.7	1.7	18.34	0.69
Anticline	316600	7211022	201	5.5	14.3	116	7	22.73	0.35	5.7	X	1.1	12.79	0.46
Anticline	316600	7210622	292	8.11	31.8	282	13.9	44.73	0.41	15.3	0.6	1.9	20.27	0.67
Anticline	316600	7209022	282	6.43	15.6	185	9.9	29.83	0.33	7.7	0.5	1.5	15.98	0.5
Anticline	316600	7208622	113	5.51	13.3	124	7.9	19.01	0.35	5.6	0.5	1.2	11.64	0.45
Anticline	316600	7208222	109	5.78	11.3	121	8	17.76	0.36	5.6	X	1.2	8.95	0.49
Anticline	316600	7207822	109	6.94	13.5	131	7.8	17.68	0.36	5.8	0.5	1.3	9.61	0.6
Anticline	316600	7207422	107	6.37	11.9	114	7.5	18.35	0.32	5.3	0.5	1.2	9.53	0.5
Anticline	316600	7207022	145	6.64	13.4	134	9	22.26	0.4	6.5	0.6	1.4	11.26	0.64
Anticline	316600	7206622	191	6.16	12.7	130	9	25.16	0.39	6.3	X	1.4	13.54	0.53
Anticline	316600	7206422	193	6.85	14.1	149	9.6	25.54	0.4	7	0.5	1.5	13.54	0.56
Anticline	316600	7206222	187	6.11	12.3	127	9.1	24.73	0.38	6.2	0.6	1.3	13.11	0.54
Anticline	316600	7206022	258	6.97	13	167	8.7	24.97	0.35	6.4	0.6	1.4	14.89	0.59

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	317000	7211422	99	5.1	9.7	71	6.6	16.03	0.29	4.1	X	1	7.87	0.42
Anticline	317000	7211022	153	5.89	11.2	104	8.4	19.38	0.36	5.4	X	1.2	10.33	0.48
Anticline	317000	7210622	146	6.12	32.2	162	9	23.54	0.34	6.7	X	1.2	11.47	0.51
Anticline	317000	7209022	250	7.67	22.4	207	9.7	26.83	0.37	8.2	0.7	1.5	13.99	0.62
Anticline	317000	7208622	130	6.72	13.4	135	8.4	20.88	0.4	6.4	0.5	1.2	10.55	0.56
Anticline	317000	7208222	123	6.92	11.3	128	7.8	17.92	0.36	5	0.7	1.2	9.28	0.57
Anticline	317000	7207822	120	7.53	15.3	102	6.9	16.09	0.35	6.6	0.7	1.1	8.7	0.59
Anticline	317000	7207422	188	8.46	17.8	150	9.2	28.45	0.39	8.5	X	1.6	14.11	0.7
Anticline	317000	7207022	115	6.4	12.6	123	8.3	19.84	0.39	5.4	X	1.3	9.78	0.5
Anticline	317400	7211422	94	5.25	10.1	75	6	15.32	0.31	4.2	X	1.1	7.39	0.44
Anticline	317400	7211022	289	9.46	24.3	193	13	38.43	0.43	11.1	X	1.9	20.66	0.81
Anticline	317400	7210622	145	5.71	15.1	127	7.9	21.29	0.31	6.3	X	1.2	10.95	0.47
Anticline	317400	7210222	143	5.54	14.6	164	7.8	19.88	0.33	6.1	0.5	1.2	10.55	0.46
Anticline	317400	7209822	365	7.68	20	163	10.2	29.97	0.42	7.8	X	1.7	15.42	0.63
Anticline	317400	7209422	316	8.57	16.1	251	12.2	34.77	0.49	7.6	X	1.6	17.57	0.71
Anticline	317400	7209022	177	6.98	13.2	138	11.3	20.92	0.35	5.7	X	1.4	10.55	0.57
Anticline	317400	7208622	200	7.12	13.1	159	10	27.84	0.41	6.9	0.9	1.5	13.11	0.58
Anticline	317400	7208222	133	6.06	11.6	110	9.2	22.55	0.38	6.3	0.5	1.3	10.34	0.47
Anticline	317400	7207822	479	5.83	11.6	118	9.4	29.46	0.33	7.6	0.8	1.4	17.74	0.46
Anticline	317400	7207422	140	7.01	15	133	9.8	20.64	0.35	7	0.7	1.4	10.38	0.53
Anticline	317400	7207022	114	5.55	11.6	106	8.9	18.43	0.35	5.4	0.5	1.3	8.94	0.45
Anticline	317400	7206622	104	5.84	12.6	138	9.4	20.34	0.45	5.8	X	1.4	10.01	0.48
Anticline	317400	7206422	103	5.17	10.9	124	8.8	18.84	0.32	5.1	X	1.3	9.34	0.41
Anticline	317400	7206222	129	6.34	12	130	9.6	21.64	0.38	5.4	0.8	1.4	10.93	0.5
Anticline	317400	7206022	117	5.99	11.3	135	8.6	19.27	0.5	5.1	0.6	1.3	10.15	0.46
Anticline	317800	7211422	92	5.35	12	86	6.8	17.39	0.3	5.2	X	1.2	8.01	0.45
Anticline	317800	7211022	142	6.28	15.9	127	9.2	23.67	0.42	6.7	0.7	1.4	11.66	0.53
Anticline	317800	7210622	162	6.56	16.4	138	9.4	24.87	0.35	7.1	X	1.4	11.91	0.54
Anticline	317800	7210222	215	6.76	14.7	159	10.3	26.05	0.3	6.3	0.5	1.5	13.22	0.53

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	317800	7209822	478	5.68	13.6	108	9.1	21.97	0.36	6.5	0.5	1.4	14.75	0.46
Anticline	317800	7209422	216	5.98	13.5	121	8.9	27.34	0.31	6.7	0.6	1.5	11.57	0.46
Anticline	317800	7209022	319	7.6	16.1	184	13.3	40.73	0.39	8.7	0.7	2	19.41	0.63
Anticline	317800	7208622	168	6.72	11.8	149	9.8	28.3	0.32	7.2	0.6	1.5	12.48	0.55
Anticline	317800	7208222	197	5.91	11.1	156	9	29.79	0.32	6.1	0.5	1.5	13.55	0.46
Anticline	317800	7207822	226	7.05	12	158	11.8	30.62	0.33	7.1	X	1.7	14.05	0.55
Anticline	317800	7207422	275	7.3	17.6	230	14	47.2	0.38	10.2	0.7	2.1	20.4	0.58
Anticline	317800	7207022	125	6.76	18.3	150	9.3	19.73	0.4	6.1	X	1.4	9.97	0.54
Anticline	318200	7211422	116	5.79	13.1	127	7.5	19.03	0.28	5.1	X	1.2	9.59	0.46
Anticline	318200	7211022	116	5.95	13.8	103	7.6	18.84	0.35	5	X	1.2	9.45	0.45
Anticline	318200	7210622	117	5.76	13.1	107	7.5	18.41	0.27	5.2	X	1.2	9.44	0.47
Anticline	318200	7210222	393	5.31	12.2	108	8.3	22.65	0.32	5.3	0.6	1.2	14.98	0.43
Anticline	318200	7209822	183	6.25	12.9	137	9.3	22.64	0.38	5.4	0.5	1.4	11.69	0.47
Anticline	318200	7209422	249	7.57	17.9	226	15.5	35.52	0.41	8.4	0.7	1.8	16.96	0.59
Anticline	318200	7209022	191	6.61	15	239	12.3	36.26	0.44	8.4	0.5	1.9	16.54	0.53
Anticline	318200	7208622	218	6.81	14.4	227	12.7	38.67	0.41	9	0.5	1.8	16.79	0.59
Anticline	318200	7208222	116	4.42	9.7	119	7.7	18.87	0.3	4.8	X	1.2	9.3	0.35
Anticline	318200	7207822	166	6.79	13.2	148	9.7	24.84	0.4	6.4	X	1.5	12.17	0.59
Anticline	318200	7207422	499	6.21	11.6	122	10	23.12	0.34	5.7	0.5	1.3	14.85	0.49
Anticline	318200	7207022	173	6.45	81.8	205	9.4	24.77	0.43	9.6	X	1.3	15.4	0.51
Anticline	318200	7206622	241	7.57	37.4	288	12.5	36.5	0.45	9.6	0.6	1.7	17.22	0.57
Anticline	318600	7207422	208	7.37	19.1	235	12.2	34.12	0.41	8.3	0.9	1.7	16.19	0.58
Anticline	318600	7207022	223	5.98	13.3	191	10.7	26.76	0.36	7.1	X	1.5	14.89	0.48
Anticline	318600	7206622	330	8.26	43.9	297	15.7	49.29	0.49	12	0.8	2.1	24.02	0.68
Anticline	319000	7211022	121	5.1	12	96	7.5	18.77	0.3	5	X	1.2	8.92	0.43
Anticline	319000	7210822	273	7.63	23.8	134	12.5	42.19	0.44	9.4	0.5	2	20.15	0.61
Anticline	319000	7210622	101	5.18	10.6	84	7.3	18.02	0.31	4.6	0.5	1.1	8.25	0.42
Anticline	319000	7210422	159	5.66	12	111	7.9	21.11	0.3	4.9	X	1.3	10.41	0.46
Anticline	319000	7210222	115	5.31	10.7	106	7.6	19.27	0.3	4.3	X	1.2	10.88	0.44

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	319000	7210022	119	5.57	11.1	103	8.1	19.95	0.29	4.8	X	1.3	9.6	0.44
Anticline	319000	7209822	154	6.34	13.7	137	9.5	27.83	0.35	6.3	X	1.6	12.96	0.55
Anticline	319000	7209622	135	5.7	13.4	117	8.5	23.64	0.3	5.4	X	1.4	12.83	0.46
Anticline	319000	7209422	243	7.63	29.8	205	14.5	46.71	0.41	10	0.5	2.1	20.99	0.6
Anticline	319000	7209222	134	5.99	16.8	111	8.9	24.84	0.32	5.9	X	1.4	11.41	0.49
Anticline	319000	7209022	196	6.57	45.6	164	10.7	33.48	0.34	8.4	0.7	1.6	15.14	0.53
Anticline	319000	7208822	138	5.87	12.6	126	8.6	24.9	0.34	5.9	X	1.4	11.37	0.49
Anticline	319000	7208622	136	6.15	13.9	168	9.8	26.39	0.38	6.2	X	1.5	12.57	0.49
Anticline	319000	7208422	144	6.38	13.5	129	10.4	28.15	0.37	6.9	0.5	1.5	13.06	0.49
Anticline	319000	7208222	111	5.34	11.3	129	8.7	19.74	0.33	5.1	0.5	1.3	10.41	0.43
Anticline	319000	7208022	139	7.06	11.7	135	9.1	23.71	0.37	5.9	0.6	1.4	11.48	0.54
Anticline	319000	7207822	146	6.06	10.9	136	8.5	23.2	0.4	5.6	0.6	1.3	10.51	0.47
Anticline	319000	7207622	177	6.99	12.1	174	9.6	30.73	0.39	6.4	0.9	1.5	12.28	0.51
Anticline	319000	7207422	194	6.89	11.9	147	8.8	30.12	0.36	6.4	0.7	1.4	13.35	0.52
Anticline	319800	7210822	99	5.41	9.8	83	7.4	16.64	0.31	4	X	1	7.98	0.45
Anticline	319800	7210622	96	5.48	9.8	81	6.7	16.65	0.31	4.3	0.5	1.1	8.28	0.43
Anticline	319800	7210222	152	6.75	13.3	112	8	24.9	0.32	5.8	X	1.3	13.34	0.53
Anticline	319800	7210022	102	5.48	10.5	94	7.2	18.58	0.33	4.3	X	1.2	8.79	0.43
Anticline	319800	7209822	152	6.64	15	116	8.8	27.14	0.34	5.9	X	1.3	13.18	0.51
Anticline	319800	7209622	119	6.22	11.6	107	7.3	20.69	0.31	4.9	X	1.2	9.33	0.48
Anticline	319800	7209422	106	5.72	11.1	98	7.2	20.26	0.33	4.9	0.6	1.2	10.17	0.44
Anticline	319800	7209222	117	5.9	11.9	91	7.6	21	0.29	5.3	X	1.2	9.63	0.46
Anticline	319800	7209022	125	5.98	12.3	105	7.8	23.01	0.4	5.1	X	1.2	10.88	0.46
Anticline	319800	7208822	183	6.62	15.8	147	10.9	32.74	0.35	7.4	X	1.5	15.2	0.52
Anticline	319800	7208622	201	8.2	18.4	233	11.5	39.28	0.42	8.7	0.6	1.9	18.38	0.66
Anticline	319800	7208422	134	6.03	12.8	144	8.6	26.61	0.33	5.9	0.6	1.3	12.74	0.47
Anticline	319800	7208222	180	7.51	16.2	239	11.3	37.84	0.38	8.3	0.6	1.9	17.72	0.58
Anticline	319800	7208022	201	8.34	19.2	252	13	42.41	0.46	9.1	X	1.9	19.99	0.67
Anticline	319800	7207822	198	7.95	19.7	286	12.2	40.01	0.43	9	X	1.9	18.84	0.63

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	319800	7207622	228	9.51	19.1	321	14	47.96	0.45	10.9	0.5	2.1	22.02	0.74
Anticline	319800	7207422	139	6.61	14.3	175	9.7	29.67	0.37	7.4	X	1.5	14.53	0.52
Anticline	319800	7207222	145	6.95	14	188	10.3	30.58	0.38	7	0.7	1.5	14.52	0.54
Anticline	319800	7207022	152	7.28	12.9	183	10.2	30.17	0.4	6.9	0.6	1.6	14.44	0.58
Anticline	319800	7206822	161	7.1	14.2	257	10.8	32.59	0.4	7.6	0.6	1.6	16.28	0.54
Anticline	319800	7206622	257	7.98	17.9	265	13.2	46.29	0.4	10	0.5	1.9	22.15	0.63
Anticline	319800	7206422	249	7.36	15.1	247	11.9	38.62	0.43	8.7	0.6	1.6	18.74	0.62
Anticline	319800	7206222	307	7.81	17.4	253	13.5	47.35	0.42	10.1	0.9	2	24.36	0.62
Anticline	319800	7206022	344	9.5	20.6	357	15.4	54.63	0.5	11.9	1	2.3	28.78	0.82
Anticline	319800	7205822	284	9.36	17.9	395	15.2	49.34	0.44	10.8	0.7	2.2	24.19	0.73
Anticline	319800	7205622	231	7.85	16	217	13.9	40.8	0.41	9.2	X	1.8	18.85	0.61
Anticline	319800	7205422	233	7.59	17.5	267	12.3	39.17	0.41	8.9	1	1.8	19.1	0.61
Anticline	319800	7205222	249	8.37	19.4	242	11.8	42.01	0.45	9.2	0.6	1.9	21.65	0.64
Anticline	319800	7205022	273	9.32	23.7	211	12.6	41.76	0.45	9.5	0.7	1.8	21.18	0.7
Anticline	319800	7204822	341	7.01	77.5	157	9.2	30.32	0.34	7.6	X	1.2	16.21	0.54
Anticline	319800	7204622	251	7.93	21.3	153	10.1	26.5	0.37	7.2	0.9	1.3	14.93	0.61
Anticline	319800	7204422	205	7.38	17.2	202	10.2	30.83	0.34	6.8	0.5	1.4	15.68	0.55
Anticline	319800	7204222	224	6.03	11.2	214	8.6	23.22	0.32	5.8	0.8	1.1	20.46	0.45
Anticline	319800	7204022	483	7.68	12.1	136	10.8	33.8	0.4	7	0.9	1.5	19.96	0.62
Anticline	319800	7203822	267	8.67	16.1	135	12.1	37.38	0.49	10.8	0.6	1.8	19.37	0.64
Anticline	319800	7203622	163	8.12	11.6	120	9.2	28.15	0.38	7.1	0.8	1.5	11.84	0.6
Anticline	319800	7203422	133	7.55	11.7	91	8.6	21.15	0.42	5.8	0.7	1.4	11.32	0.62
Anticline	319800	7203222	124	7	11.6	126	8.1	20.7	0.37	5	0.8	1.3	10.4	0.54
Anticline	319800	7203022	232	8.68	15.6	153	9.5	32.58	0.46	7.8	0.6	1.7	15.5	0.68
Anticline	319800	7202822	119	6.86	11.2	93	8.6	22.05	0.39	5.3	0.5	1.4	10.38	0.53
Anticline	319800	7202622	109	6.78	10.4	125	7.7	18.71	0.4	5.4	0.7	1.2	9.54	0.53
Anticline	319800	7202422	128	6.83	10.5	126	8.3	20.08	0.38	4.7	0.6	1.2	11.67	0.55
Anticline	319800	7202222	237	8.02	13.9	140	9.7	31.2	0.41	7	0.9	1.6	15.87	0.62
Anticline	320600	7206622	336	8.98	19.3	235	13	52.04	0.45	10.4	0.6	2.1	20.05	0.68

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	320600	7206422	320	8.89	23.8	222	14.3	50.57	0.41	10.1	0.8	1.9	25.11	0.68
Anticline	320600	7206222	735	8.19	16	222	10.7	45.25	0.4	8.9	X	1.7	30.27	0.64
Anticline	320600	7206022	183	7.33	10.8	130	8.4	29.17	0.36	6.1	0.6	1.4	10.9	0.56
Anticline	320600	7205822	222	7.01	11.7	139	8.7	31.81	0.34	6.5	0.7	1.3	13.53	0.54
Anticline	320600	7205622	231	7.37	15.9	163	11.3	31.3	0.54	7.3	0.8	1.5	14.73	0.58
Anticline	320600	7205422	176	5.86	12.5	132	8.7	26.2	0.36	5.5	0.5	1.3	11.81	0.47
Anticline	320600	7205222	265	8.63	15.3	166	11.8	39.1	0.37	7.8	0.6	1.7	17.4	0.62
Anticline	320600	7205022	411	7.99	26.8	256	13.1	44.89	0.43	9.4	0.6	1.8	24.81	0.71
Anticline	320600	7204822	1686	6.57	25.6	171	13	66.11	0.3	11.6	0.6	1.8	68.05	0.52
Anticline	320600	7204622	452	7.64	34.6	298	13.3	47.01	0.36	10.5	X	1.9	25.4	0.57
Anticline	320600	7204422	480	7.51	23.6	280	13.1	42.1	0.43	8.8	X	1.7	24.17	0.64
Anticline	320600	7204222	282	8.8	34.4	292	13.1	40.27	0.42	10.3	0.9	1.9	20.91	0.68
Anticline	320600	7204022	207	6.62	27.7	222	10	27.9	0.36	6.9	0.6	1.2	15.47	0.53
Anticline	320600	7203822	230	7.87	14.9	173	9.6	26.75	0.36	6.5	0.6	1.3	15.69	0.59
Anticline	320600	7203622	530	9.36	12.8	181	10.4	30.33	0.41	7.5	0.7	1.6	21.53	0.68
Anticline	320600	7203422	549	7.36	12.9	172	10.7	35.65	0.47	7.1	0.8	1.5	22.4	0.58
Anticline	320600	7203222	347	7.2	16	169	11.4	42.91	0.43	8	0.9	1.6	21.52	0.6
Anticline	320600	7203022	203	6.63	11.9	130	9.2	27.53	0.34	6	X	1.3	13.44	0.51
Anticline	320600	7202822	229	6.8	14.9	124	10.3	39.41	0.39	9.6	0.8	1.5	15.44	0.51
Anticline	320600	7202622	259	7.93	15.8	124	10.8	30.99	0.34	7.7	X	1.5	13.53	0.6
Anticline	320600	7202422	191	6.39	12.5	162	9.1	30.45	0.28	6.4	0.7	1.4	13.61	0.6
Anticline	320600	7202222	203	8.39	14.6	171	9.7	32.38	0.34	7.4	0.8	1.5	13.96	0.62
Anticline	320600	7202022	200	7.7	13.4	183	11	30.78	0.4	6.7	0.9	1.5	12.57	0.61
Anticline	320600	7201822	338	7.29	15.8	147	21.5	31.38	0.39	6.8	X	1.4	16.18	0.59
Anticline	320600	7201622	295	8.49	17.6	185	10.7	35.89	0.35	8.3	0.8	1.7	18.43	0.63
Anticline	320600	7201422	211	6.48	11.9	130	9	25.95	0.42	6.3	0.7	1.3	11.62	0.51
Anticline	320600	7201222	236	13.07	53.7	129	17.2	33.25	0.67	21.7	0.6	2.7	17.22	1.01
Anticline	321000	7205022	822	6.76	15.9	187	10.2	30.97	0.38	7.1	0.7	1.4	25.28	0.51
Anticline	321000	7204622	546	7.79	23.9	290	12.5	44.36	0.39	9.6	X	1.6	27.55	0.6



Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	321000	7204222	353	8.79	27.8	294	13.6	45.03	0.42	10.8	X	1.9	24.42	0.68
Anticline	321000	7203822	227	7.24	22.5	177	10	26.45	0.32	6.6	X	1.4	14.5	0.55
Anticline	321400	7205022	774	6.32	14.3	182	10.1	29.49	0.3	6.8	0.7	1.3	23.56	0.47
Anticline	321400	7204622	376	6.54	16.1	186	19.8	29.78	0.31	6.8	X	1.3	18.4	0.47
Anticline	321400	7204222	1109	8.11	157.5	207	10.8	33.92	0.45	10.1	X	1.4	20.45	0.61
Anticline	321400	7203422	255	6.46	12.5	145	8.5	26.07	0.34	5.3	X	1.1	14.52	0.49
Anticline	321400	7203022	223	8.59	13.1	154	34.7	34.72	0.85	7	0.8	1.6	16.91	0.66
Anticline	321800	7205022	863	9.42	25	294	15	54.32	0.45	12.7	0.6	2.1	38.52	0.73
Anticline	321800	7203822	306	8.72	36.9	201	9.8	27.86	0.44	9.4	0.8	1.4	15.57	0.65
Anticline	321800	7203422	428	7.95	23.3	193	9.4	27.04	0.38	8.2	X	1.3	15.94	0.62
Anticline	321800	7203022	275	7.55	16.6	207	12.1	38.46	0.47	7.7	0.6	1.7	18.99	0.59
Anticline	322200	7207022	143	6.68	14.1	111	11	22.38	0.35	9.1	0.8	1.5	10.32	0.5
Anticline	322200	7206822	210	7.46	15.6	116	11.2	25.02	0.34	7.8	0.6	1.4	12.59	0.66
Anticline	322200	7206622	423	6.71	14.4	179	10	29.57	0.36	6.7	X	1.4	18.5	0.51
Anticline	322200	7206422	602	7.96	19.6	237	35.4	43	0.42	10	0.8	1.9	26.46	0.65
Anticline	322200	7206222	697	6.96	16	196	16.1	37.17	0.39	7.7	X	1.6	24.4	0.55
Anticline	322200	7206022	415	6.57	13.3	179	11.6	28.74	0.31	5.8	0.6	1.3	19.53	0.5
Anticline	322200	7205822	416	7.86	16.7	250	13.8	38.58	0.36	8.3	0.8	1.7	21.57	0.59
Anticline	322200	7205622	405	7.7	17.7	237	14	43.06	0.37	8.5	0.8	1.8	24.17	0.59
Anticline	322200	7205422	482	6.85	16.9	195	13.4	39.4	0.34	8.5	0.9	1.5	23.9	0.54
Anticline	322200	7205022	496	6.3	16	218	13.2	40	0.33	8	0.8	1.5	24.63	0.5
Anticline	322200	7204622	546	6.63	18.6	223	12.3	39.24	0.29	8.1	0.7	1.4	24.57	0.5
Anticline	322200	7204222	458	7.41	35.3	207	12.6	42.16	0.42	9	X	1.6	19.25	0.57
Anticline	322200	7203822	443	8.24	24.3	206	10.6	27.41	0.38	8.5	X	1.4	16.18	0.63
Anticline	322200	7203422	311	8.27	170.5	139	8.4	24.57	0.32	15.4	0.6	1.3	24.96	0.6
Anticline	322200	7203022	331	7.57	16.3	131	11	31.45	0.39	7.2	0.8	1.3	14.17	0.57
Anticline	322200	7202622	251	8.12	13.5	131	10.2	40.51	0.48	6.9	0.8	1.5	15.58	0.6
Anticline	322200	7202222	430	7.03	18.8	193	14.4	41.69	0.42	9	0.7	1.6	20.09	0.54
Anticline	322200	7202022	336	8.59	16.4	200	13	35.62	0.46	7.4	X	1.7	17.46	0.68

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	322200	7201822	173	7.07	14.7	164	11.2	24.94	0.41	6.2	X	1.3	11.55	0.54
Anticline	322200	7201622	232	6.69	12.4	152	10.1	29.43	0.36	5.8	0.9	1.3	14.78	0.51
Anticline	322200	7201422	213	7.99	15.1	113	10.7	26.71	0.35	6.7	0.7	1.4	13.69	0.62
Anticline	322200	7201222	255	6.84	13.1	151	10.4	28.21	0.35	6.4	0.7	1.4	14.2	0.5
Anticline	322600	7205422	1000	5.63	22	158	15	43.36	0.29	8.4	0.8	1.4	33.62	0.43
Anticline	322600	7205022	490	5.5	13.4	142	13.5	21.91	0.29	4.6	X	1	17.96	0.41
Anticline	322600	7204622	592	7.34	16.6	225	10.7	33.31	0.34	6.7	X	1.3	23.82	0.55
Anticline	322600	7203022	210	11.16	26.2	189	8.9	21.66	0.51	11.5	0.8	1.5	12.46	0.82
Anticline	322600	7202622	376	9.5	17.9	199	13.8	42.47	0.58	8.1	X	1.8	21.64	0.74
Anticline	323000	7207022	330	7.74	25.3	200	12.5	35.65	0.39	8.9	0.5	1.5	17.67	0.61
Anticline	323000	7206822	429	8.42	30.4	269	12.8	42.5	0.44	9.7	X	1.7	22.19	0.64
Anticline	323000	7206622	327	8.31	22	231	12.2	34.17	0.41	8.1	X	1.6	18.66	0.66
Anticline	323000	7206422	216	7.14	15.1	164	10.2	29.83	0.43	7.6	0.7	1.4	14.24	0.56
Anticline	323000	7206222	223	9.9	13.7	189	9.6	21.54	0.38	7.1	0.5	1.5	18.02	0.72
Anticline	323000	7206022	344	7.26	17	223	11.2	31.02	0.34	8	X	1.4	20.11	0.57
Anticline	323000	7205822	417	7.01	19.5	215	12.2	35.14	0.38	7.8	0.6	1.5	21.97	0.54
Anticline	323000	7205622	512	7.52	20.1	197	11.9	33.98	0.43	7.7	0.8	1.4	22.56	0.56
Anticline	323000	7205422	1172	11.95	31.8	354	22.4	61.37	0.63	13.2	1.2	2.6	46.18	0.95
Anticline	323000	7205022	375	6.36	16.4	189	8.7	29.54	0.35	5.7	0.6	1.2	19.09	0.51
Anticline	323000	7204622	486	10.47	28.6	341	15.7	54.14	0.52	12	X	2.1	25.81	0.81
Anticline	323000	7203022	467	10.78	26.8	278	14.7	50.68	0.49	11.4	0.6	2.1	25.1	0.82
Anticline	323000	7202622	423	10.1	21.3	320	16.4	52.4	0.49	11.6	0.8	2	24.41	0.8
Anticline	323000	7202422	391	9.58	21.2	276	15.7	52.01	0.46	11.3	0.8	2.2	24.55	0.77
Anticline	323000	7202222	319	7.75	16.5	189	10.4	40.96	0.41	7.7	0.6	1.7	21.71	0.61
Anticline	323000	7202022	234	7.43	13.4	183	11.2	28.46	0.42	6.4	0.6	1.5	14.36	0.58
Anticline	323000	7201822	392	8.28	14.7	206	13.7	33.74	0.48	8	0.7	1.5	18.52	0.63
Anticline	323000	7201622	196	7.63	16.5	178	11.2	31.28	0.42	7.8	0.6	1.6	14.07	0.59
Anticline	323000	7201422	370	9.18	20.6	182	16.5	43.03	0.46	9.5	0.6	2	22.19	0.71
Anticline	323000	7201222	176	7.39	13.8	150	14.3	23.84	0.41	6	0.7	1.4	12.9	0.65

Prospect	Eastings	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	323000	7201022	125	6.31	15.8	150	13.6	22.69	0.4	5.7	X	1.4	12.03	0.49
Anticline	323000	7200822	347	8.9	17.4	204	12.2	35	0.47	8.4	0.5	1.8	19.51	0.68
Anticline	323000	7200622	166	7.22	12.9	136	9.2	23.17	0.41	6	X	1.4	11.48	0.58
Anticline	323000	7200422	392	8.34	15.5	180	10.6	31.17	0.39	7.2	0.5	1.6	18.5	0.64
Anticline	323400	7205422	385	7.74	14.7	187	11.2	28.15	0.35	7	0.7	1.4	17.69	0.58
Anticline	323400	7205022	412	6.7	14.3	160	11.1	27.3	0.34	6.4	X	1.4	18.64	0.52
Anticline	323400	7204622	509	7.47	20.9	220	11.5	36.43	0.36	7.6	0.5	1.5	24.3	0.57
Anticline	323400	7203022	204	8.08	83.6	145	9.7	19.59	0.42	8.9	X	1.3	10.62	0.6
Anticline	323400	7202622	331	8.65	64.3	270	21.5	40.86	0.41	11.9	1	1.8	19.93	0.66
Anticline	323800	7207022	210	7.76	18.5	146	10.4	23.44	0.39	7	X	1.4	11.77	0.6
Anticline	323800	7206822	255	8.56	21.5	148	12.2	24.51	0.38	9	0.9	1.6	13.13	0.81
Anticline	323800	7206622	182	8.37	87.7	133	8.9	20.23	0.41	9.6	0.6	1.2	10.98	0.62
Anticline	323800	7206422	464	8.31	19.5	260	12.8	44.22	0.4	9.6	X	1.8	22.86	0.65
Anticline	323800	7206222	2528	9.23	24.5	248	12.9	52.18	0.43	11.6	X	1.9	48.08	0.7
Anticline	323800	7206022	721	6.73	12.9	179	9.8	28.18	0.34	6.5	X	1.3	23.25	0.54
Anticline	323800	7205822	529	8.46	15.4	159	10.8	32.46	0.35	8.8	0.7	1.5	20.39	0.66
Anticline	323800	7205622	403	6.82	10.3	132	8.3	25.44	0.33	5.4	0.9	1.2	16.65	0.52
Anticline	323800	7205422	415	7.48	15.8	167	11.9	33.49	0.36	7.5	X	1.5	20.07	0.57
Anticline	323800	7205022	248	8.18	18.3	214	11.5	32.65	0.38	8.2	0.5	1.6	19.54	0.65
Anticline	323800	7204622	483	8.15	18.8	234	14.5	39.59	0.37	8.4	0.6	1.7	26.36	0.63
Anticline	323800	7204222	486	7.87	19	201	11.7	40.96	0.37	8.6	0.7	1.6	26.02	0.63
Anticline	323800	7203022	168	7.4	26.7	145	15.2	25.1	0.39	8.2	0.7	1.4	12.93	0.56
Anticline	323800	7202622	132	7.2	15.5	124	10.1	20.23	0.45	7	0.8	1.2	10.67	0.56
Anticline	323800	7202422	389	9.37	16.3	161	8.9	25.79	0.48	7.2	0.6	1.6	17.38	0.77
Anticline	323800	7202222	140	7.03	14.7	134	11.5	20.86	0.38	6.3	0.7	1.4	10.3	0.56
Anticline	323800	7202022	152	7.67	16.3	174	10.4	28.32	0.42	8.2	1.1	1.5	12.81	0.63
Anticline	323800	7201822	183	7.77	15.7	183	14.2	32.26	0.49	8.2	0.9	1.7	15.33	0.62
Anticline	323800	7201622	163	8.58	16.9	193	12.6	34.41	0.48	9.5	0.9	1.8	14.98	0.7
Anticline	323800	7201422	146	6.94	13.4	138	10	25.81	0.37	6.5	X	1.5	12.08	0.57

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	323800	7201222	165	6.88	14.2	137	10.4	27.24	0.43	7	X	1.5	13.76	0.58
Anticline	323800	7201022	183	8.27	19.6	243	14.7	38	0.51	10.4	X	1.9	17.62	0.65
Anticline	323800	7200822	203	8.69	23	270	13.4	38.18	0.48	9.7	0.7	1.9	18.64	0.69
Anticline	323800	7200622	189	7.9	16.7	228	12.1	34.56	0.46	8.8	0.6	1.7	17.96	0.64
Anticline	323800	7200422	145	6.75	14.3	165	10.6	28.04	0.39	6.9	0.5	1.6	13.74	0.54
Anticline	323800	7200222	150	6.5	13.6	148	9.9	28.19	0.39	6.8	X	1.4	14.36	0.52
Anticline	324200	7205422	292	8.96	14.5	222	9.6	28.03	0.37	6.5	0.5	1.3	18.43	0.7
Anticline	324200	7205022	412	6.98	18	218	10.5	32.52	0.4	7.5	0.6	1.4	20.87	0.56
Anticline	324200	7204622	663	8.2	18.3	275	13.6	42.89	0.43	9.9	X	1.9	30.49	0.71
Anticline	324200	7204222	2039	5.93	31.7	270	12.9	66.13	0.33	12.4	0.7	1.6	53.87	0.48
Anticline	324200	7203822	284	6.8	20.9	160	8.4	34.81	0.35	7.2	0.8	1.4	15.36	0.51
Anticline	324200	7203422	133	6.98	45.8	141	8.7	14.68	0.42	8.6	1.1	1.1	8.94	0.51
Anticline	324200	7203022	131	6.32	24.6	160	31.4	19.06	0.4	7.1	0.7	1.3	9.92	0.47
Anticline	324200	7202622	158	6.56	26.6	151	10.4	24.78	0.4	8.4	0.9	1.4	11.83	0.51
Anticline	324600	7206022	334	8.41	23.5	198	13	33.75	0.38	8.9	X	1.6	19.13	0.68
Anticline	324600	7205822	311	8.24	24	197	11.7	36.26	0.42	8.5	0.6	1.7	19.41	0.66
Anticline	324600	7205622	306	7.95	20.3	225	12	32.85	0.47	8	0.7	1.7	17.61	0.61
Anticline	324600	7205422	466	7.42	17.3	176	12.3	39.29	0.37	8.2	0.8	1.7	20.32	0.62
Anticline	324600	7205022	771	7.02	21.6	244	11.4	39.91	0.42	9.2	0.6	1.5	33.99	0.58
Anticline	324600	7204622	324	7.52	20.1	264	11.4	28.98	0.43	8	1	1.6	17.71	0.56
Anticline	324600	7204222	562	6.54	16.7	178	12.1	32.84	0.51	7.4	0.8	1.4	25.1	0.54
Anticline	324600	7203822	257	7.55	26.1	192	10.6	32.92	0.38	8.8	0.8	1.6	16.58	0.6
Anticline	324600	7203422	174	8.48	19.1	182	9.7	22.34	0.44	7.8	0.7	1.4	12.18	0.67
Anticline	324600	7203022	261	10.11	33.7	150	9.1	26.75	0.41	12.2	0.9	1.7	14.97	0.82
Anticline	324600	7202622	132	6.68	13.4	120	38	19.46	0.42	5.8	X	1.2	11.95	0.52
Anticline	324600	7202422	209	6.71	14.8	163	10.5	28.69	0.37	7.2	0.7	1.5	13.68	0.54
Anticline	324600	7202222	299	7.48	16.2	140	10.1	31.18	0.41	7.9	0.8	1.5	16.21	0.58
Anticline	324600	7202022	211	7.93	21.3	255	12.4	36.77	0.45	10	0.9	1.8	17.3	0.63
Anticline	324600	7201822	157	5.77	14.4	175	9.5	24.83	0.34	6.7	0.7	1.3	12.06	0.47

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	324600	7201622	167	7.4	13.5	123	9.3	22.67	0.39	6.1	X	1.3	11.03	0.88
Anticline	324600	7201422	170	7.09	14.4	134	10.1	25.61	0.47	6.4	0.6	1.4	13.59	0.54
Anticline	324600	7201222	185	6.52	13.5	134	8.8	26.37	0.45	6.2	0.7	1.3	13.53	0.51
Anticline	324600	7201022	178	6.85	13.2	139	9	25.14	0.39	6.4	0.6	1.4	12.81	0.55
Anticline	324600	7200822	152	6.34	12.7	134	9.1	23.09	0.34	5.8	0.6	1.3	11.95	0.49
Anticline	324600	7200622	196	7.29	15	177	10.4	30.71	0.4	7.4	0.7	1.5	15.45	0.57
Anticline	324600	7200422	157	6.84	13.3	126	9.5	27.52	0.37	6.7	0.9	1.4	14.6	0.54
Anticline	324600	7200222	134	7.5	12	146	9.4	23.26	0.39	6.3	X	1.4	11.49	1.03
Anticline	324600	7200022	151	7.11	13.8	172	10.2	26.33	0.4	6.3	0.7	1.5	14.06	0.57
Anticline	325000	7205022	601	7.6	16.5	179	10.9	31.38	0.36	8.4	0.9	1.6	23.08	0.64
Anticline	325000	7204622	174	8	13.9	145	9.3	21.23	0.37	7	0.8	1.3	13.08	0.62
Anticline	325000	7204222	505	7.44	15.3	206	11	39.96	0.4	8.3	0.8	1.6	21.78	0.58
Anticline	325000	7203822	208	6.85	15.3	167	8.5	23.52	0.37	6.1	0.7	1.2	13.02	0.55
Anticline	325400	7206022	314	9.05	18.1	245	11.2	40.18	0.42	9.3	0.9	1.6	20.99	0.7
Anticline	325400	7205822	245	8.2	17.3	222	11.3	36.87	0.44	8.5	0.6	1.6	19.24	0.66
Anticline	325400	7205622	286	8.6	20.2	301	12.8	39.49	0.45	9.3	0.6	1.7	20.41	0.67
Anticline	325400	7205422	254	8.02	19.2	174	9.3	33.33	0.4	7.7	0.7	1.4	15.59	0.72
Anticline	325400	7205222	190	7.78	15.9	158	9.5	30.52	0.37	7.2	0.8	1.5	13.3	0.56
Anticline	325400	7205022	342	7.24	15.7	163	10.5	32.13	0.4	6.9	0.7	1.5	16.15	0.54
Anticline	325400	7204622	356	7.5	40.6	166	8.1	21.69	0.35	7.1	X	1.2	12.61	0.59
Anticline	325400	7204222	247	5.81	16.4	147	8.2	23.41	0.27	5.6	X	1.2	12.64	0.41
Anticline	325400	7203822	289	6.34	18.7	165	8.3	26.54	0.32	5.6	X	1.2	13.43	0.45
Anticline	325400	7203422	494	7.48	76.5	226	8.6	24.54	0.34	7.8	0.7	1.3	13.94	0.51
Anticline	326200	7205222	164	9.09	11.8	184	9	23.13	0.29	5.1	X	1	13.21	0.59
Anticline	326200	7205022	267	7.35	15.5	193	12.5	32.61	0.39	6.4	0.5	1.4	15.33	0.54
Anticline	326200	7204822	350	7.64	28.7	202	10.3	34.67	0.33	7.4	0.7	1.4	18.48	0.56
Anticline	326200	7204622	478	6.82	18.8	199	10.7	36.1	0.35	7.1	0.7	1.4	19.23	0.51
Anticline	326200	7204422	556	8.28	16.9	182	13	41.49	0.4	8.3	0.6	1.8	22.89	0.61
Anticline	326200	7204222	890	7.18	14.6	223	9.6	32.96	0.34	7.6	X	1.4	26.84	0.55

Prospect	Eastings	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	326200	7204022	548	7.18	15.6	210	10.4	34.2	0.39	7.5	0.9	1.5	23.28	0.52
Anticline	326200	7203822	569	7.48	22.6	194	11.1	36.21	0.45	9.4	0.6	1.6	22.62	0.55
Anticline	326200	7203622	237	6.73	14.2	176	8.1	25.72	0.3	5.6	X	1.3	13.48	0.49
Anticline	326200	7203422	414	7.47	21.8	247	9.5	44.4	0.31	7.6	0.7	1.6	18.97	0.51
Anticline	326200	7203222	228	7.14	17.7	207	8.3	19.53	0.32	7	0.6	1.2	15.9	0.5
Anticline	327000	7204822	148	7.7	14.5	141	9.6	22.9	0.37	5.9	0.8	1.4	11.37	0.56
Anticline	327000	7204622	190	7.21	13.7	129	9.1	27.09	0.38	6	0.6	1.3	11.2	0.53
Anticline	327000	7204422	152	6.89	22.9	135	7.8	20.02	0.35	6.1	0.6	1.2	10.48	0.51
Anticline	327000	7204222	196	6.93	14.2	157	9	23.43	0.35	6.1	X	1.3	11.84	0.51
Anticline	327000	7204022	188	7.64	14.1	148	10.2	27.19	0.4	6.3	0.7	1.5	12.48	0.56
Anticline	327000	7203822	164	7.09	11.6	123	8.8	20.96	0.38	5.4	0.8	1.3	11.01	0.5
Anticline	327000	7203622	555	6.42	13.4	135	9.8	25.1	0.33	5.8	X	1.3	17.87	0.45
Anticline	327000	7203422	517	6.81	11.4	160	10.9	27.5	0.32	6.4	0.9	1.3	18.51	0.49
Anticline	327000	7203222	1156	6.75	19.4	263	10.8	28.85	0.29	10	0.8	1.4	35.39	0.5
Anticline	327000	7203022	280	7.36	15	205	10.1	27.28	0.33	7.7	0.9	1.4	19.65	0.55
Anticline	327000	7202822	227	8.32	15.3	168	9.3	25.98	0.39	7	0.8	1.4	14.21	0.58
Anticline	327000	7202622	1215	7.74	17.7	510	8.7	42.5	0.27	14.1	1.1	1.5	72.74	0.53
Anticline	327000	7202422	466	8.04	14.9	213	10.7	44.96	0.38	9.2	0.7	1.6	23.13	0.6
Anticline	327000	7202222	218	5.58	14.8	139	8.6	21.23	0.29	6.2	0.7	1.3	11.59	0.39
Anticline	327000	7202022	204	7.81	12.9	134	9.8	24.96	0.4	6.5	0.5	1.4	12.48	0.56
Anticline	327000	7201822	151	7.8	12.7	147	9.2	22.73	0.42	5.7	0.7	1.4	11.07	0.57
Anticline	327000	7201622	137	6.56	12.5	144	9.2	23.69	0.4	5.8	X	1.3	11.85	0.5
Anticline	327000	7201422	158	7.91	14.1	134	10.3	28.81	0.36	7	X	1.6	12.92	0.57
Anticline	327000	7201222	128	6.85	11.7	146	9	22.2	0.38	5.4	0.6	1.3	10.71	0.51
Anticline	327000	7201022	128	7.16	11.3	123	8.6	20.2	0.38	4.9	X	1.4	9.66	0.52
Anticline	327000	7200822	131	7.38	12	142	9	21.27	0.38	5.3	0.6	1.4	10.3	0.55
Anticline	327000	7200622	143	7.38	11.8	131	9	20.91	0.39	5.5	0.6	1.3	11.18	0.52
Anticline	327000	7200422	163	7.41	12	135	9	22.11	0.37	5.9	0.6	1.4	11.06	0.54
Anticline	327000	7200222	134	7.05	12.3	111	9.2	22.87	0.39	5.7	X	1.4	10.94	0.5

Prospect	Eastings	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	327000	7200022	139	6.79	12.2	133	8.5	21.51	0.37	5.2	0.6	1.3	10.52	0.49
Anticline	327000	7199822	135	6.96	12.6	137	8.5	21.31	0.33	4.8	X	1.3	10.41	0.51
Anticline	327000	7199622	129	6.58	11.9	140	8.3	20.79	0.35	4.9	X	1.3	10.04	0.48
Anticline	327800	7204822	214	7.57	16.1	201	11.2	34.06	0.44	8.3	0.8	1.6	15.96	0.57
Anticline	327800	7204622	250	8.23	19.6	209	12.5	41.3	0.48	10.1	X	2	18.45	0.62
Anticline	327800	7204422	163	6.74	13.9	146	9.1	25.14	0.38	6.2	0.5	1.4	11.95	0.54
Anticline	327800	7204222	246	8.59	18.8	132	10	35.42	0.44	9	0.7	1.6	15.8	0.64
Anticline	327800	7204022	145	8.61	16.7	146	8.9	21.02	0.42	8.9	0.9	1.4	10.45	0.6
Anticline	327800	7203822	189	7.23	30.1	148	9.1	24.76	0.35	8.4	1	1.4	12.26	0.53
Anticline	327800	7203622	284	6.3	11.3	148	8.4	24.51	0.35	5.4	X	1.3	13.22	0.45
Anticline	327800	7203422	434	6.93	12.5	156	8.6	30.61	0.38	6.8	0.6	1.4	18.04	0.51
Anticline	327800	7203222	372	6.44	10.4	123	7.9	23.8	0.37	5.5	0.6	1.3	14.49	0.47
Anticline	327800	7203022	343	6.43	10.2	116	11.1	26.85	0.32	6.3	0.8	1.5	14.93	0.48
Anticline	327800	7202822	442	6.58	13.1	160	15.9	35.1	0.31	7	1	1.5	20.86	0.49
Anticline	327800	7202622	310	8.17	15.3	155	11.1	30.43	0.36	7.1	X	1.4	17.07	0.85
Anticline	327800	7202422	257	7.04	13.7	101	31.2	28.46	0.35	6.2	1	1.4	15.32	0.49
Anticline	327800	7202222	253	7.51	13.4	113	9.9	28.22	0.38	6.5	0.9	1.3	14.49	0.55
Anticline	327800	7202022	263	8.62	18.4	193	15.1	40.01	0.41	9.2	0.8	1.9	19.14	0.65
Anticline	327800	7201822	276	8.65	19.9	202	15.2	45.83	0.42	10.4	X	2.1	22.59	0.76
Anticline	327800	7201622	1813	9.92	20.3	214	13.1	51.22	0.47	10.9	0.6	2.3	31.06	0.72
Anticline	327800	7201422	288	9.97	21.5	221	34	50.52	0.51	11.4	0.9	2.3	26.4	0.78
Anticline	327800	7201222	273	9.68	18.6	198	13.6	41.8	0.52	9.8	0.6	2	20.3	0.71
Anticline	327800	7201022	232	9.69	20.4	224	13.9	46.68	0.48	10.2	0.8	2.2	21.08	0.73
Anticline	327800	7200822	430	9.19	18.9	184	11.7	42.37	0.45	9.9	0.6	2.1	21.14	0.66
Anticline	327800	7200622	154	7.38	14	169	10.3	26.31	0.42	6.6	X	1.6	12.64	0.55
Anticline	327800	7200422	148	7.89	17	171	11.4	32.03	0.5	7.6	0.8	1.7	14.3	0.57
Anticline	327800	7200222	164	8.36	23.9	193	12.4	33.09	0.47	8	0.7	1.8	14.83	0.63
Anticline	327800	7200022	118	6.45	15	124	16.9	21.66	0.35	5.5	X	1.3	11.7	0.45
Anticline	328600	7203622	177	7.12	12.4	155	10	33.06	0.36	6.3	0.9	1.4	13.12	0.55

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
Anticline	328600	7203422	202	6.9	11.5	104	8.5	30.99	0.36	5.9	0.6	1.2	11.25	0.48
Anticline	328600	7203222	157	8.26	57.4	110	10	23.37	0.36	8	0.7	1.3	10.7	0.61
Anticline	328600	7203022	195	7.11	14	133	11.5	30.76	0.42	7.1	0.8	1.4	12.93	0.51
Anticline	328600	7202822	189	7.9	15	187	11.4	33.87	0.44	7.9	0.7	1.7	16.2	0.58
Anticline	328600	7202622	197	8.74	16.6	155	12.3	35.76	0.45	8.7	0.6	1.8	15.93	0.63
Anticline	328600	7202422	143	7.12	13	157	9.5	25.01	0.39	6.4	0.7	1.5	11.86	0.52
Anticline	328600	7202222	136	7.31	12.7	130	9.6	24.12	0.37	6.1	X	1.5	11.16	0.54
Anticline	328600	7202022	256	10	24.9	220	17.3	51.39	0.6	12	1	2.3	23.51	0.75
Anticline	328600	7201822	119	6.91	11.5	152	10.7	19.61	0.36	5.1	0.6	1.3	9.53	0.48
Anticline	328600	7201622	255	8.52	15.8	176	11.1	36.87	0.44	8.2	0.9	1.7	16.28	0.62
Anticline	328600	7201422	183	7.86	15.8	171	11	35.16	0.38	7.6	0.6	1.6	15.17	0.6
Anticline	328600	7201222	178	7	13.9	141	10	29.4	0.4	6.5	0.6	1.5	12.83	0.72
Anticline	328600	7201022	145	7.35	14	153	10.2	26.79	0.38	6.4	0.5	1.5	12.35	0.52
Anticline	328600	7200822	199	8.05	14.6	169	10.3	29.5	0.43	6.9	0.8	1.5	14.45	0.6
Anticline	328600	7200622	273	10.71	23.8	199	14.8	48.71	0.5	11.1	0.7	2.4	23.11	0.79
Anticline	328600	7200422	400	10.26	23.2	230	13.6	48.1	0.57	10.9	X	2.3	24.68	0.78
Anticline	315766	7209911	83	5.85	65.9	122	23.5	8.83	0.41	8.8	0.8	1	6.47	0.4
Anticline	315272	7203514	7358	10.13	208.1	241	16.9	25.62	0.38	15	0.7	1.6	28.31	0.72
Anticline	322258	7203040	373	7.52	335.4	160	7.7	24.97	0.41	11.8	1.1	1.2	24.23	0.51
Anticline	321401	7203209	323	8.35	18.3	152	13.1	37.06	0.43	7.2	X	1.6	21.24	0.62
ImbinCentral	320000	7198148	103	5.66	10.9	98	7.4	19.2	0.3	4.2	X	1.2	8.45	0.43
ImbCent	320000	7197948	116	5.33	9.6	76	11	16.84	0.31	3.7	0.5	1.1	9.01	0.39
ImbCent	320000	7197748	78	4.89	7.8	87	5.8	12.8	0.3	2.9	X	0.9	6.04	0.4
ImbCent	320000	7197548	78	5.04	8	86	5.8	13.21	0.34	2.9	X	0.9	7.16	0.4
ImbCent	320000	7197348	91	5.73	9.9	83	7.2	17.8	0.35	3.9	X	1.1	7.72	0.44
ImbCent	320000	7197148	89	5.42	9.3	86	6.9	16.21	0.35	3.8	X	1.1	7.17	0.41
ImbCent	320400	7199748	97	5.92	10.1	104	7.1	16.6	0.38	4	0.8	1.2	7.71	0.45
ImbCent	320400	7199548	162	6.26	12.7	130	9	22.15	0.51	5	X	1.4	11.02	0.48
ImbCent	320400	7199148	94	5.25	8.6	84	6.4	16.5	0.35	3.3	0.6	1	7.27	0.38



Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
ImbCent	320400	7198948	118	5.48	9.2	110	8	18.56	0.38	3.6	0.8	1.1	8.67	0.49
ImbCent	320400	7198148	95	5.86	9.7	100	7.2	18.21	0.35	4	X	1.1	7.87	0.43
ImbCent	320400	7197948	85	5.38	8.7	108	7.6	15.31	0.3	3.3	0.6	1.1	7.93	0.42
ImbCent	320400	7197748	84	5.58	8.9	79	6.7	17.13	0.31	3.4	X	1.1	7.57	0.42
ImbCent	320400	7197548	77	4.96	7.9	68	5.7	14.08	0.33	3	X	0.9	6.59	0.38
ImbCent	320400	7197348	91	6.02	9.8	96	7.1	17.47	0.38	4.1	X	1.2	7.65	0.46
ImbCent	320400	7197148	74	5.33	8.5	84	5.8	14.85	0.34	3.3	X	1	6.82	0.41
ImbCent	320400	7196948	85	6	9	76	6.3	15.78	0.37	3.8	0.6	1.2	7.38	0.45
ImbCent	320400	7196748	91	5.6	9.9	86	6.6	19.04	0.31	4.1	X	1.3	8.54	0.41
ImbCent	320800	7199748	93	5.97	10.4	106	6.4	17.69	0.34	4.6	X	1.2	8.06	0.43
ImbCent	320800	7199548	83	5.94	11.9	91	6.8	15.61	0.37	4.1	X	1.2	7.2	0.44
ImbCent	320800	7199348	90	5.6	9.7	101	6.5	15.59	0.43	3.9	X	1.1	7.24	0.4
ImbCent	320800	7199148	86	5.48	10	92	7.1	16.56	0.38	3.9	X	1.2	7.44	0.4
ImbCent	320800	7198948	71	4.91	8.1	89	16.4	10.69	0.39	2.7	0.6	1	6.97	0.36
ImbCent	320800	7198148	96	5.62	9.8	100	14.8	17.79	0.38	4.2	X	1.3	8.61	0.42
ImbCent	320800	7197948	95	6.15	9.5	86	7.5	16.76	0.33	3.9	X	1.2	7.56	0.46
ImbCent	320800	7197748	89	5.62	9	75	13.8	15.12	0.34	3.2	0.6	1.1	7.46	0.43
ImbCent	320800	7197548	103	5.96	10	92	8.5	17.08	0.33	3.5	X	1.2	8.07	0.43
ImbCent	320800	7197348	100	5.37	9.4	94	6.9	15.77	0.34	3.8	0.5	1.2	7.35	0.41
ImbCent	320800	7197148	90	6.08	9.7	79	6.5	15.91	0.34	4	X	1.2	7.17	0.44
ImbCent	320800	7196948	96	6.31	10.2	89	6.7	16.65	0.35	4.2	X	1.2	7.49	0.47
ImbCent	320800	7196748	90	5.74	9.5	90	6.4	15.86	0.31	3.7	0.5	1.1	7.26	0.44
ImbCent	321200	7199748	101	6.22	10.9	128	9.2	16.37	0.4	4.7	0.6	1.3	7.77	0.43
ImbCent	321200	7199548	85	5.03	9.1	110	9.6	12.79	0.34	3.5	X	1.1	7.65	0.34
ImbCent	321200	7199348	86	4.9	8.9	108	6.1	14.1	0.33	3.4	X	1.1	7.07	0.37
ImbCent	321200	7199148	85	5.49	9.8	97	102.1	15.56	0.56	3.5	0.5	1.2	7.44	0.4
ImbCent	321200	7198948	88	5.69	9.6	109	6.4	15.36	0.39	3.5	X	1.1	7.17	0.42
ImbCent	321200	7198148	104	6.02	10.5	99	7.6	20.44	0.4	4.4	0.7	1.3	8.6	0.48
ImbCent	321200	7197948	115	6.58	10.9	99	7.5	20.88	0.39	4.5	X	1.2	8.95	0.48

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
ImbCent	321200	7197748	112	6.55	11.1	113	7.7	21.29	0.38	4.7	0.5	1.4	8.96	0.5
ImbCent	321200	7197548	92	5.7	9.8	90	6.7	17.55	0.31	4	X	1.2	8.02	0.43
ImbCent	321200	7197348	70	5.4	8.4	81	5.9	13.66	0.28	3.2	0.5	1.1	6.32	0.39
ImbCent	321200	7197148	93	6	9.6	105	8.2	15.96	0.36	3.5	0.5	1.1	7.51	0.44
ImbCent	321200	7196948	86	5.31	9.3	79	6.4	15.69	0.34	3.6	X	1.2	7.21	0.38
ImbCent	321200	7196748	88	5.93	9.5	97	6.8	15.57	0.3	3.8	0.6	1.1	7.19	0.42
ImbCent	321600	7199748	112	5.59	10.9	137	8.9	18.83	0.37	4.7	0.9	1.1	9.15	0.39
ImbCent	321600	7199548	98	6.11	9.4	118	13.7	14.71	0.4	4.4	0.7	1.2	6.8	0.59
ImbCent	321600	7199348	183	7.83	14.9	154	12.3	26.48	0.46	7.1	0.9	1.6	14.01	0.61
ImbCent	321600	7199148	102	5.95	9.9	114	7	14.67	0.43	3.8	0.8	1.2	7.36	0.45
ImbCent	321600	7198948	94	5.4	9	116	7.8	14.19	0.32	3.5	X	1.1	7.16	0.43
ImbCent	321600	7198148	97	5.79	9.7	88	8.5	16.84	0.34	4	X	1.1	7.72	0.42
ImbCent	321600	7197948	98	5.82	10.6	86	6.6	19.18	0.31	4.1	X	1.2	8.33	0.42
ImbCent	321600	7197748	99	5.42	10.6	82	7.1	19.57	0.29	4.2	X	1.3	9.56	0.41
ImbCent	321600	7197548	94	5.62	9.6	77	5.9	15.74	0.35	3.6	X	1.1	7.13	0.4
ImbCent	321600	7197348	100	5.69	9.8	80	6.7	16.46	0.35	3.7	0.6	1.1	7.59	0.4
ImbCent	321600	7197148	96	5.53	9.3	84	9.1	15.91	0.35	3.4	X	1.1	7.13	0.42
ImbCent	321600	7196948	85	5.94	9.5	90	7.9	15.09	0.33	3.5	0.6	1.1	7.6	0.43
ImbCent	321600	7196748	87	6.09	9.8	77	6.8	15.26	0.35	3.7	X	1.2	7.73	0.43
ImbCent	322000	7198148	92	5.75	9.8	97	7.4	16.35	0.31	3.8	0.5	1.1	7.53	0.44
ImbCent	322000	7197948	90	5.93	9.2	77	7.5	15.81	0.32	3.6	0.6	1.1	7.23	0.43
ImbCent	322000	7197748	93	6.27	10.1	75	6.8	18.38	0.34	4.1	X	1.2	8.11	0.45
ImbCent	322000	7197548	86	5.59	9.6	82	6.5	15.58	0.34	3.6	0.5	1.2	7.53	0.39
ImbCent	322000	7197348	89	6	9.6	66	6.4	15.53	0.32	4.2	X	1.1	7.57	0.44
ImbCent	322000	7197148	76	5.78	9.1	70	6	13.32	0.34	3.4	X	1	6.51	0.41
ImbCent	322000	7196948	79	5.34	9.2	86	6.5	13.93	0.32	3.5	X	1.1	6.78	0.41
ImbCent	322000	7196748	92	6.15	9.4	93	6.8	14.57	0.33	3.3	0.7	1.1	7.4	0.46
ImbCent	322400	7197748	97	5.9	10.2	97	6.6	17.92	0.3	4	X	1.2	7.82	0.42
ImbCent	322400	7197548	106	6.02	10.5	117	7.8	18.1	0.38	4	X	1.2	8.05	0.47

Prospect	Easting	Northing	Na_ppm	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm
ImbCent	322400	7197348	106	6.03	11.4	94	7.8	14.98	0.37	3.5	X	1.1	6.56	0.47
ImbCent	322400	7197148	59	4.55	8.6	X	5.3	10.26	0.3	2.6	X	0.9	4.67	0.32
ImbCent	322400	7196948	99	5.29	9.5	56	6.7	14.44	0.36	3.5	X	1.1	6.66	0.44
ImbCent	322400	7196748	94	5.63	9.3	89	5.9	14.17	0.33	3.6	X	1.1	6.82	0.39

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	309400	7207022	2.96	1719	0.08	0.37	33	0.4	2.19	7	47.9
Anticline	309400	7206822	4.09	2130	0.1	0.67	44	0.6	3.71	11	51.6
Anticline	309400	7206622	4.2	2058	0.11	0.55	46	0.6	3.68	11	50.8
Anticline	309400	7206422	9.31	3784	0.34	1.29	85	1.1	11.15	27	91.6
Anticline	309400	7206222	4.81	2512	0.1	0.55	61	0.6	3.42	9	55.2
Anticline	309400	7206022	5.17	2791	0.16	0.63	53	0.7	4.78	14	65.5
Anticline	309400	7205822	5.81	2978	0.17	0.79	57	0.7	5.67	13	65.9
Anticline	309400	7205622	5.68	2891	0.16	0.87	59	0.7	5.69	12	70.7
Anticline	309400	7205422	5.49	2836	0.16	0.77	57	0.7	5.47	13	64.5
Anticline	309400	7205222	5.82	3020	0.18	0.8	59	0.8	5.87	16	71.9
Anticline	309400	7205022	5.8	2953	0.16	0.83	59	0.7	6.01	13	66
Anticline	309400	7204822	5.9	3019	0.18	0.81	61	0.7	5.93	14	68
Anticline	310200	7207022	3.99	2786	0.11	0.55	47	0.6	3.29	10	57
Anticline	310200	7206822	4.96	2764	0.15	0.68	55	0.7	5.41	13	63.3
Anticline	310200	7206622	4.5	2350	0.11	0.56	53	0.6	3.96	11	61.8
Anticline	310200	7206422	4.67	2516	0.13	0.62	58	0.7	4.08	11	58.5
Anticline	310200	7206222	4.42	2408	0.11	0.6	55	0.6	3.84	10	55.3
Anticline	310200	7206022	4.05	2220	0.09	0.5	49	0.6	3.19	9	47.7
Anticline	310200	7205822	5.83	3043	0.17	0.87	59	0.7	5.73	12	65.9
Anticline	310200	7205622	5.81	2943	0.17	0.8	59	0.7	5.83	13	66.4
Anticline	310200	7205422	5.82	3060	0.17	0.82	60	0.7	7.08	13	70.2
Anticline	310200	7205222	5.89	2942	0.17	0.81	55	0.8	5.67	13	71.4

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	310200	7205022	5.91	2946	0.17	0.79	59	0.7	5.93	13	71.9
Anticline	310200	7204822	5.98	3237	0.18	0.84	61	0.8	6.25	14	77.1
Anticline	310200	7204622	5.85	3021	0.17	0.81	59	0.8	5.82	13	68.9
Anticline	311000	7207422	6.36	3805	0.16	0.8	66	0.8	10.3	20	88.3
Anticline	311000	7207222	9.44	4420	0.29	1.44	95	1	18.07	36	104.8
Anticline	311000	7207022	11.01	4515	0.4	2.32	108	1.3	17.29	44	109.4
Anticline	311000	7206822	8.06	3483	0.24	1.22	78	0.9	9.79	26	86.5
Anticline	311000	7206622	8.16	3476	0.28	1.25	81	0.9	12.26	22	109.9
Anticline	311000	7206422	5.62	2926	0.16	0.81	61	0.7	5.38	14	67.6
Anticline	311000	7206222	4.88	2819	0.15	0.72	53	0.7	5.02	12	67.3
Anticline	311000	7206022	4.89	2711	0.14	0.65	54	0.7	4.45	12	58.4
Anticline	311000	7205822	4.95	2680	0.13	0.63	54	0.7	4.57	11	67.3
Anticline	311000	7205622	4.73	2649	0.14	0.62	54	0.7	4.23	12	60.1
Anticline	311000	7205422	5.61	2934	0.15	0.74	57	0.7	5.15	12	71.7
Anticline	311000	7205222	5.48	3063	0.15	0.7	58	0.7	5.07	12	67.5
Anticline	311000	7205022	5	2702	0.12	0.64	53	0.6	4.26	10	58.8
Anticline	311000	7204822	4.47	2552	0.11	0.58	53	0.6	3.75	10	55.8
Anticline	311000	7204622	4.78	2730	0.12	0.63	52	0.6	4.2	11	58.9
Anticline	311800	7207622	5.89	2977	0.16	0.86	61	0.7	6.5	16	75.5
Anticline	311800	7207422	5.99	2966	0.16	0.9	64	0.7	6.28	19	72.8
Anticline	311800	7207222	7.55	4020	0.21	1.22	87	0.8	8.41	22	91.9
Anticline	311800	7207022	8.05	4733	0.2	1.11	82	0.9	7.66	18	110.4
Anticline	311800	7206822	5.58	3256	0.13	0.79	72	0.7	5.01	13	77.8
Anticline	311800	7206622	6.03	3346	0.15	0.77	70	0.7	5.73	13	73.3
Anticline	311800	7206422	6.46	3413	0.16	0.83	71	0.8	5.54	14	81.3
Anticline	311800	7206222	6.69	3578	0.18	0.87	71	0.8	6.07	14	80.3
Anticline	311800	7206022	5.9	2947	0.16	0.78	67	0.8	5	13	66.6
Anticline	311800	7205822	6.65	3301	0.19	0.93	64	0.9	6.91	14	82.4
Anticline	311800	7205622	5.17	2879	0.13	0.68	57	0.7	4.66	11	64.1

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	311800	7205422	5.49	2925	0.13	0.66	53	0.7	4.8	10	68.4
Anticline	311800	7205222	5.15	2847	0.13	0.66	55	0.7	7.64	10	72.1
Anticline	311800	7205022	5.02	2612	0.12	0.66	52	0.6	4.88	10	63.9
Anticline	311800	7204822	4.93	2656	0.13	0.66	51	0.6	4.68	11	59
Anticline	311800	7204622	5.43	2808	0.12	0.68	54	0.7	4.57	11	61.2
Anticline	312200	7207822	6.05	3597	0.13	0.85	66	0.7	5.85	14	77.5
Anticline	312200	7207422	6.21	3810	0.13	0.85	69	0.7	5.74	14	79.1
Anticline	312200	7207022	6.49	3705	0.13	0.92	66	0.7	6.03	14	77.2
Anticline	312600	7208222	6.25	3327	0.15	1.03	58	0.7	6.91	16	80.6
Anticline	312600	7207822	7.33	2990	0.21	1.15	62	0.9	8.44	18	83.6
Anticline	312600	7207422	6.22	3751	0.15	0.93	74	0.7	6.21	14	92.8
Anticline	312600	7207022	5.87	3363	0.14	0.82	69	0.7	5.62	13	68.3
Anticline	312600	7206622	7.16	3360	0.19	1.07	72	0.8	7.96	16	78.6
Anticline	312600	7206422	7.23	3563	0.2	1.1	73	0.9	8.73	16	78.4
Anticline	312600	7206222	7.41	3414	0.2	1.09	73	0.9	8.33	16	77.7
Anticline	312600	7206022	7.45	3378	0.19	1.08	75	0.8	7.83	16	79
Anticline	312600	7205822	8.92	3839	0.26	1.3	77	1	15.9	23	97.7
Anticline	312600	7205622	7.14	3139	0.21	1.01	70	0.8	8.02	16	74.1
Anticline	312600	7205422	5.27	2695	0.11	0.7	57	0.6	4.56	12	56.7
Anticline	312600	7205222	6.15	2806	0.14	0.78	62	0.7	5.54	14	69
Anticline	312600	7205022	6.34	3192	0.14	1.04	64	0.6	5.82	14	75.3
Anticline	313000	7209822	4.98	2595	0.11	0.69	55	0.6	5.1	10	67.5
Anticline	313000	7209422	5.77	3329	0.12	0.8	64	0.8	5.29	11	83.1
Anticline	313000	7209022	6.26	3743	0.14	0.84	67	0.8	5.99	13	97.5
Anticline	313000	7208622	5.4	2884	0.14	0.74	57	0.7	6.13	15	74.7
Anticline	313000	7208222	8.7	3581	0.24	1.35	77	0.9	7.74	21	98.4
Anticline	313000	7207822	6.68	2663	0.18	1.05	69	0.8	6.02	19	72.9
Anticline	313000	7207422	9.82	3739	0.33	1.56	94	1	12.04	31	100.6
Anticline	313000	7207022	9.93	3965	0.28	1.6	90	1	11.06	29	100.9

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	313400	7210222	9.41	4136	0.25	1.29	85	0.9	10.17	20	114.2
Anticline	313400	7209822	5.16	2867	0.11	0.64	67	0.6	4.14	10	67.7
Anticline	313400	7209422	4.35	2385	0.09	0.56	52	0.5	3.86	9	57.5
Anticline	313400	7209022	4.81	2555	0.09	0.6	63	0.7	3.95	8	63
Anticline	313400	7208622	7.82	3832	0.21	1.08	73	0.8	7.63	17	96.3
Anticline	313400	7208222	6.07	2987	0.18	0.83	58	0.7	5.99	14	80.1
Anticline	313400	7207822	6.69	3132	0.16	0.95	64	0.7	8.99	15	83.6
Anticline	313400	7207422	10.36	4160	0.29	1.74	93	1.3	9.34	26	121.7
Anticline	313400	7207022	6.75	3072	0.17	1.09	69	0.8	6.65	17	78.7
Anticline	313400	7206622	8.61	3827	0.23	1.26	79	1	7.55	20	98
Anticline	313400	7206422	12.75	4570	0.38	2.48	104	1.4	12.19	35	115.7
Anticline	313400	7206222	12.09	4343	0.35	2.16	94	1.3	12.06	33	112.4
Anticline	313400	7206022	10.64	3955	0.3	1.77	87	1.1	10.48	30	93.5
Anticline	313400	7205822	7.62	3170	0.2	1.16	72	0.9	9.33	19	78.1
Anticline	313400	7205622	7.14	3250	0.18	1.03	69	0.8	6.97	16	74
Anticline	313400	7205422	7.18	3236	0.16	0.93	64	0.9	6.62	15	78.3
Anticline	313800	7210222	7.09	2729	0.13	0.82	63	0.8	5.2	12	75.7
Anticline	313800	7209822	6.03	3553	0.12	0.78	76	0.8	5.25	13	81.9
Anticline	313800	7209422	5.97	3359	0.14	0.81	63	0.7	5.96	12	77.6
Anticline	313800	7209022	7.03	3649	0.18	0.95	68	0.8	6.97	14	107.4
Anticline	313800	7208622	6.31	2924	0.17	0.92	64	0.8	6.73	16	78
Anticline	313800	7208222	7.36	3153	0.2	1.16	68	0.9	8.66	17	88.6
Anticline	313800	7207822	7.69	3218	0.2	1.15	69	0.9	7.73	19	86.1
Anticline	313800	7207422	7.22	3640	0.19	1.11	78	0.9	8.16	18	86.7
Anticline	313800	7207022	8.7	3619	0.25	1.34	79	1	11.08	23	87.6
Anticline	314200	7210622	7.29	4066	0.19	0.99	68	1	7.87	16	89.9
Anticline	314200	7210222	7.61	3384	0.16	0.9	74	0.9	6.95	18	84.2
Anticline	314200	7209822	7.32	3988	0.21	0.91	76	0.8	8.35	15	106.3
Anticline	314200	7209422	5.94	3444	0.16	0.88	60	0.8	6.17	14	91.4

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	314200	7209022	6.33	2881	0.16	0.92	63	0.7	6.26	15	84.3
Anticline	314200	7208622	5.96	3103	0.12	0.8	58	0.8	4.82	13	73.9
Anticline	314200	7208222	6.32	3243	0.14	0.85	62	0.7	5.31	14	78.8
Anticline	314200	7207822	6.77	3283	0.14	0.86	65	0.8	5.46	14	79.4
Anticline	314200	7207422	6.09	2921	0.15	0.83	65	0.7	5.82	14	69.3
Anticline	314200	7207022	6.53	2853	0.16	0.81	63	0.8	5.97	16	73.9
Anticline	314200	7206622	7.62	3190	0.19	1.04	77	0.8	6.98	21	79.6
Anticline	314200	7206422	8.05	3631	0.19	1.1	84	0.9	7.5	20	92.9
Anticline	314200	7206222	6.83	3401	0.16	0.98	65	0.9	6.7	20	101.3
Anticline	314200	7206022	6.36	3156	0.15	0.81	67	0.8	5.31	14	73.8
Anticline	314200	7205822	9.65	3925	0.24	1.5	85	1.1	11.71	26	98.4
Anticline	314600	7210622	8.11	3503	0.17	1.09	79	0.9	7.06	16	87.1
Anticline	314600	7210222	7.05	3233	0.21	0.93	99	0.9	7.18	22	76.1
Anticline	314600	7209822	6.64	3911	0.13	0.89	78	0.8	5.05	14	81.7
Anticline	314600	7209422	6.25	3614	0.16	0.92	62	0.7	5.83	14	88.3
Anticline	314600	7209022	5.55	2811	0.15	0.93	62	0.6	6.53	15	69.9
Anticline	314600	7208622	4.91	2481	0.15	0.73	58	0.6	5.11	13	64.8
Anticline	314600	7208222	7.25	3371	0.16	0.89	72	0.8	6.04	15	86.5
Anticline	314600	7207822	5.73	3205	0.12	0.76	60	0.7	6.27	14	68.6
Anticline	314600	7207422	6.44	2968	0.18	0.91	63	0.8	5.46	14	67.4
Anticline	314600	7207022	7.67	3443	0.2	1.12	68	0.9	6.96	22	81.5
Anticline	315000	7211422	5.22	2873	0.11	0.71	61	0.7	4.44	11	64.8
Anticline	315000	7211022	4.86	2690	0.11	0.61	57	0.7	3.92	11	59.1
Anticline	315000	7210622	5.48	3050	0.13	0.7	69	0.7	4.09	13	60.5
Anticline	315000	7210222	7.9	3948	0.17	1.12	92	0.9	7.2	16	83.1
Anticline	315000	7209822	6.24	3974	0.14	1.03	82	0.8	5.52	15	91.7
Anticline	315000	7209422	5.6	3218	0.13	0.84	63	0.7	7.03	15	92.8
Anticline	315000	7209022	7.83	3954	0.2	1.26	72	1	8.37	19	109.7
Anticline	315000	7208622	6.15	3149	0.15	0.83	58	0.8	5.63	13	78.4

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	315000	7208222	9.22	4096	0.25	1.34	84	1.1	11.82	23	106.7
Anticline	315000	7207822	6.44	3280	0.15	0.89	67	0.8	7.02	14	87.3
Anticline	315000	7207422	6.32	3007	0.15	0.81	62	0.8	5.62	13	73.6
Anticline	315000	7207022	6.73	3281	0.17	0.93	73	0.9	7.28	14	79.9
Anticline	315000	7206622	7.32	3570	0.16	1.03	72	0.9	6.49	15	88.7
Anticline	315000	7206422	7.27	3541	0.19	0.95	78	0.9	7.21	19	85
Anticline	315000	7206222	7.4	3829	0.21	0.98	79	0.8	6.83	18	87.7
Anticline	315000	7206022	8.33	4253	0.24	1.19	86	1.1	9.04	20	111
Anticline	315000	7205822	12.55	5079	0.35	2.17	105	1.4	10.86	30	127.4
Anticline	315400	7211422	5.2	2571	0.1	0.57	58	0.7	3.63	10	55.8
Anticline	315400	7211022	4.16	2344	0.08	0.51	61	0.7	2.97	10	59
Anticline	315400	7210622	4.74	2799	0.12	0.64	69	0.7	4.6	13	61.6
Anticline	315400	7210222	5.66	3747	0.13	0.8	61	0.8	5.7	13	87
Anticline	315400	7209822	6.73	6773	0.16	1.01	118	0.9	6.4	17	114.6
Anticline	315400	7209422	7.23	3631	0.16	1.02	64	0.9	6.47	20	90.7
Anticline	315400	7209022	6.3	3723	0.17	0.91	66	0.8	6.62	15	93.7
Anticline	315400	7208622	6.87	3669	0.15	0.97	62	0.9	6.59	16	91.4
Anticline	315400	7208222	5.97	3314	0.14	0.78	64	0.8	8	13	75.7
Anticline	315400	7207822	6.43	2984	0.13	0.83	73	0.8	5.87	14	75.1
Anticline	315400	7207422	8.56	4030	0.23	1.16	76	1	8.97	21	94.4
Anticline	315400	7207022	6.63	3165	0.15	0.86	81	0.8	6.6	14	77.1
Anticline	315800	7211422	4.89	2645	0.1	0.59	56	0.7	3.92	10	66.3
Anticline	315800	7211022	6.03	3522	0.13	0.74	74	0.8	5.67	14	79
Anticline	315800	7209822	8.73	4427	0.28	1.24	110	1	13.04	42	93.3
Anticline	315800	7209422	5.12	2851	0.13	0.7	73	0.6	5.75	14	75
Anticline	315800	7209022	6.48	2642	0.19	0.9	67	0.7	6.77	18	69.9
Anticline	315800	7208622	6.59	3457	0.14	0.83	65	0.8	5.9	14	82.7
Anticline	315800	7208222	8.59	3651	0.23	1.12	84	0.9	9.24	22	87
Anticline	315800	7207822	6.72	2821	0.14	0.74	78	0.8	5	15	68.1



Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	315800	7207422	6.74	2977	0.14	0.8	75	0.7	5.85	13	68.8
Anticline	315800	7207022	8.09	3992	0.2	1.03	92	0.9	8.37	32	90.1
Anticline	315800	7206622	7.04	3145	0.16	0.92	78	0.9	6.33	16	82
Anticline	315800	7206422	10.98	4223	0.31	1.56	106	1.2	13.58	34	113.9
Anticline	315800	7206222	9.71	4084	0.25	1.27	97	1.1	9.18	23	105.1
Anticline	315800	7206022	7.22	3075	0.18	0.94	80	0.9	6.65	17	83.4
Anticline	316200	7211422	7.05	3896	0.19	0.91	69	0.9	6.96	16	86.3
Anticline	316200	7211022	5.17	2976	0.12	0.66	71	0.6	4.06	12	61.8
Anticline	316200	7209822	8.25	4233	0.26	1.23	104	1	11.42	35	91.1
Anticline	316200	7209422	9.61	3895	0.33	1.5	97	1	14.58	40	102.9
Anticline	316200	7209022	6.65	3620	0.16	0.91	77	0.8	7.02	15	80.9
Anticline	316200	7208622	6.82	3341	0.15	0.89	71	0.8	6.47	15	73.3
Anticline	316200	7208222	6.76	3278	0.15	0.89	68	0.8	6.04	14	75.6
Anticline	316200	7207822	6.37	3170	0.14	0.81	72	0.8	5.96	14	76.8
Anticline	316200	7207422	7.75	3663	0.19	0.99	83	0.9	7.22	16	89.8
Anticline	316200	7207022	8.97	4460	0.21	1.14	92	1	8.53	19	101.5
Anticline	316600	7211422	8.72	3870	0.22	1.18	92	1.2	10.09	21	100.7
Anticline	316600	7211022	5.78	2801	0.14	0.7	69	0.7	5.34	14	70.1
Anticline	316600	7210622	9.03	4186	0.27	1.45	115	1.1	13.74	39	88.5
Anticline	316600	7209022	7.03	3293	0.2	1.01	74	0.8	7.45	20	79.5
Anticline	316600	7208622	5.73	2972	0.14	0.69	69	0.7	5.07	13	59.9
Anticline	316600	7208222	5.83	2976	0.13	0.75	70	0.7	4.71	13	64.7
Anticline	316600	7207822	6.1	3424	0.13	0.84	76	0.8	5.24	13	85.8
Anticline	316600	7207422	5.8	3208	0.12	0.73	69	0.8	5.31	13	69.1
Anticline	316600	7207022	6.97	3198	0.15	0.84	84	0.8	5.89	14	83.7
Anticline	316600	7206622	6.45	3028	0.17	0.87	71	0.9	6.19	15	77.6
Anticline	316600	7206422	6.86	3192	0.18	0.98	75	0.9	7.12	16	85.4
Anticline	316600	7206222	6.41	2934	0.17	0.9	69	0.8	5.99	16	73.7
Anticline	316600	7206022	6.73	3400	0.17	0.79	78	0.7	5.97	17	80.1

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	317000	7211422	4.61	2631	0.12	0.56	52	0.7	4.3	12	57.9
Anticline	317000	7211022	5.4	2950	0.14	0.75	57	0.7	4.92	13	71.3
Anticline	317000	7210622	5.86	3072	0.16	0.82	76	0.7	7.28	21	72.7
Anticline	317000	7209022	7.21	3845	0.18	1.04	90	1	7.21	21	99
Anticline	317000	7208622	6.5	3301	0.15	0.85	68	0.8	5.75	16	77.3
Anticline	317000	7208222	6.29	3466	0.13	0.82	70	0.8	5.2	14	86.2
Anticline	317000	7207822	5.7	4022	0.13	0.78	77	0.7	5.03	14	77.9
Anticline	317000	7207422	8.23	4290	0.21	1.1	93	1	6.96	19	96.9
Anticline	317000	7207022	6.4	3160	0.13	0.74	82	0.8	5.18	13	68.2
Anticline	317400	7211422	4.6	2625	0.1	0.58	56	0.7	4	9	60.2
Anticline	317400	7211022	10.29	4396	0.28	1.39	95	1.2	10.54	25	108.5
Anticline	317400	7210622	5.62	2820	0.15	0.74	66	0.7	5.31	14	65.4
Anticline	317400	7210222	5.55	2799	0.14	0.73	77	0.7	5.1	17	70.6
Anticline	317400	7209822	7.8	3848	0.21	1.08	80	0.9	7.19	19	100.8
Anticline	317400	7209422	9.07	3843	0.23	1.35	76	1.1	8.93	26	101.9
Anticline	317400	7209022	6.76	3771	0.14	0.89	67	0.8	5.84	17	98.9
Anticline	317400	7208622	8.11	3627	0.19	1.1	76	0.9	6.93	19	91.5
Anticline	317400	7208222	7.02	3348	0.15	0.85	71	0.7	5.45	14	86.4
Anticline	317400	7207822	7.11	3425	0.19	0.94	73	0.6	6.94	15	102.3
Anticline	317400	7207422	6.96	3828	0.15	0.84	83	0.8	5.52	16	84.1
Anticline	317400	7207022	6.38	3016	0.13	0.73	78	0.7	4.56	12	67.8
Anticline	317400	7206622	6.89	3083	0.14	0.75	87	0.7	4.8	13	71.9
Anticline	317400	7206422	6.13	2844	0.12	0.64	79	0.7	4.39	12	65.6
Anticline	317400	7206222	6.59	3624	0.15	0.8	68	0.8	6.39	14	77.6
Anticline	317400	7206022	6.14	3334	0.13	0.73	65	0.7	5.06	13	76.2
Anticline	317800	7211422	5.05	2898	0.12	0.67	52	0.7	4.15	11	65
Anticline	317800	7211022	6.48	3362	0.17	0.83	68	0.8	6.46	14	72.7
Anticline	317800	7210622	6.69	3437	0.18	0.87	72	0.8	7.26	15	82.8
Anticline	317800	7210222	7.67	3849	0.19	0.99	77	0.8	6.75	18	87.9

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	317800	7209822	6.66	3631	0.16	0.79	74	0.6	6.39	14	79.8
Anticline	317800	7209422	6.62	3508	0.18	0.91	70	0.7	5.74	15	82.3
Anticline	317800	7209022	9.6	3936	0.24	1.36	84	1	7.99	23	102.4
Anticline	317800	7208622	7.77	3599	0.17	1.09	68	0.8	6.22	16	95.1
Anticline	317800	7208222	6.85	3002	0.17	0.86	61	0.7	5.32	17	76.2
Anticline	317800	7207822	8.27	3638	0.18	1.07	70	0.9	6.11	18	99.5
Anticline	317800	7207422	9.95	3760	0.27	1.39	89	1	9.71	26	98.8
Anticline	317800	7207022	6.63	3791	0.14	0.82	74	1.2	5.2	14	84.1
Anticline	318200	7211422	5.48	3130	0.13	0.7	55	0.7	4.8	12	67.3
Anticline	318200	7211022	5.64	3168	0.13	0.7	62	0.7	4.89	13	66.9
Anticline	318200	7210622	5.35	3122	0.12	0.68	62	0.7	4.7	12	69.9
Anticline	318200	7210222	5.83	3098	0.14	0.72	59	0.6	5.14	14	70.4
Anticline	318200	7209822	6.57	3471	0.15	0.82	71	0.7	5.51	14	85.2
Anticline	318200	7209422	8.16	3901	0.21	1.18	83	0.9	7.19	21	99.7
Anticline	318200	7209022	8.39	3370	0.22	1.23	80	0.9	7.58	24	83.4
Anticline	318200	7208622	9.37	3491	0.22	1.21	81	1	7.82	20	96.4
Anticline	318200	7208222	5.55	2502	0.12	0.66	62	0.6	4.14	12	59.1
Anticline	318200	7207822	7.27	3577	0.16	0.98	70	0.9	6.57	16	86.7
Anticline	318200	7207422	6.31	3598	0.16	0.87	60	0.7	6.28	14	84
Anticline	318200	7207022	6.65	3570	0.14	0.88	91	0.7	8.69	22	82
Anticline	318200	7206622	8.69	3715	0.22	1.17	100	0.9	9.63	26	94.7
Anticline	318600	7207422	8.83	3672	0.21	1.23	80	1	7.34	22	94.9
Anticline	318600	7207022	7.01	3037	0.18	1.02	73	0.8	6.7	18	82.6
Anticline	318600	7206622	10.73	4408	0.3	1.65	111	1.1	11.03	39	109.2
Anticline	319000	7211022	5.46	2881	0.12	0.67	62	0.6	4.41	11	61.3
Anticline	319000	7210822	9.28	3768	0.29	1.21	89	1.1	13.31	21	93.3
Anticline	319000	7210622	5.35	2863	0.12	0.61	57	0.7	4.18	10	66.6
Anticline	319000	7210422	6.07	3117	0.13	0.71	64	0.8	5.15	14	71.3
Anticline	319000	7210222	5.37	2857	0.12	0.64	55	0.7	4.59	12	64.4

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	319000	7210022	5.75	2997	0.13	0.69	60	0.7	7.03	12	70.2
Anticline	319000	7209822	7.19	3275	0.18	0.91	67	0.8	7.02	31	75
Anticline	319000	7209622	6.23	3050	0.15	0.74	62	0.7	5.72	15	67.6
Anticline	319000	7209422	9.83	3905	0.26	1.25	84	1.1	10.71	28	93.3
Anticline	319000	7209222	6.37	3235	0.16	0.81	64	0.8	7	14	74.4
Anticline	319000	7209022	7.21	3454	0.21	0.96	77	0.9	8.49	23	82
Anticline	319000	7208822	6.3	3034	0.15	0.85	60	0.8	5.89	14	73.4
Anticline	319000	7208622	7.09	3155	0.17	0.95	66	0.8	6.4	17	80
Anticline	319000	7208422	7.55	3403	0.17	1.01	64	0.8	8.11	16	75.6
Anticline	319000	7208222	6.07	2904	0.14	0.71	68	0.7	4.79	13	66.3
Anticline	319000	7208022	6.67	3457	0.16	0.87	63	0.8	6.43	16	76.9
Anticline	319000	7207822	6.35	3066	0.15	0.79	66	0.7	5.69	15	69.1
Anticline	319000	7207622	7.48	3306	0.19	0.97	75	0.8	5.74	16	81.9
Anticline	319000	7207422	6.8	3536	0.18	0.95	65	0.8	6.25	19	83.1
Anticline	319800	7210822	4.82	2771	0.11	0.64	54	0.6	3.87	12	56.1
Anticline	319800	7210622	4.74	2789	0.12	0.59	56	0.6	3.88	11	56.8
Anticline	319800	7210222	6.24	3326	0.16	0.86	66	0.7	5.9	14	70.5
Anticline	319800	7210022	4.93	2805	0.13	0.59	56	0.6	4.29	11	55.4
Anticline	319800	7209822	6.64	3231	0.18	0.82	67	0.8	7.16	18	70.2
Anticline	319800	7209622	5.5	3047	0.14	0.71	59	0.7	5.24	13	67.9
Anticline	319800	7209422	5.51	2892	0.14	0.75	58	0.7	4.89	12	63
Anticline	319800	7209222	5.72	3027	0.14	0.7	59	0.7	5.55	13	66
Anticline	319800	7209022	5.66	2949	0.15	0.74	59	0.7	5.81	14	66.5
Anticline	319800	7208822	7.44	3300	0.21	1	69	0.8	7.42	20	71.6
Anticline	319800	7208622	9.02	3849	0.25	1.24	82	1	9.47	25	89.5
Anticline	319800	7208422	6.36	2913	0.16	0.85	64	0.7	6.28	18	70.2
Anticline	319800	7208222	8.55	3571	0.24	1.26	80	0.9	8.91	24	82.6
Anticline	319800	7208022	9.76	3829	0.29	1.46	86	1.1	9.49	28	93
Anticline	319800	7207822	8.79	3713	0.26	1.23	89	1	9.52	30	89.7

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	319800	7207622	10.45	4287	0.3	1.66	91	1.2	10.41	30	100
Anticline	319800	7207422	7.06	3156	0.2	1.06	72	0.8	7.3	20	72.7
Anticline	319800	7207222	7.1	3219	0.2	1.13	67	1.1	6.61	22	80.7
Anticline	319800	7207022	7.31	3466	0.19	1.09	63	0.9	7.38	21	80.1
Anticline	319800	7206822	7.3	3302	0.2	1.15	74	0.9	8.14	26	74.7
Anticline	319800	7206622	9.38	3732	0.27	1.68	81	1.1	12.17	32	86
Anticline	319800	7206422	8.42	3425	0.24	1.41	77	0.9	9.39	27	83.3
Anticline	319800	7206222	9.46	3660	0.29	1.57	84	1	10.54	31	89.2
Anticline	319800	7206022	10.86	4315	0.34	1.7	101	1.2	10.72	34	112.8
Anticline	319800	7205822	10.18	4246	0.31	1.57	94	1.2	9.02	31	102.7
Anticline	319800	7205622	8.76	3617	0.26	1.47	80	1	10.8	29	88.5
Anticline	319800	7205422	8.31	3626	0.26	1.27	81	0.9	7.73	25	88.1
Anticline	319800	7205222	8.73	3981	0.26	1.35	84	1.1	8.9	27	105.6
Anticline	319800	7205022	9.09	4178	0.26	1.53	80	1.1	8.9	28	102.7
Anticline	319800	7204822	6.35	3546	0.19	1.06	69	0.8	8.29	25	77
Anticline	319800	7204622	6.68	4092	0.17	1.13	69	0.8	8.76	28	87.6
Anticline	319800	7204422	6.93	3817	0.19	1.69	67	0.8	6.66	21	92.2
Anticline	319800	7204222	6.39	3434	0.16	0.85	63	0.6	5.6	17	80.3
Anticline	319800	7204022	8.32	3507	0.35	1.09	63	0.9	6.54	17	90.1
Anticline	319800	7203822	11.43	4119	0.3	1.26	86	1.1	9.72	21	112.5
Anticline	319800	7203622	7.59	4060	0.2	0.9	69	0.8	7.87	17	87.6
Anticline	319800	7203422	6.98	3875	0.17	0.94	63	0.9	6.02	15	88.7
Anticline	319800	7203222	6.77	3518	0.15	0.83	62	0.8	5.56	15	80.5
Anticline	319800	7203022	8.97	4187	0.23	1.11	75	1.1	7.8	19	101.1
Anticline	319800	7202822	6.22	3207	0.15	0.83	58	0.8	5.58	14	73
Anticline	319800	7202622	5.89	3543	0.12	0.79	60	0.8	5	13	79.3
Anticline	319800	7202422	5.96	3297	0.14	0.84	57	0.7	5.61	17	74.3
Anticline	319800	7202222	8.16	4117	0.21	1.1	75	0.9	7.92	21	91.9
Anticline	320600	7206622	10.75	4018	0.31	1.43	94	1.1	11.59	32	109.5

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	320600	7206422	10.06	4045	0.26	1.29	88	1.1	12.53	35	103.4
Anticline	320600	7206222	9	3855	0.25	1.06	82	1	11.74	30	100.7
Anticline	320600	7206022	6.56	3851	0.18	0.86	62	0.8	5.66	17	85.5
Anticline	320600	7205822	6.76	3545	0.17	0.9	57	0.8	6.31	19	80.5
Anticline	320600	7205622	8.07	3385	0.19	1.13	71	0.9	7.44	21	90
Anticline	320600	7205422	6.25	2776	0.16	0.85	58	0.7	6.27	18	75.3
Anticline	320600	7205222	8.8	3403	0.24	1.27	71	0.9	7.7	24	97.1
Anticline	320600	7205022	9.49	3701	0.27	1.5	83	0.9	9.05	29	102.1
Anticline	320600	7204822	10.18	3085	0.4	1.62	94	0.7	14.21	25	118
Anticline	320600	7204622	10.19	3564	0.29	1.47	86	0.9	10.71	30	102.6
Anticline	320600	7204422	9.22	3518	0.24	1.22	79	0.9	9.55	27	96.6
Anticline	320600	7204222	9.53	4188	0.27	1.5	92	1	9.43	34	99.5
Anticline	320600	7204022	6.46	3187	0.18	0.98	63	0.8	7.76	23	78.7
Anticline	320600	7203822	6.9	4071	0.15	1.01	62	0.8	7.85	21	95.7
Anticline	320600	7203622	7.92	4453	0.2	1.13	67	0.9	7.32	18	113.7
Anticline	320600	7203422	8.15	3369	0.22	1.15	62	0.8	7.88	19	93.9
Anticline	320600	7203222	8.7	3356	0.25	1.26	69	0.9	9.21	25	95.5
Anticline	320600	7203022	6.83	3413	0.17	0.92	60	0.7	5.7	16	87.6
Anticline	320600	7202822	9.32	3403	0.24	1.09	82	0.8	7.12	20	93
Anticline	320600	7202622	8.27	3431	0.2	0.98	72	0.7	7.44	18	90.9
Anticline	320600	7202422	6.82	3185	0.18	1	63	0.7	5.65	19	77
Anticline	320600	7202222	8.33	4023	0.21	1.09	79	0.8	6.58	20	99.3
Anticline	320600	7202022	8.25	3490	0.2	1.15	72	0.8	7.1	19	99.5
Anticline	320600	7201822	7.31	3368	0.21	1.03	65	0.8	7.68	19	96.9
Anticline	320600	7201622	9.11	3804	0.29	1.12	74	0.9	7.7	17	122
Anticline	320600	7201422	7.44	3166	0.18	0.87	66	0.7	5.5	16	85.4
Anticline	320600	7201222	15.36	6002	0.32	1.41	130	1.5	9.13	26	160.8
Anticline	321000	7205022	7.14	3394	0.2	1.01	66	0.7	7.57	20	96.4
Anticline	321000	7204622	9.21	3581	0.27	1.39	81	0.8	10.06	31	104

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	321000	7204222	9.75	3971	0.28	1.54	93	1	10.63	35	103.2
Anticline	321000	7203822	7.01	3746	0.16	0.98	70	0.7	7.28	24	91.1
Anticline	321400	7205022	7.05	3109	0.18	0.93	69	0.6	7.85	17	88.5
Anticline	321400	7204622	7.3	3312	0.19	1.14	69	0.6	6.91	28	90
Anticline	321400	7204222	7.59	4243	0.2	1.12	89	0.7	13.25	37	111.6
Anticline	321400	7203422	6.33	3359	0.16	0.87	55	0.7	6.28	17	80.5
Anticline	321400	7203022	7.88	3749	0.21	1.14	62	1.5	6.89	41	105.2
Anticline	321800	7205022	10.55	4270	0.33	1.92	90	1.1	11.01	32	126.6
Anticline	321800	7203822	7.44	4350	0.18	1.19	92	0.8	8.97	30	100
Anticline	321800	7203422	7.18	3831	0.17	1.05	81	0.8	8.47	33	85
Anticline	321800	7203022	8.66	3469	0.24	1.2	72	0.9	9.96	25	96.8
Anticline	322200	7207022	9.31	3579	0.17	1.1	81	0.8	6.07	18	88.5
Anticline	322200	7206822	7.83	4711	0.21	0.97	74	0.7	6.61	21	93.5
Anticline	322200	7206622	7.55	3963	0.18	0.97	78	0.7	6.66	22	94.5
Anticline	322200	7206422	10.48	3763	0.29	1.56	81	1	8.86	40	109.4
Anticline	322200	7206222	8.29	3410	0.24	1.22	68	0.8	7.32	29	91.6
Anticline	322200	7206022	6.31	2945	0.2	0.93	61	0.7	7.4	22	87.3
Anticline	322200	7205822	8.26	3644	0.26	1.45	63	0.9	8.77	28	101.5
Anticline	322200	7205622	9.19	3534	0.29	1.47	78	0.9	9.02	29	112.6
Anticline	322200	7205422	8.12	3178	0.26	1.38	75	0.8	9.65	25	95.7
Anticline	322200	7205022	8.34	3140	0.26	1.42	75	0.7	10.14	26	99.8
Anticline	322200	7204622	7.94	3324	0.22	1.36	75	0.7	9.24	26	98.3
Anticline	322200	7204222	8.31	3436	0.24	1.17	73	0.9	10.36	29	95.2
Anticline	322200	7203822	7.3	3869	0.17	1.09	82	0.8	8.78	26	89.1
Anticline	322200	7203422	5.62	5106	0.16	0.89	91	0.7	10.08	49	89.1
Anticline	322200	7203022	6.86	3799	0.19	1.02	63	1.3	7.27	24	102.3
Anticline	322200	7202622	7.42	3731	0.22	1.01	64	1	7.04	19	94.5
Anticline	322200	7202222	8.3	3414	0.24	1.21	76	0.9	9.46	24	99.4
Anticline	322200	7202022	9.01	3879	0.23	1.34	72	1.1	8.92	26	106.9

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	322200	7201822	7.55	3660	0.18	0.96	73	0.8	7.41	18	88.4
Anticline	322200	7201622	7.28	3412	0.21	0.96	65	0.8	6.75	17	88.4
Anticline	322200	7201422	7.81	4275	0.22	1.08	71	0.8	7.08	18	100.3
Anticline	322200	7201222	7.59	3708	0.2	0.97	71	0.7	6.16	16	86.1
Anticline	322600	7205422	8.59	3026	0.26	1.17	77	0.7	9.14	19	106.7
Anticline	322600	7205022	5.7	3038	0.14	0.71	54	0.5	6.51	18	77
Anticline	322600	7204622	7.65	3838	0.19	1.11	69	0.8	7.99	25	100.6
Anticline	322600	7203022	6.92	6308	0.16	1.03	94	0.8	6.05	19	115.9
Anticline	322600	7202622	8.74	3993	0.26	1.4	68	1.1	10.95	29	109.7
Anticline	323000	7207022	7.71	3657	0.21	1.1	74	0.9	9.42	26	91
Anticline	323000	7206822	9.22	3928	0.25	1.33	80	1	11.82	31	104
Anticline	323000	7206622	8.47	4104	0.23	1.22	78	0.9	8.54	28	96.1
Anticline	323000	7206422	7.59	3854	0.2	1.06	72	0.8	6.91	20	85.4
Anticline	323000	7206222	6.77	7099	0.14	0.98	96	0.8	7.03	22	107.7
Anticline	323000	7206022	7.74	4068	0.18	1.12	87	0.7	8.23	25	99.3
Anticline	323000	7205822	7.93	3635	0.21	1.16	77	0.8	9.74	31	93.6
Anticline	323000	7205622	8.18	4036	0.22	1.2	79	0.8	9.55	27	98.5
Anticline	323000	7205422	14.55	6569	0.39	2.16	138	1.4	13.94	41	163.1
Anticline	323000	7205022	6.7	3210	0.17	0.99	62	0.7	7.92	21	86.8
Anticline	323000	7204622	12.24	4623	0.31	1.72	96	1.3	15.18	41	118.8
Anticline	323000	7203022	11.82	4598	0.31	1.63	87	1.3	14.82	37	121.8
Anticline	323000	7202622	11.81	4579	0.31	1.69	91	1.2	13.83	39	120.6
Anticline	323000	7202422	11.67	4182	0.33	1.7	89	1.2	14.57	39	113.7
Anticline	323000	7202222	8.6	3753	0.24	1.06	70	0.9	9.29	28	102.3
Anticline	323000	7202022	8.15	3452	0.18	1.04	73	0.9	7.24	22	91.7
Anticline	323000	7201822	10.05	3889	0.2	1.22	88	1	10.32	24	106.9
Anticline	323000	7201622	8.98	3736	0.2	1.24	82	0.9	8.84	20	95.2
Anticline	323000	7201422	11.08	4543	0.29	1.49	92	1	12.31	26	106.4
Anticline	323000	7201222	7.68	3927	0.18	0.99	75	0.8	6.48	17	82.1



Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	323000	7201022	6.62	3209	0.16	0.92	73	0.8	5.65	14	74.5
Anticline	323000	7200822	9.57	4566	0.25	1.29	83	1	10.39	22	105.1
Anticline	323000	7200622	6.85	3619	0.16	0.95	67	0.8	7.64	16	87.6
Anticline	323000	7200422	8.53	4258	0.21	1.17	80	1	8.91	20	104.9
Anticline	323400	7205422	7.28	4071	0.17	1.05	69	0.8	7.37	19	101.8
Anticline	323400	7205022	7.02	3474	0.17	1.04	65	0.9	6.91	17	83.6
Anticline	323400	7204622	8.29	3605	0.23	1.38	76	0.8	8.62	25	101.7
Anticline	323400	7203022	6.31	4655	0.15	0.92	112	0.8	6.92	17	90.5
Anticline	323400	7202622	9.96	4317	0.27	1.46	111	0.9	14.03	38	105.4
Anticline	323800	7207022	7.56	3674	0.17	0.98	73	0.9	7.27	16	90.4
Anticline	323800	7206822	9.04	4586	0.19	0.98	81	0.9	7.37	17	102.5
Anticline	323800	7206622	6.95	4828	0.15	0.91	82	0.7	7.27	21	97.2
Anticline	323800	7206422	9.3	3808	0.26	1.43	73	1	10.78	31	103.6
Anticline	323800	7206222	11.52	4513	0.29	1.56	93	1.1	13.01	29	135.8
Anticline	323800	7206022	7.56	3364	0.17	0.98	71	0.7	8.01	23	96.7
Anticline	323800	7205822	8.11	4579	0.2	1.12	81	0.9	7.09	19	118.6
Anticline	323800	7205622	6.2	3577	0.15	0.84	60	0.7	5.98	14	92.8
Anticline	323800	7205422	8.1	3721	0.22	1.2	73	0.8	8.64	23	96.7
Anticline	323800	7205022	8.34	4216	0.21	1.35	87	0.9	7.46	25	102.8
Anticline	323800	7204622	8.43	3823	0.24	1.38	75	1	7.73	23	103.5
Anticline	323800	7204222	8.61	3783	0.25	1.41	76	0.9	7.78	23	98.8
Anticline	323800	7203022	6.88	3600	0.18	1.03	89	0.8	6.54	17	90.4
Anticline	323800	7202622	6.03	3721	0.17	0.84	75	0.8	6.3	15	84.4
Anticline	323800	7202422	8.76	4864	0.21	1.08	77	1	8.62	18	127.8
Anticline	323800	7202222	7.45	3744	0.18	0.92	75	0.8	6.13	14	103.6
Anticline	323800	7202022	8.43	3828	0.2	1.1	93	0.9	7.48	35	101.4
Anticline	323800	7201822	8.92	3920	0.22	1.18	90	1.1	7.37	20	104.2
Anticline	323800	7201622	9.99	4184	0.24	1.32	93	1.1	8.56	23	104.8
Anticline	323800	7201422	7.74	3614	0.2	0.99	81	0.8	6.23	16	95.7

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	323800	7201222	7.77	3469	0.2	1.03	79	0.9	7.26	17	95
Anticline	323800	7201022	10.12	4072	0.28	1.5	99	1.1	12.54	25	106
Anticline	323800	7200822	9.72	4249	0.27	1.45	104	1.1	10.49	30	113.5
Anticline	323800	7200622	9.5	3925	0.24	1.28	93	1	8.27	23	100
Anticline	323800	7200422	7.83	3362	0.19	1.02	76	0.9	7.55	18	82.1
Anticline	323800	7200222	7.02	3217	0.2	0.98	72	0.9	7.39	17	77.1
Anticline	324200	7205422	7.01	3820	0.17	1.01	72	0.8	7.96	22	99.5
Anticline	324200	7205022	7.89	3923	0.21	1.14	82	0.8	9.07	25	104
Anticline	324200	7204622	9.78	4016	0.27	1.49	89	1	8.08	25	111.2
Anticline	324200	7204222	9.86	2815	0.38	1.36	96	0.6	16.59	27	146.5
Anticline	324200	7203822	7	3707	0.19	0.97	78	0.7	9.44	21	111.2
Anticline	324200	7203422	5.49	4561	0.11	0.77	132	0.7	4.61	17	77.1
Anticline	324200	7203022	5.7	3474	0.13	0.76	93	0.7	5.33	14	77.3
Anticline	324200	7202622	6.67	3554	0.16	0.96	98	0.8	6.5	19	79.4
Anticline	324600	7206022	8.26	3966	0.21	1.25	86	1	9.9	28	99.7
Anticline	324600	7205822	8.54	4073	0.26	1.24	80	1	8.59	30	106.4
Anticline	324600	7205622	8.25	4024	0.22	1.1	84	0.9	8.61	28	101.4
Anticline	324600	7205422	9.06	3708	0.24	1.11	73	1	9.16	26	101.3
Anticline	324600	7205022	8.5	3914	0.25	1.48	88	0.8	12.23	32	125
Anticline	324600	7204622	7.77	4550	0.21	1.08	112	0.8	7.88	27	100.1
Anticline	324600	7204222	7.71	3388	0.23	1.09	67	0.8	7.37	22	97.5
Anticline	324600	7203822	8.1	3831	0.21	1.22	84	1	7.47	24	104.4
Anticline	324600	7203422	7.28	4863	0.17	1.05	95	0.9	6.96	20	105.7
Anticline	324600	7203022	7.88	5861	0.19	1.14	86	0.9	10.24	21	115.1
Anticline	324600	7202622	6.23	3510	0.14	0.78	73	0.7	5.43	14	82.4
Anticline	324600	7202422	7.87	3584	0.2	1.03	85	0.8	7.46	18	94
Anticline	324600	7202222	8.06	4147	0.24	1.06	80	0.8	7.76	18	109
Anticline	324600	7202022	9.19	3869	0.23	1.29	92	1	9.35	26	103.9
Anticline	324600	7201822	6.93	3080	0.17	0.85	81	0.8	6.33	16	79

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	324600	7201622	7.05	3921	0.19	0.94	72	0.9	6.59	17	94
Anticline	324600	7201422	7.08	3779	0.2	0.87	82	0.8	7.06	16	87.9
Anticline	324600	7201222	6.68	3610	0.19	0.86	74	0.8	6.08	16	88.5
Anticline	324600	7201022	7.24	3774	0.18	0.97	74	0.8	6.58	16	87.6
Anticline	324600	7200822	6.56	3304	0.17	0.84	71	0.7	6.14	15	78.4
Anticline	324600	7200622	7.43	3629	0.21	1	79	0.9	7.99	18	94.9
Anticline	324600	7200422	6.89	3542	0.2	0.95	74	0.8	6.93	16	86.4
Anticline	324600	7200222	7.16	3636	0.17	0.87	76	0.8	6.14	14	87.1
Anticline	324600	7200022	7.3	3731	0.2	0.97	79	0.9	6.39	17	89.9
Anticline	325000	7205022	7.74	4053	0.22	1.24	78	1.3	9.26	21	112.8
Anticline	325000	7204622	6.65	4925	0.16	1.01	86	0.8	6.4	17	101.8
Anticline	325000	7204222	8.02	3568	0.24	1.22	75	1.2	9.43	21	118.7
Anticline	325000	7203822	6.26	3646	0.14	0.91	69	0.8	6.17	19	91.6
Anticline	325400	7206022	8.63	3961	0.27	1.38	81	1.2	10.23	26	106.4
Anticline	325400	7205822	8.25	3929	0.24	1.38	77	1	9.03	27	105.6
Anticline	325400	7205622	9.05	4095	0.26	1.36	84	1.1	8.98	29	111.1
Anticline	325400	7205422	7.33	3802	0.21	1.15	73	1.1	10.64	23	101.7
Anticline	325400	7205222	7.02	4011	0.17	1.07	73	0.9	8.03	20	91.6
Anticline	325400	7205022	7.41	3445	0.2	1.09	68	1	8.27	23	89.5
Anticline	325400	7204622	5.42	4150	0.13	0.78	90	0.6	7.06	22	86.3
Anticline	325400	7204222	5.51	3138	0.13	0.78	71	0.7	6.63	18	83.3
Anticline	325400	7203822	5.87	3354	0.15	0.86	67	0.6	7.68	20	93
Anticline	325400	7203422	6.04	4147	0.15	0.9	85	0.8	9.25	27	93.3
Anticline	326200	7205222	4.89	3131	0.14	0.79	58	0.6	5.76	21	71.1
Anticline	326200	7205022	7.18	3495	0.22	1.06	71	0.9	9.11	23	87.9
Anticline	326200	7204822	6.83	3362	0.19	1.02	71	0.7	8.94	25	97.2
Anticline	326200	7204622	7.27	3314	0.21	1.02	68	0.8	9.75	25	96
Anticline	326200	7204422	9.08	3942	0.27	1.13	72	0.9	9.61	27	114.2
Anticline	326200	7204222	7.33	4011	0.19	0.9	73	0.7	10.02	23	122.8

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	326200	7204022	7.39	3583	0.2	1.12	75	0.7	8.78	24	107.8
Anticline	326200	7203822	8.31	4138	0.22	1.18	92	0.7	11.38	24	123.1
Anticline	326200	7203622	6.06	3087	0.16	0.9	63	0.6	8.45	19	100.8
Anticline	326200	7203422	8.31	3798	0.24	1.27	72	0.7	14.11	30	148.6
Anticline	326200	7203222	5.98	4464	0.13	0.87	128	0.5	8.97	26	104.1
Anticline	327000	7204822	7.62	4294	0.17	1.09	74	0.8	6.78	17	93.4
Anticline	327000	7204622	6.69	3851	0.19	1.09	69	0.8	5.77	15	84.9
Anticline	327000	7204422	5.74	3637	0.13	0.83	65	0.7	6.04	17	84.7
Anticline	327000	7204222	6.03	3404	0.15	0.89	67	0.7	7.21	17	87.4
Anticline	327000	7204022	6.73	3874	0.18	1.01	60	0.9	7.22	18	97.6
Anticline	327000	7203822	6.2	3501	0.15	0.84	64	0.7	6.46	17	81.8
Anticline	327000	7203622	5.69	3605	0.16	0.81	64	0.7	7.01	18	99.5
Anticline	327000	7203422	6.55	3609	0.16	0.9	68	0.6	7.59	19	100.4
Anticline	327000	7203222	6.62	4311	0.18	1.04	91	0.7	10.72	25	128.5
Anticline	327000	7203022	6.98	3988	0.18	1.03	94	0.7	8.28	22	101
Anticline	327000	7202822	7.3	5017	0.17	1.04	85	0.8	9.22	22	107.9
Anticline	327000	7202622	8.79	5481	0.23	1.26	165	0.6	13.61	27	161.8
Anticline	327000	7202422	8.67	4179	0.26	1.15	82	0.8	7.45	17	123.1
Anticline	327000	7202222	6.47	2825	0.14	0.77	80	0.6	6.08	13	85.5
Anticline	327000	7202022	7.31	4000	0.17	1	73	0.9	7.1	15	95.1
Anticline	327000	7201822	6.67	3838	0.17	0.96	64	0.9	9.1	15	93.2
Anticline	327000	7201622	6.28	3189	0.15	0.81	72	0.8	5.77	15	80.3
Anticline	327000	7201422	7.4	3858	0.18	1.08	77	0.9	8.01	17	94.8
Anticline	327000	7201222	6.5	3507	0.14	0.86	72	0.8	5.25	14	77.9
Anticline	327000	7201022	6.3	3688	0.14	0.81	68	0.8	5.57	14	88.3
Anticline	327000	7200822	6.82	3942	0.16	0.91	75	0.8	5.99	14	92.9
Anticline	327000	7200622	6.29	3819	0.16	0.88	66	0.8	5.55	15	83.6
Anticline	327000	7200422	6.39	3900	0.16	0.9	66	0.8	5.85	15	86.4
Anticline	327000	7200222	6.11	3504	0.17	0.9	64	0.8	5.66	14	83.2

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	327000	7200022	5.86	3505	0.16	0.84	67	0.9	5.92	14	77.8
Anticline	327000	7199822	5.86	3505	0.15	0.84	63	0.8	5.94	14	80.7
Anticline	327000	7199622	5.68	3386	0.15	0.8	63	0.8	5.29	13	75.6
Anticline	327800	7204822	7.97	3468	0.21	1.11	75	0.9	8.22	22	87.8
Anticline	327800	7204622	8.72	3784	0.27	1.44	85	1.1	11.63	22	107.9
Anticline	327800	7204422	6.07	3117	0.17	0.89	70	0.7	6.11	16	75.9
Anticline	327800	7204222	8.45	4525	0.27	1.27	88	0.9	9.1	18	113.7
Anticline	327800	7204022	6.63	4276	0.17	1.06	74	0.8	6.77	17	106.7
Anticline	327800	7203822	6.65	3775	0.15	1.04	78	0.7	6.55	20	93.7
Anticline	327800	7203622	5.7	2966	0.15	0.88	54	0.7	6.31	16	80.9
Anticline	327800	7203422	7.18	3424	0.2	1.02	65	0.8	7.66	18	99.2
Anticline	327800	7203222	5.47	3291	0.16	0.83	55	0.7	5.72	14	86.5
Anticline	327800	7203022	6.39	3538	0.18	0.9	61	0.7	6.14	26	93.8
Anticline	327800	7202822	7.1	3414	0.22	1.03	70	0.7	6.35	18	98.1
Anticline	327800	7202622	7.3	4221	0.21	1.07	74	0.8	6.72	18	107.2
Anticline	327800	7202422	6.81	3770	0.2	0.99	70	0.7	6.87	16	88.3
Anticline	327800	7202222	6.87	3823	0.21	0.97	68	0.7	7.07	15	91.7
Anticline	327800	7202022	9.56	4175	0.25	1.29	92	1	10.04	24	100.7
Anticline	327800	7201822	10.2	4116	0.3	1.52	95	1.1	10.39	24	101
Anticline	327800	7201622	10.91	4638	0.32	1.66	99	1.2	11.84	25	111.8
Anticline	327800	7201422	11.02	4621	0.33	1.69	93	1.3	12.45	26	107.7
Anticline	327800	7201222	10.48	4438	0.29	1.57	87	1.2	10.62	22	108.1
Anticline	327800	7201022	10.52	4602	0.29	1.53	100	1.2	10.57	26	104.5
Anticline	327800	7200822	9.96	4190	0.25	1.41	94	1.1	9.67	22	97.8
Anticline	327800	7200622	7.39	3708	0.17	0.94	80	0.9	6.47	16	82.3
Anticline	327800	7200422	8.18	3761	0.22	1.16	89	0.9	6.93	19	81.2
Anticline	327800	7200222	8.27	3970	0.22	1.1	92	1	8.22	20	83.6
Anticline	327800	7200022	6.5	3345	0.13	0.78	84	0.7	5.29	15	70.4
Anticline	328600	7203622	7.57	3517	0.22	1.21	65	0.8	6.71	18	85

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
Anticline	328600	7203422	7.06	3743	0.2	0.96	62	0.7	6.24	16	92.5
Anticline	328600	7203222	6.46	4684	0.18	0.96	74	0.8	7.54	19	94.4
Anticline	328600	7203022	6.92	3580	0.2	1	70	0.8	6.85	18	88.7
Anticline	328600	7202822	8.12	3640	0.22	1.17	78	1	8.05	19	91.6
Anticline	328600	7202622	8.56	4158	0.25	1.4	75	1	9.45	20	94.5
Anticline	328600	7202422	6.87	3538	0.18	0.98	72	0.8	6.18	15	75.5
Anticline	328600	7202222	6.9	3647	0.16	0.93	72	0.9	5.79	16	79.1
Anticline	328600	7202022	11.34	4557	0.38	1.76	109	1.3	14.14	31	111.2
Anticline	328600	7201822	6.38	3768	0.14	0.78	73	0.7	5.79	19	75.4
Anticline	328600	7201622	8.72	4484	0.25	1.19	81	0.9	8.46	20	99.9
Anticline	328600	7201422	7.85	3583	0.22	1.1	77	0.9	7.95	19	85.4
Anticline	328600	7201222	7.04	3609	0.2	0.99	78	0.8	7.09	17	82.8
Anticline	328600	7201022	7.29	3949	0.19	0.99	81	0.8	6.38	17	82.2
Anticline	328600	7200822	7.63	4267	0.19	1.02	84	0.9	7.22	18	85.7
Anticline	328600	7200622	11.24	4824	0.36	1.67	104	1.4	12.18	26	113.3
Anticline	328600	7200422	10.73	4857	0.32	1.53	95	1.3	11.21	27	114.9
Anticline	315766	7209911	5.22	3646	0.08	0.63	154	0.6	4.64	14	61.8
Anticline	315272	7203514	7.16	5504	0.17	1.01	118	0.8	19.18	65	135.3
Anticline	322258	7203040	5	4336	0.15	0.8	98	0.6	38.04	46	82.7
Anticline	321401	7203209	7.95	3911	0.24	0.93	63	1	9.65	31	99.7
ImbinCentral	320000	7198148	5.27	2885	0.13	0.72	55	0.6	4.45	11	59.3
ImbCent	320000	7197948	4.55	2727	0.14	0.61	52	0.6	3.9	30	55.6
ImbCent	320000	7197748	3.68	2436	0.1	0.46	46	0.6	2.79	13	52
ImbCent	320000	7197548	4.02	2468	0.11	0.53	46	0.6	3.62	11	56.2
ImbCent	320000	7197348	5.37	2820	0.13	0.64	57	0.7	3.8	14	63.5
ImbCent	320000	7197148	4.83	2741	0.12	0.62	53	0.7	3.91	11	60.4
ImbCent	320400	7199748	5.09	2925	0.12	0.67	58	0.7	3.94	12	62.7
ImbCent	320400	7199548	6.59	3035	0.16	0.81	73	0.8	5.32	14	68.7
ImbCent	320400	7199148	4.69	2503	0.13	0.58	54	0.6	3.63	11	66.1

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
ImbCent	320400	7198948	5.15	2718	0.14	0.7	57	0.6	3.99	16	63.7
ImbCent	320400	7198148	5.04	2840	0.13	0.7	53	0.7	4.17	12	60.2
ImbCent	320400	7197948	4.31	2707	0.11	0.57	47	0.6	3.48	12	60.2
ImbCent	320400	7197748	4.48	2733	0.12	0.64	47	0.6	3.55	10	56.6
ImbCent	320400	7197548	3.95	2535	0.11	0.49	46	25.4	2.79	8	54.7
ImbCent	320400	7197348	5.12	2963	0.13	0.67	56	0.8	4.05	11	63
ImbCent	320400	7197148	4.52	2589	0.1	0.57	49	0.6	3.45	9	58.2
ImbCent	320400	7196948	4.77	2869	0.11	0.62	52	0.6	3.84	10	61.4
ImbCent	320400	7196748	5.15	2855	0.14	0.64	56	0.6	4.07	11	57.6
ImbCent	320800	7199748	5.19	2794	0.12	0.64	49	0.6	4.27	11	60.1
ImbCent	320800	7199548	4.97	2748	0.11	0.6	53	0.7	7.29	10	59.4
ImbCent	320800	7199348	4.94	2695	0.1	0.59	59	0.6	3.66	11	61.7
ImbCent	320800	7199148	5.22	2650	0.13	0.63	64	0.6	3.87	11	60.9
ImbCent	320800	7198948	4.3	2208	0.09	0.47	60	0.6	2.5	17	51.4
ImbCent	320800	7198148	5	2774	0.14	0.66	57	0.7	3.92	11	60.4
ImbCent	320800	7197948	4.81	2863	0.13	0.68	52	0.7	4.44	11	63.6
ImbCent	320800	7197748	4.11	2795	0.11	0.55	47	0.6	3.38	10	72.2
ImbCent	320800	7197548	4.57	2887	0.12	0.58	49	0.6	3.82	16	58.4
ImbCent	320800	7197348	4.63	2701	0.11	0.61	52	0.6	3.96	10	57.5
ImbCent	320800	7197148	5	2980	0.12	0.64	57	0.7	3.89	11	61.8
ImbCent	320800	7196948	4.92	3009	0.12	0.64	54	0.7	3.98	12	68
ImbCent	320800	7196748	4.77	2902	0.11	0.62	55	0.6	3.94	10	64
ImbCent	321200	7199748	6.24	2923	0.12	0.64	77	0.7	4.18	13	71.1
ImbCent	321200	7199548	4.76	2624	0.09	0.49	56	0.5	2.86	12	52.5
ImbCent	321200	7199348	4.12	2564	0.1	0.47	47	0.5	3.22	11	54.2
ImbCent	321200	7199148	4.42	2553	0.16	0.57	46	0.7	3.66	87	54.7
ImbCent	321200	7198948	4.5	2665	0.11	0.59	52	0.6	3.6	12	55.8
ImbCent	321200	7198148	5.56	2930	0.15	0.75	62	0.8	5.18	11	63.4
ImbCent	321200	7197948	5.56	3082	0.15	0.73	62	0.8	5	13	64.7

Prospect	Easting	Northing	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
ImbCent	321200	7197748	5.86	3058	0.15	0.77	64	0.7	5	13	69.2
ImbCent	321200	7197548	4.95	2881	0.11	0.64	54	0.6	3.98	11	61.3
ImbCent	321200	7197348	4.04	2576	0.1	0.53	47	0.6	3.38	10	54.4
ImbCent	321200	7197148	4.85	3022	0.11	0.61	56	0.7	3.93	13	62.4
ImbCent	321200	7196948	4.55	2922	0.11	0.58	54	0.6	3.65	11	63.9
ImbCent	321200	7196748	4.65	2988	0.11	0.59	55	0.6	3.57	12	58.9
ImbCent	321600	7199748	5.61	2790	0.13	0.71	68	0.6	4.47	17	64.6
ImbCent	321600	7199548	6.33	2901	0.11	0.65	67	0.7	3.77	15	67.8
ImbCent	321600	7199348	8.58	3665	0.19	1.05	81	0.9	7.14	18	92.3
ImbCent	321600	7199148	5.64	2778	0.1	0.6	69	0.7	3.6	12	63.7
ImbCent	321600	7198948	4.49	2637	0.1	0.54	53	0.6	3.39	10	59.1
ImbCent	321600	7198148	4.8	2798	0.12	0.62	52	0.7	4.05	11	58.9
ImbCent	321600	7197948	5.01	2834	0.14	0.66	54	0.6	4.11	11	61.4
ImbCent	321600	7197748	5	2741	0.13	0.64	53	0.6	4.26	12	58
ImbCent	321600	7197548	4.36	2698	0.11	0.55	48	0.6	3.72	11	56.7
ImbCent	321600	7197348	4.5	2737	0.11	0.56	50	0.6	3.85	12	58.8
ImbCent	321600	7197148	4.54	3034	0.12	0.58	49	0.6	3.93	12	59.5
ImbCent	321600	7196948	4.68	2878	0.11	0.59	52	0.7	3.69	12	59.2
ImbCent	321600	7196748	4.64	2910	0.1	0.62	52	0.7	3.94	12	62.3
ImbCent	322000	7198148	4.52	2851	0.12	0.62	48	0.7	4.07	10	62.2
ImbCent	322000	7197948	4.47	2892	0.11	0.6	49	0.6	3.78	12	61.7
ImbCent	322000	7197748	4.88	2914	0.12	0.66	49	0.7	4.33	11	65.6
ImbCent	322000	7197548	4.46	2679	0.11	0.55	50	0.6	3.48	9	53.9
ImbCent	322000	7197348	4.68	2860	0.11	0.59	48	0.6	3.85	10	62.3
ImbCent	322000	7197148	4.3	2714	0.1	0.55	49	0.6	3.38	10	62.1
ImbCent	322000	7196948	4.38	2728	0.1	0.57	47	0.7	3.59	10	62.5
ImbCent	322000	7196748	4.51	2927	0.11	0.54	53	0.7	3.54	11	59.3
ImbCent	322400	7197748	4.68	2774	0.12	0.6	49	0.6	4.15	12	58.6
ImbCent	322400	7197548	5.06	2950	0.12	0.61	52	0.7	4.19	12	66.4



<b>Prospect</b>	<b>Easting</b>	<b>Northing</b>	Th_ppm	Ti_ppm	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm
ImbCent	322400	7197348	4.83	2956	0.11	0.62	54	0.7	4.06	18	69.3
ImbCent	322400	7197148	3.83	2407	0.08	0.45	52	0.5	2.08	11	43
ImbCent	322400	7196948	4.61	2657	0.11	0.6	51	0.6	3.67	11	58
ImbCent	322400	7196748	4.41	2629	0.11	0.6	48	0.6	3.35	10	57.7